



Dilwyn Jones Computing

41 Bro Emrys, Tal-y-Bont, Bangor, Gwynedd LL57 3YT Tel: Bangor (0248) 354023

WE WILL HAVE A STAND AT THE ESSEX QUANTA WORKSHOP IN RAYNE, NEAR BRAINTREE, ON SUNDAY AUGUST 25TH. WE'D BE PLEASED TO MEET YOU THERE! WE ALSO HOPE TO HAVE STANDS AT MOST OTHER QL WORKSHOPS OVER THE NEXT FEW MONTHS!

REMIND ME REMIND ME by Joe Haftke £12.00
NEW!!! A fast, compact and convenient personal dates reminder program. Schedule events for regular monitoring such as birthdays, insurance renewals, licences and car MOT tests (those necessary events that are all too easy to forget). Events can be one off or recurring (e.g. annual). Print a report on events due up to four weeks ahead plus up to seven days before the day concerned to remind you of events missed! Easy to enter and alter events. Use as a 'start of day disk to remind you of events due soon. (128K)

FILEMASTER

by Joe Hattke £12.00

COMPREHENSIVE file care program for rapid bulk copying, deleting, formatting, directory display in columns, file viewing and basic disk labelling. (Expanded memory + RAM disk required) required).

DI-REN PRODUCTS

SPACE IS LIMITED, SO WE CAN ONLY LIST THE PRICES HERE. FOR FURTHER DETAILS SEND US A SAE FOR THE DI-REN LIST. PLEASE ADD £2.50 POSTAGE FOR FLEET TACTICAL COMMAND SOFTWARE OR MINI PROCESS CONTROLLER HARDWARE.

FLEET TACTICAL COMMAND II
Real time, interactive 3D naval wartime scenario simulation for 2 networked QL's, or solo player

option. 3.5" disk version MDV version TC II data print utility £9.95

FLEET TACTICAL COMMAND V1.02

Limited stocks of version 1 copies 3.5" disk version £32.95 THE FUGITIVE text adventure

MINI PROCESS CONTROLLER

low cost QL switchgear unit, 6 relay switches, fits in line with printer from serial port. Use your QL to add control external equipment £59.95

MINI PROCESS CONTROLLER UTILITY program
£9.95

QL NETWORK PROVER indicator for the QL network system, just plugs in

QUESTION MASTER by C.B. Storey £10.00
Quiz system, use for revision or personal amusement. (128K) Create your own quizzes, or try

General knowledge quiz questions Classical music quiz questions

SCREEN ECONOMISER by G. Estournet £10.00
Protect your monitor's screen – turns off the QL
screen display if no key is pressed for a set number of minutes. 128K

9 pin to 24 pin printer graphics dump conversion, e.g. for Page Designer 2.

by Norman Dunbar £25.00 Hard disk backup utility for Miracle Systems hard disk. Needs Toolkit 2.

THE GOPHER by Norman Dunbar £12.00 ile finder program - finds and reports files containing given text strings, e.g. letters to a certain name. Useful for finding lost files, etc. Suitable for use on floppy disks (now including Gold Card) and hard (128k)

SPECIAL OFFER: WinBack and Gopher together save £5 - both together for only £32.00

POLYTEXT by Nick Ward £16.00
Multi column NLQ output from Quill. Rearranges the output into columns, SAE for a sample printout

QL GENEALOGIST by Chris Boutal £19.50 Fiamily trees and Genealogy database, see the review in QL World Jan. 1991. Specify 128k or expanded version required.

HOME BUDGET Personal tax calculator (UK) plus domestic bills and accounts budgeting system. Suitable for 128K QL.

by Dilwyn Jones Screen display and advertising utility. See review in QL World January 1991!

VISION MIXER PLUS by Joe Haftke

VISION MIXER PLUS by Jae Hattke
A new, enhanced version of the popular Vision Mixer
software. More features and even easier to use.
PICTUREMACTED **PICTUREMASTER** Screen making utility for use with both Vision Mixers.
Text captions, graphics, mode 4 & mode 8 colours,

etc (NB – all 3 programs need min. 256k RAM)

VISION MIXER PLUS (disc only)

£22 £22.50 PICTUREMASTER (disc only) PICTUREMASTER + upgrade £24.00

QUICK POSTERS by Dilwyn Jones £10.00 Make text posters quickly and effortlessly with this program. Intended mainly for Star printers, so check if compatible with us first! 128K

BASIC REPORTER by Dilwyn Jones £10.00 BASIC programming aid. Lists names used, line numbers, extensions etc and helps you debug and develop BASIC programs. Works on unexpanded

SUPER DISC LABELLER Label your floppy discs quickly and neatly, listing filenames in columns, adding text. Optional sorting.

Reconfigurable printer driver. 256K
SUPER DISC INDEX by Imre Dominik £12.00
Catalogue your disks and cartridges in one master database. Print lists, search, sort, etc up to 999

DISK LABELLER + DISK INDEX together £20.00

by Imre Dominik £10.00 Cocktail drinks recipes database. Over 400 recipes supplied. Great for parties, or for when you have guests or friends around! (256K min.)
PC VERSION - runs on PC Archive £12.00

EXTRA RECIPE SETS, 2 SETS AVAILABLE MIX2 — around 400 extra recipies £5 MIX3 — includes non-alcoholic £5. £5.00

QDOS to PC disc transfer. 256k, disc only. SAE for details. Copies QL disks to PC format disks and vice

MULTI DISCOVER by Dave Walker £30.00 As Discover, but also transfers to BBC DFS/ADFS, CPM (many formats) and to Unix CP10 format. 256k, disc only

TEXTIDY by Dave Walker £15.00 Text file conversion utility. Convert Quill_doc files to plain text for other QL text editors, or use with Discover, to transfer to a PC for DOS Quill format, to Wordstar (PC) and vice versa. Also converts Archive screen files to DOS format for transfer to PC Archive. Available on disc only.

TASKMASTER TASKMASTER by Peter Jefferies £25.00 Multitasking front end utility, calculator, notepad, printer buffer etc. Easy to use multitasking system

FILES 2 by Peter Jefferies £12.00 Enhanced version of Taskmaster files utility – add to Taskmaster or use by itself. View/copy/delete/etc files. Comprehensive facilities and easy to use. Suitable for use on unexpanded QL

SPELLBOUND by Peter Jefferies £30.00 30,000 word dictionary, check spelling as you type, expandable dictionary

SPELLBOUND SPECIAL EDITION

£50.00 New version of Spellbound, larger dictionary, retrospective spell-check, turns itself back on automatically at the start of new words. UPGRADE SPELLBOUND TO SPELLBOUND S.E. Return Spellbound master plus £30.00

(NB Spellbound S.E. is on disc only) FLASHBACK by Pete Excellent fast, versatile database. by Peter Jefferies £25.00

FLASHBACK SPECIAL EDITION Enhanced version of Flashback - new commands,

report generator, mailmerge, label printing etc. NB-apart from Files 2, all the Peter Jefferies software requires expanded memory to run.

SPECIAL TRIAL OFFER For a limited period:
Buy two programs together CLAIM 5% OFF!
3 or more programs together CLAIM 10% OFF!

Offer applies to software only and the discount applies to EACH program purchased and is in addition to any other special offers or bundles listed above.

SUNDRY COMPUTER SUPPLIES

£0.50 each } DISK PRICES £0.45 each } REDUCED! 3.5" DSDD unbranded discs, with labels 20 or more unbranded discs 5.25" unbranded DSDD 80 track discs REDUCED! £0.35 each Disc labels, roll of 100
Disc labels, roll of 100
Disc labels, 100 on printer feed roll
40x3.5" disc storage box (lockable)
10x3.5" disc storage box (Ryford)
3.5" Sony BRANDED discs with labels £2.00 £2.50 £5.00 £1.00 each

Pack of 10 Sony branded £9.50, 2 packs or more £9.00 each New Sinclair microdrive cartridges Labels for microdrive cartridges £2.50 each £2.00 /100 £2.00 /100 Address labels, on printer feed backing 80x3.5" disc storage box (lockable) Monitor stands, up to 14", tilt and swivel IN STOCK AGAIN: POSSO BOXES, £7.00 £15.50 NOW ONLY £17.00 DISK BOX HEADED SUBJECT DIVIDERS £3.00/set

Printer ribbons — we can obtain most types. If your type is not shown, ask and we may be able to order it for you. LC24-10, LC10, Citizen 120D, Brother HR5/M1009 etc, Centronics GLP/GLP2, Epson FX/RX/MX80 etc, PW1080/Kaga Taxan KP810, Juki 6100, Shinwa CP80 and many more normally held in stock, prices from £4.00 each. If you are only ordering ribbons, please ignore the postage charge shown below and add £0.50 per ribbon for postage and packing in UK, £1.00 abroad.

TERMS — Postage — UK, add £2.50 postage and packing, except to software only orders, which are post free. EC countries — please add £3.50 postage and packing, except to software only orders, to which you should add £1.00 per item for postage. Other countries — add postage at cost, and remember airmail is more expensive than surface mail. If in doubt, add 10% to order value, minimum £3.50 abroad. Please make payment, in Sterling only please (your bank can tell you how to send Sterling from abroad, for example by Eurocheque, payable to DILWYN JONES COMPUTING. We regret that we are not yet able to offer credit card payment facilities, but may be able to arrange Cash On Delivery terms in the UK only, for a small charge, if required (please enquire if you do require this service). Goods remain the property of Dilwyn Jones Computing until paid for in full. Send an SAE for further details of the program or programs you are interested in and a full price list.



Editor Helen Armstrong

Production Controller Jayne Penfold

Designer Jeff Gurney

Advertising Manager Jason Newman

Magazine Services Yvonne Taylor

Advertising Production Michelle Evans

Group Advertising Manager Jean Dorza

Group Advertising Sales Manager Lynda Elliott

Group Editor John Taylor

Deputy Managing Director Ray Lewis

Managing Director Peter Welham

Sinclair QL World Panini House 116-120 Goswell Road London EC1V 7QD Telephone 071-490 7161 ISSN 026806X

Unfortunately, we are no longer able to answer enquiries made by telephone. If you have any comments or difficulties, please write the The Editor, Open Channel, Trouble Shooter, or Psion Solutions. We will do our best to deal with your problem in the magazine, though we cannot guarantee individual replies.

though we cannot guarantee individual replies.
Back issues are available from the publisher price £2 U.K., £2.75 Europe.
Overseas rates on request.
Published by Maxwell Consumer
Magazines, A Division of MCPC Ltd.,
Sinclair QL World is distributed by IPC
Market force, King's Reach Tower,
Stamford Street, London SEI 9LS.
Subscription information from: MSM
Subscription Dept, Lazahold Ltd., PO
Box 10, Roper St, Pallion Ind. Est.,
Sunderland SR4 4SN. Tel: 091 510 2290
UK: £21.00, Europe: £32.00,
Rest of the World: £38.00.

Typesetting by Ford Graphics, 8-10 Whitsbury Road, Fordingbridge, Hampshire. SP6 1BR. Tel: (0425) 655657 Printed and bound by BPCC, Colchester. Covers printed by Spottiswoode Ballantyne, Colchester. Sinclair QL World is published on the third Thursday preceding cover date.

© COPYRIGHT SINCLAIR QL WORLD – 1991

CONTENTS

- SEPTEMBER 1991
- 4 TROUBLESHOOTER Perfection and Quill
- 13 QL SCENE Qimi mouse back in action
- 14 OPEN CHANNEL
 Plugs wanted
- 19 QL SCENE Italy clubs link up
- 20 VIDEO GRAPHICS ON THE QL ●Building up a system
- 25 THE NEW USER GUIDE Part 7 Subsystems
- 29 SOFTWARE FILE Cowo Qtop
- 32 PUBLIC DOMAIN GAMES Low cost games in the UK
- 34 DIY TOOLKIT More of MORE
- 38 QUESTIONNAIRE Come in, the other 98%
- 40 ARCHED Part one of a simple SuperBasic database
- 44 SOFTWARE FILE Winback
- 47 CLUB ACCESS
- **48 MICRODRIVE EXCHANGE**
- 49 NOTICE BOARD
- 50 INSTANT ACCESS
 - **BACK COVER SUBSCRIPTION INFORMATION**




NEXT MONTH

ONE PER DESK

A look at the current position of a close QL cousin

DBQL PART 4

Continuing our relational database project



ne of this magazine's forebears, was called QL User. What's in a name? Obviously, a second magazine for QL folk had to have a different name, and the first real rival was named QL World. The choice of 'World' gives a wider sound to the title, and that is the name which stuck when elements of both magazines were merged to form the current one. The QL is a computer which has found supporters all around the world (as did its Sinclair predecessors - ZX80, ZX81, Spectrum etc and successor the Z88). Despite the QL having been out of production for several years, there is still a lot of enthusiasm.

We are all QL users, but the perception is that QL owners tend to be divided into two main categories - 'users' and 'hackers'. For the latter, the computer itself is perhaps the main interest, whereas people in the former category can be expected to be more concerned with the results they get out of it. These are clearly rather nebulous definitions. Someone who writes programs for their own sake, with no intention of using them for particular purposes subsequently, is nevertheless interested in results; it is just a question of emphasis. Some people are more firedup by the mechanics of hardware and software, others want only to use them to do specific jobs.

Look and feel

For those who are users in the sense of not being too concerned with the technical aspects of how information is put on the screen, or out to a printer, the 'look and feel' of software is very likely much more important than the hardware, as long as the hardware does a reasonable job. It is only if the hardware has significant failings that this type of user takes a serious interest in it. An obvious case is the tendency for QL to lock in a hot environment or where there is electrical interference through the mains power supply. If you don't have such problems, you are more bothered by bad behaviour of software.

What prompted this line of thought was a day spent working solely on a pc, during which time it locked up several times. It suddenly struck me that this was behaviour which would have driven me mad in the early days of QL ownership, and caused me to spend many, many hours investigating ways of making the hardware more reliable, and writing to software suppliers to complain about program problems.

Bryan Davis looks further at Perfection, the successor to Quill in the QL market, and the recent All Formats fair in London.

My QL, and the software used on it (by and large), have long since become stable, with lock-ups being rare and crashes almost a thing of the past. Maintenance, in the widest sense, takes up an insignificant proportion of my QL time, whereas it seems to be taking of the order of 10-20% of my pc time. The lockups on the day in question were probably caused by program bugs; the database program in question has many bright features, but was never fully sorted out. In the preceding few days, I'd had a spate of hard disk errors, and more than two years of checking have not resulted in my pinning down whether this is a hardware, or a software, problem.

At the time the last few sentences were written, there were no evident problems with my QL system, but the hard disk has been reconnected since then and now all the files on it are 'not found'. Here we go again... reformat the disk, and recopy the dozens of files that were on it.

Easy to use

The program you use most may not be the 'best' one. You may simply have got used to it, and not be sufficiently bothered by its weaknesses to replace it by another. Quill is an excellent example of a program which survives almost in spite of itself. It causes many users all sorts of agony, but it remains the choice for the majority. After all these years this simply cannot be because it was supplied free. Above all things, it is easy to get to know, and easy to use afterwards. It doesn't require hours of study on the part of the user, to be able to do simple jobs. While thinking this, there lurks in the back of my mind the amount of effort that Digital Precision has been putting into its Quill competitor, Perfection. As with Software87 and text 87 there are many reasons to argue that the concept and the program are far better than Quill, but what sells the product is as much the user interface as the functions provided, and it is this area that DP and Software87 have been devoting attention to recently.

Key combinations

There are roughly one hundred functions in Perfection for which DP has had to find suitable key combinations. Given the available combinations, and the fact that many users already allocate the ALT key plus alphanumerics to certain functions (eg ALT-D to print the date on to the screen), there was a considerable problem to be solved. The desirable situation, of using keys with mnemonic connection to the functions (such as P for printing), has been obtained for main functions through the Quill-style main menus, and this should meet with approval from us-

Quill users should be able to make reasonable use of Perfection by referring to the menus only, without having to read the instructions to get going. Anyone not wanting to spend the time to learn how to use unfamiliar (to Quill users) functions can ignore them and make use of only those functions previously used in Quill, while revelling in the much better performance of Perfection. That is, it can be treated as no more than the fast Quill that was being asked for right from day one of the QL. You don't get major improvements for nothing, though, and you'll have to spend time with the instructions to be able to make full use of the program - and the instructions are DP's normal 'full-size'

To some extent, the user, as opposed to the hacker, isn't bothered what computer is being used. It's the program that matters. However, there are some fairly basic needs that a computer must fill to satisfy demanding users.

One of these is the ability to switch from one program to another without the first one being 'killed' in the process. It was enough for most of us to be able to use the Psion Quartet one at a time, back in 1984, but the restriction of one program at a time very soon got irksome. It wasn't the QL's fault; it was capable, right from its introduction, of having several programs loaded at the same time, and even of having some of them actually working concurrently. The obstacle was

SHOOTER *

the way the Psion programs were written. They all required the EXEC_W command to start them, and that excluded the use of the CTRL-C keying to switch to any other executable program, or even to SuperBasic. On reflection, it is amazing that no one - so far as I know - published a way of making the Psion programs start with EXEC instead of EXEC W almost as soon as the QL came out. Now, we have several ways of switching between programs and, essentially, all major QL programs can be run together during one session, subject to whatever memory limitation exists in the particular QL.

2MB document space

It is possible with some programs (eg Quill) to make use of disk space when memory runs out, so that one data file in one program growing too big may not necessitate calling a halt to the session. Perfection doesn't permit this, but allows documents to be as big as about 2MB, without it being necessary to configure the program to take a specific amount of memory beforehand; there aren't going to be many users who can't make do with this size. Referring back to the PC database again, it is one of those infuriating programs that won't make full use of the memory provided; it will say 'out of memory' when there are several MB of memory unused. Making use of a switching program makes matters worse with big data files, because this database program then won't even load them if they are above a certain, minimal size (the switching program takes vital memory for its own use).

On the QL, we now have the ability to run pretty well whatever combination of programs we fancy, and — with the Gold Card — to be generous in memory allocations to them, and to allow some programs to overflow their data files to disk if things get really tight. All this, plus real speed, with the Gold Card. Things have never looked better.

Bigger drives

Miracle Systems indicate that the 3.2MB high-density $3^{1}/2$ in drives for the Gold Card may not be too far away. It is a question of Miracle obtaining them at the right price, and negotiations have a more hopeful air now. Orders for the *Gold Card* have been

sufficient to create a waiting list, with four to six weeks being quoted from the Miracle stand at the recent All Formats computer fair on 22 June.

Quanta helps

There was a goodly amount of activity around the QL suppliers' stands at this fair. Miracle were demonstrating the Gold Card, EEC had the PC keyboard and interface, TF Services had a neat little programmed robot, DJC had the two hard disk programs WinBack and The Gopher, Digital Precision had the usual audience for demonstrations of Perfection (much midnight oil having been burnt working on the instructions the previous nights), and the Quanta users' group seemed to be dealing with plenty of enquiries.

Thinking of Quanta, Chairman Phil Borman has produced some very handy additional commands for use with hard disk drives (eg Miracle and Rebel types), and these commands will be made available to Quanta members through their software library. The Miracle hard disk software is very sparse and leaves the user rather in the dark about what is going on. Phil has written a routine to give a map of the directory 'tree' on the hard disk, and another to allow a Path command (rather as in MS-DOS); other commands make changing sub-directories much simpler. In general, these utility functions appear to make use of the hard drive much more pleasant; I should be able to comment upon them in more detail shortly. It may be that Miracle have it in mind to make some similar improvements.

In case it has skipped your notice as well as mine, you now have to be even more careful when talking about disk drive sizes. What has been the standard size for 31/2in drives over the past few years - the onethird-height form factor - has been superseded by one-quarter-height, and this is the size suppliers are now likely to supply, and talk about. One-third-height drives are about 3-4cm high (similar in height to a 50 pence coin in the UK), whereas one-quarter-height are about 2-3cm. Apart from the physical considerations, such as whether a new drive fit into an existing slot or casing, there will be electrical differences to consider. While the connectors and interface specifications may still be the same, the behaviour of the drive mechanism could be different. This became apparent when

a pre-production Gold Card took exception to my one-third-height Mitsubishi drives, but is apparently quite happy with onequarter-height ones of the same make (and with one-third-height NEC drives).

It is sensible to specify your drive make and size (both disk diameter and drive height) when ordering an interface. The formatted capacity of the QL extra-highdensity drives will be 3.2MB, whereas the PC version will be 2.88 (720KB x 4); the basic, unformatted capacity in each case is 4MB. Hopefully, the actual drive mechanism will be identical for the two computers. If you want to use the Conqueror MS-DOS emulator on the QL with the extra high density drives, you'll need to have a copy of MS-DOS 5.0, which should be available before the end of 1991. Digital Precision will be looking at making any necessary changes to the Conqueror package to permit use of these drives.

Have you noticed that the mechanism of hard disk drives has been reduced so much in size that a 40MB drive can now be had which is much smaller than a one-quarter-height 3½ in floppy drive? The drive is 2in type, made for laptop computers, where space is at a premium. In fact, a 40MB 2in drive that has a smaller area than your typical plastic charge card is available.

Quill uninterested

Thinking of floppy drives, it was so long since I had used Quill seriously that my recollection of what happens when you try to create big documents was unclear, and it was necessary to experiment a little to refresh my mind. On an 896KB system, a 288KB document was loaded, then merged on to the end of the memory copy, then part of it was merged on to the end again. The most that could be got into Quill was 217 pages, a file size of around 626KB. The DEF_TMP overflow file to flp2 came close to filling a blank 720KB disk. The next question was, can a file of such size be edited successfully (accepting that almost anything was going to take a long time?) It was possible to type some more text in, and delete lines, but commands were refused, 'out of memory'. Effectively, there was an impasse. So, what happens if the overflow device is a hard disk? Much the same. The Merge operations had to be halted at the same Continued on page 6

TROUBLE SHOOTER

document length. The overflow file was, in fact, much smaller this time but it was clear the amount of disk space available didn't interest Quill; it had reached its limit. Funny things happen when a file this length is loaded in Quill, and you wouldn't sensibly want to trust what Quill would do to such a file. My recollection is that 350KB is about the limit Quill can handle sensibly. No, for serious work like this the capacity and speed of Perfection are a much better bet.

Reappearance

Welcome news for users is the expected reappearance later this year of a collection of well-known programs which disappeared from view about eighteen months or so ago. In the intervening time, most or all of these programs have been upgraded. It is a pleasant change for 'vapourware' to become real, for once, and to be coming from a reliable supplier.

Development of a new version of $text^{87}$ is well on its way to completion. A revised menu structure should make the transition from Quill to text⁸⁷ easier, but there will also be additional functionality for more experienced users.

My usual thought when reading about the wonders of the JS version of the Qdos rom is 'why bother?'. The JM has served me well for six years. The JS has benefits for

the programmer, but the user is not likely to notice them. However, serious troubles running revised versions of the two wordprocessing programs on my JM recently have been traced to incompatibility with the JM, and this may be a pointer to more trouble in future. However, Perfection in its latest, shipped version should run satisfactorily with the JM; the version of text87 in question is intended for users of the Atari QDOS emulator with the 768-pixel screen driver, and that will normally (always?) have a JS anyway. Coupled with the trouble using one-third-height Mitsubishi drives, the rom factor may lead me to test programs on two different systems in future; one may have the JS rom, Gold Card, and (high-density) one-quarter-height drives, the other would have the JM rom, Trump Card, and one-third-height drives. My understanding is that there must be hundreds (maybe thousands) of QL systems in existence with both JM rom and one-third-height Mitsubishi drives (as supplied by Eidersoft); software and hardware developers ought to bear this in mind. Sounds a bit like the situation described in my earlier comments on of Minerva. . .

Readers' Letters

TK Computerware were good enough to call and suggest a way around the difficulty

R Thomson had experienced obtaining paper for his Serial 8056 printer. The suggestion is to contact a commercial stationery company (perhaps Ryman) and ask for details of thermal roll paper for fax machines. Make sure you specify thermal paper, as some fax machines use plain paper. A4 width (210mm) is normal, but some machines do use 216mm-wide paper (the Fujitsu dex 455/455, for example). There may be the usual (for the 8056) problem of paper not being quite the width of the original type; as this is a standard problem, it seem desirable to manufacture some type of shim(s) for the platen, to allow for narrower paper. A Quanta member, Richard Biggs, recently wrote (in the Quanta newsletter) that he has no difficulty obtaining 210mm-wide rolls (the 8056 normally takes 216mm?) and has indeed made an adapter to make up the difference. This paper costs him much less than the 210mm type, and he suggested he could supply three rolls and the adapter for £13. If Richard is a reader, and is prepared to offer this service to other 8056 users, perhaps he would let us know. Some Samsung fax machines are supplied complete with a spacer so that they will take both 210 and 216mm rolls.

The current, recommended version of Minerva is 1.90, so I am told. Any comments on software compatibility with *this* version?

JOCHEN MERZ SOFTWARE

Im stillen Winkel 12 4100 Duisburg 11 - W-Germany Tel./Fax 0203/501274

NEW! Level 2 Floppy Disc and RAM disc driver for SuperQBoard and TrumpCard! New Emulator Software! QDesign for Laserprinters! QDOS Reference Manual! NEW!

QL-Emulater (Hardware, QJUMP's Drivers AtariDOS & utilities)£166 EPROM Cartridge for ST(makes machine autoBOOT), switchable £33 Centronics Cable for ST: 2m£6.50, 5m£10.50 MIDI Cable 2m£3.50 ST-Monitor-Cable: Scart £9, Cinch £11, Amiga 10845 £13 Floppy Adaptor to connect QL-Disk-drives to the ST £9

QDesign — A new graphics program which uses the Pointer Environment. Very easy to use, with extras never seen before in a QL graphics program: Editable area ranging 512x256 pixels up to 2880x2880 (depending on your RAM) You can even load monochrome 640x400 ST pictures and use them. Page View, Scaleable Vectorfonts etc. £38 LaserVersion for Laserjet II, Inkjet, Deskjet £45

FLP/RAM Level 2 - Replacement EPROM for SuperQBoards (V1.17 onwards, with or without mouse) and all TrumpCards. No soldering! New Manual! Real sub-directories! QL - Emulator compatible! About twice as fast, with improved slave-block-handling! Backup - Dates and Version - Number, even accessible from SuperBASIC. £14

QD III — Very comfortable text-editor, running under the Pointer Environment. Many features (e.g. Menu, Scrap) £38 Upgrade from VI or VII £10

QPTR — Re-released & Updated! Toolkit for Machine Code and BASIC Pointer Environment Programmers. Revised manual & keys/macros updated. CONFIG is also explained. £30 Update (new manual & disc) £14

QMENU — Many QD Users will know it: the Menu Extension. Now with more facilities, even real subdirectories are treated in a new file-select window. Programming instructions and examples for SuperBASIC and machine code. A Scrap Thing is also implemented now! £11

QPROMMER — Menu-driven, very comfortable EPROM-programmer software which allows you to use the ATARI Junior-Prommer under QDOS. £19

Package: QPrommer & EPROM-Manager II £29

EASYTPR II — Create your own Pointer Environment menus & sprites and use them in your own SuperBASIC or m-code programs. Many users waited for this package, as creating Menus was not easy, until now! Put all the items you need on screen, thats it! Supports all the subwindows and uses the Menu Extension! Now even complete application-sub-windows may be created! Many examples! £49 EASYPTR II — Budget version £29
Upgrade from version 1 £10

QDOS Reference Manual — This book is a must for all m-code progammers. It explains how to use QDOS, all traps and vectors, the Thing System, the HOTKEY System II and much more. It points out which features work on a QL, an Emulator and how to write compatible for future operating systems. DIN A5, 170 pages. £30 Special Update Service available!

QSUP - System Utilities: translation-table editor, printer panel (now also for Star's) NotePad and much more £26

QLQ - 24-pin Printer Utilities with 13 download fonts, font editor etc. £21

Thing & EPROM Manager - Puts your files (Jobs, Things, Extensions etc.) together and creates files which may be burned into EPROM. £18.50

DIAMONDS — A "just one more go" game to keep you up at night. £11 Firebirds - Fast, difficult action game £10

Brain Smasher! - Mah-Jongg type game (best played with mouse) £12 Arcanoid II - Kick the brick! 40 Levels. £10

Ion Gold & Doppel Ion £10
Super Games Pack (Pengi, Arcanoid, Firebirds and Ions) £25

Pack of 10 3.5" Discs MF2DD incl. Labels £3.10
Keyboard Interface (for IBM-type PC/XT keyboards) £41
QIMI — QL Mouse Interface with Real-Time-Clock £41
High Quality Mouse for QIMI or ATARI ST £27
QIMI without RTC (for Gold Card) £37.50
Adaptor AMIGA mouse to ATARI or QIMI or v.v. £2.50

Please add £4.00 for postage and package.
All programs except Arcanoid, Firebirds & Ions need memory expansion. All prices excl. V.A.T E&OE





NEW!

Not just a word-processor - this one is THE word processor. From the same inspired team who brought you classics like LIGHTNING SPECIAL EDITION and PC CONQUEROR, Digital Precision presents a product that will revolutionise the way you use your QL. Let us tell you how PERFECTION will do this. Several hundred thousand QL users have grown familiar with the Several hundred thousand QL users have grown familiar with the free word processor that was bundled with the QL. On the plus side, its use could be mastered in a few minutes thanks to its simple menu system, and it is reasonably WYSIWYG (What you see is what you get) in appearance. On the minus side, it is very slow, sometimes iddiosyncratic (in what it prevents you from doing, for the roundabout way in which it forces you to go about things that should have been provided with it simply weren't. Valiant attempts to accelerate it by "patching" it have achieved only a 20% speedup.

There is, however, no getting away from the fact that the majority of QL owners still use Quill as their main program. They

simple senu system and it is reasonably wishing (what you see is what you got) in appearance, on the simus side, it is very show that you got) in appearance, on the simus side, it is very show that you got in appearance, on the simus side, it is very show the property of the roundabout way in which it forces you to go about things that should have been straightforward and very many commands that we attempt to accelerate it by "patching it have achieved only a five the property of the straightforward and very samy commands that we attempt to accelerate it by "patching it have achieved only a five the property of the property of the safety of the safety

GREATER SPEED make it an ideal upgrade. There are hundreds of detailed changes - to give but one: paragraphs do not need to have a blank line between them in order to distinguish them more. There remains an area, however, where Editor Special Edition remains supreme - the editing of "non-printable" data, the ability to handle the entire ASCII character set from codes to 255. So if you are a technical or semi-technical user and do not have either Editor Special Edition or PERFECTION, your best buy is the two programs together (they can interact, coexist, work simultaneously and have fully-compatible file formats). You will then get Editor Special Edition at HALF PRICE (Special Offer - limited duration).

The characteristics of a good database are its ability to Store, Retrieve and Manipulate information rapidly. By this criterion, this word processor makes an ideal database system too, as it is blindingly fast and flexible. Forward and backward 'Search' takes at most a couple of seconds, even when you have a document that fills an 896K Trumpcard system to the brim! Cursor navigation is also unbelievably fast and smooth, with an accelerating rate of scrolling if you indicate impatience. And there are macros, programmability and more for the more advanced user. If you have been unhappy with the speed or complexity or non-programmability of your existing database, PERFECTION will solve your problems. PERFECTION can even access your existing Archive export files. And if you want full desktop publishing capabilities (the use of fonts that your printer does not posses, and graphics) interlinking PERFECTION with Professional Publisher is a doddle. Use PERFECTION with Professional Publisher is a doddle. Use PERFECTION conserved for enormous power and blistering speed, which (for the first time) makes output to printers hassle-free. There is nothing else like it or even remotely as good as it on the QL or on anything else. PERFECTION is a user-friendly, familiar user-interface, stand-alone WYSINYG dual-control (menus or

writing the boot all the technology and concentrate only on the writing.

PERPECTION costs just £79.95 including integrated printer drivers, ancillary programs and jargon-free, friendly but to-the-point documentation (that you will probably never need to read through!). PERPECTION PLUS comprises PERPECTION plus the dedicated Spelling checker with dictionaries and costs just £119.95.

read through!). PREMENTION PLUS comprises PREMENTION plus the dedicated Spelling checker with dictionaries and costs just filey. St. TECHNICAL INFORMATION ON PERFECTION Vou don't actually need to read or understand this. PERFECTION gets its superb speed from two sources. Firstly, PERFECTION — unlike virtually any other word processor — is written entirely in 100% hand—written machine code. This gives us a considerable speed advantage over compiled, alternatives. Had we written PERFECTION in a high level language it would have been 4 times slower, 6 times bulkier and taken us a great deal less time to produce. You reap all the benefits of our hard work. The other source is design. There are two formats for internal data storage for character handling programs. Many store data serially, in a long stream of characters, Ones like Editor store data as lines scattered through RAM, with a table of pointers to the lines — a far more advanced method. The first format has the advantage that it is cheap to program — the user pays the cost in terms of performance, with sluggish block—defining/moving, navigation and insertion. The second format has advantages including instant random access to any line and quick insertions and deletions — the disadvantages may include heap fragmentation that will result from repeated grabbing of small chunks of space (garbage collection may be required periodically if space is short). Both formats share the disadvantage that "global" changes made to a part of the document — say a switch to bold at the top—will take a long time to filter down through the system to become visible on-screen at lines at the bottom.

PERFECTION uses a variant of the second format that does not have its disadvantages. Data is stored in RAM in optimally—sized chunks — a chunk being roughly the size of several screens. Each chunk has a control information area within it about the number of lines etc within it, the display status at the start of it (say bold on, italics/underline etc off). Menever you are editing, t

speed and power advantages to our system. There is one bind disadvantage — it is an absolute nightmare to design and implement! Fortunately for you, you don't have to know anything about it — it just works like clockwork, automatically and behind the scenes.

Other elements of PERFECTION design to enhance performance include lazy screen (when you keep a key pressed in order to get somewhere, we stop updating the whole screen and instead just scroll the line your cursor is on) and lazy attributes (where in a huge document of hundreds of pages you do a long jump — say from near the top to near the bottom, in one go, and we have not yet resolved the attribute status (say underline on) of the area you want to get to, we don't hold up the display for even one hundredth of a second while we are computing attributes, but display the new area immediately without any pause — the attributes will "catch up' a second later: you will only see this if your document is very very big and you navigate in huge leaps). Also, there is a garbage job running all the time in the background, doing whatever internal tidying up and optimising is needed when you are not doing anything (with PERFECTION's speed, even if you are typing at 200 wpm the program is sitting twiddling its thumbs for 90% of the time as it awaits input!). Consequently, PERFECTION is nternal tables are always in a PERFECT state. Both lazy screen and cursor acceleration are user-configurable, incidentally.

There are dozens of other more localised ways in which PERFECTION performance is obtained. For example, PERFECTION has built-in knowledge of statistical distribution of occurrence frequencies for the various alphabetic characters in English and other European languages, it uses this data as follows: if you ask PERFECTION to search for the word 'praxis' in your document, we won't look for the 'p' first. Instead, we automatically look for an 'x (less occurrences of 'x') and having found 'x' then resolve whether it is embedded within an occurrence of 'praxis' (if not

lightning special edition Lightning

Until the autumn of 1989 the fastest way of speeding up your QL display was to buy Lightning, which greatly accelerated QL text printing, graphics and maths, without affecting compatibility at all. NOW you can buy Lightning Special Edition, which is significantly faster than Lightning and does a lot more! Lightning Special Edition is simplicity itself to use. Once it is loaded ALD programs will AUTOMATICALLY benefit from the enhancements it provides. If you are using a QL without Lightning you are probably a little pale (quote from John Norton of Sector Software), you should get out and about more. Go to some QL shows or meetings where you will see Lightning in action — or take our word for it. If you don't have Lightning you are WROMG. Lightning Special Edition works by automatically (I know we keep using the word, but it is the only one that is really correct here) and instantly replacing QL ROM code (or Minerva code, for that matter — Minerva and Lightning complement each other superbly) that has usually been optimised for space, with extremely high speed routines written by us that do the same job but much faster. Screen output speed gets accelerated by factors from over 1.5x to over 10x (about 2x-4x is representative), graphics are drawn twice as fast (points are plotted 5 times faster) and internal maths is speeded up by 2x-5x (you can even vary the precision). There is virtually no cost in RAM (for example, you can still run quill with a fairly large document on an unexpanded QL with Lightning Special Edition). The Special Edition is supplied on EPROM plus disk/cartridge: if you already have something precious plusged into the QL's EPROM socket (at the rear), there is no problem — all the EPROM's functionality is duplicated on the other medium! Lightning Special Edition inscuppled on EPROM plus disk/cartridge: if you can dynamically adjust channel parameters — like ink, paper, font, screen position, use over 80 fonts, a null device, a character drain and all sorts of other interesting gadgets. Lightning

PC CONQUEROR WITH DR-DOS V5.0 PC CONQUEROR

Terrific though we know the QL to be, we do feel the pressure to be "PC compatible" in today's world. There is increasing demand to be able to bring home and run the programs increasing demand to be able to bring home and run the programs increasing demand to be able to bring home and run the programs increasing demand to be able to bring home and run the programs increasing demand to be able to bring home and run the programs increasing demand to be able to bring home and run the programs increasing demand to be able to be able to programs and financial modelling packages, vertical market applications, visualisation aids, graphics/CAD/PCB was a program to a p

PROFESSIONAL PUBLISHER

To show you a little of what our Professional Publisher can do, we have prepared our last advertisement using it. Notice from our May 1990 advertisement how we can wrap the result around graphics or in fact anything, of any shape. When we wrote Professional Publisher (PP), we knew it was a very special sort of program. Publisher (PP), we knew it was a very special sort of program. Publisher (PP), we knew it was a very special sort of program. Publisher (PP), we knew it was a very special sort of program. Publisher (PP), we knew it was a very special sort of program produce pages of quality - virtually indistinguishable from Publisher be your printer: however, while the very best output output from PP will be obtained from 24 pin models and lasers, you will be stunned by what PP can squeeze out of the humblest 9-pin machine. Great care was taken in the design of PP sow were absolutely sure that no actual knowledge of, or practice with, desktop publishers was required in order to use it the 'Professional' in 'Professional Publisher' refers to the output quality, not the level of operating skill required. When you use PP, you will notice that at each and every stage a menu is available (there are getting on for a hundred menus in total) with a list of options selected by using either the cursor keys and SPACE bar. or by pressing a digit key - use what suits you!

There is context sensitive, on-screen help too, When you get more experienced with the program, you may select Command mode (using the Enter key) and choose operations directly, bypassing the menu system. PP is more user-friendly than any page-making program we have ever seen on any computer, period.

It is not all the program was all the program we have ever seen on any computer, period.

Society of pages. This is in the way you might proceed: PP does not impose any sequence of steps upon you, and you can one of the process of the process

PROFESSIONAL PUBLISHER TOOLBOX

For Professional Publisher users — this useful addition not only supplies several man years worth of beautiful high definition fonts — including familiar types like Roman and Universal — but also contains many smaller fonts, more clipart and programs to load Sector Software clipart, filter text before importing into Professional Publisher, save parts of Professional Publisher pages as screens (for importing into any graphic program — like Eye-Q — or manipulating via SuperBASIC) etc. Excellent value.

FORT BALLARGER

For Professional Publisher users - loads of large fonts are automatically created by this multitasking utility, as and when you need them (or in advance), by enlarging existing smaller smaller fonts from PP itself and from Lightning Special Edition and hordes of other sources; with this there is NO jaggedness at all. A font editor for small and large (hdf) fonts is included.

GRAPIX

Scaleable output for all our desktop publishers on 9- and 24- pin printers: a useful alternative to the built-in drivers.

RTE-O

There is no way to describe Eye-Q except as the best graphics program for the QL. This master is now four years old, and we have never felt the need to change anything. Its use is characterised by absolute simplicity, speed and power - it has that indefinable precision "feel" that is just right. All the expected manipulations are provided Whether your needs are technical drawing, labelling, design, illustration, freehand work, copying - or just having fun, Eye-Q will not disappoint. Of course it is menu driven with context-sensitive help. The system takes 5 minutes to learn. The variable zoom and fill facilities, anti-finerslip measures, cursor acceleration and so on make Eye-Q a classic in its own time.

ULTERAPRIME

To get the best printer output from Eye-Q or any other graphics program from any other source, Ultraprint delivers. An amazing 22 styles to choose from: enhance contrast (for line output) or gradation (for pictures) and vary magnification... A printer without Ultraprint is no printer at all.

WEDIA WANAGER SPECIAL EDITION WEDIA WANAGER

MMSE is a joy to use. Whether something has gone wrong with a disk or tape ("Not found", "Not a valid Quill file", "Bad or changed medium", "Read/write failed" etc) or whether you want better control over your programs and data, MMSE should be to hand. Virtually any calamity can be recovered from automatically: all permutations (accidental deletion or part-overwriting, part-formatting, errors yielding: bad map but OK directory. bad

directory but OK map, bad map and directory, OK map and directory but bad file sectors, unknown fault, power glitch corruption and so on) have been carefully thought through and catered for. If nothing is wrong, but you just want to explore and understand more about your system, you can potter to your heart's content, assisted by the clear and packed-with-facts manual. Dozens of different diagnostic printouts can be produced. The whole system is menu-driven, with context-sensitive, on-screen help for every option. The speedy Sector Editor is a positive delight: the collector file facilities, bulk recovery, auto-navigation, skipping through the medium in physical, file (if map), logical (if no map) or uncollected/logical (if destroyed map, and because of "chequered" history with lots of overwriting/deletions no one-step recovery available) sequences must all be experienced to be believed. MMSE is extremely simple to operate, and assumes no advance knowledge whatsoever.
Alternatively, if you wish to tidy up your disks or cartridges, MMSE allows you to change volume format names, sort directories into alphabetic, date or size order, analyse file contents and histories, change case of filenames, move data/programs to/from alien-format disks, introduce or break copy-protection systems (illegal use prohibited!), MMSE can and will deliver the goods. It is absolutely superb.

The standard Media Manager is much less powerful, and less easy to use. It is only for those on a tight budget.

TOOLKIT III WITH ROM

Virtually everyone with a disk system has Tony Tebby's fine TKZ Supertoolkit on board (usually built into the disk interface). Toolkit III — which works whether or not you have TKZ — takes off where TKZ ended, adding about 70 new commands and enhancing many existing QL and TKZ commands. TK3 is for everyone with a QL. You can get this system on cartridge/disk, with or without a plug in ROM cartridge in addition. The documentation is complete and very comprehensive. Some of the added commands are:

ADIM ** ADIMN ** AND L ** ATYP ** BASREF ** BV BASE ** CHANNELS ** CHBASE ** CINT ** CLOSES ** DEVLINK ** DIR USE ** DITS ** DIV L ** EOR L ** EXTRAS ** FACC ** FLP SEC ** FLP START ** FLP TRACK ** FLP USE ** FRAC ** ISFLT ** ISINT ** KEYS ** LARRAY ** LOWERS ** MEMOOPY ** MEMSWAP ** MJOB ** MJOB W ** MOD L ** NYES USE ** ODD ** OM INIT ** ONPIPE ** OR L ** PEEK F ** PEEK ** PEND ** PIPE ** POKE ** POKE ** POKE F ** PRED ** QDOSS ** QIN ** COUT ** QTEST ** QWAIT ** RAM USE ** REPLACE ** SETHORS ** RESET ** RJOB A ** ROUND ** SARRAY ** SEARCH ** SETDIR ** SETHORS ** WSETUSER ** WSETHOST ** WSETNOT ** WSETNET ** WSETRO ** WSETRW ** WSETSYS ** WSETUSER ** WSETHOST ** WSETNET ** WSETRO ** WSETRW ** WSETSYS ** WSETUSER ** WSETHOST ** WSETNET ** WSETRW ** WSETSYS ** WSETUSER ** Whether or not you can program, Toolkit III is of great use!

Few users actually require all the facilities of a complicated database like Archive. QFlick presents a very convenient alternative — a very fast, simple to use card-file database, with easy to learn, snappy search and navigate commands and clean file-handling. You can move Archive data to/from QFlick. You can run multiple copies of QFlick. And QFlick's data is organised so it is easy to program from SuperBASIC, even for tyros!

PERFECT POINTER TOOLS

This excellent program gives you an on-screen pointer (arrow) environment of incredible smoothness, and 6 utilities with it. To explore the world of QPtr, Things, Hotkeys, Window Manager...

<u>OKICK WULTITASKING SYSTEM</u>

A pull-down menu controlled multi-tasking front-end, ideal for running in the background and giving you notepads, file-handlers, quick backup, clock, diary, mini-database, calculator etc etc.

DISTOOL MITH QUICTOIST

An exciting way to accelerate disk access by upto 30%, add password protection to disks and to optionally increase disk storage capacity by 36K to 1512 sectors! All this works while maintaining full compatibility and normal disk control...

DIGITAL C SPECIAL EDITION DIGITAL C COMPLIER

Superb C compilers these - fast in execution, they produce extremely speedy and concise code. No-nonsense documentation included. The Special Edition has many more features, including pointers, long pointers, structures, >64K code sizes, direct access to traps and vectored utilities, and is twice as fast because of its more efficient C/QDOS libraries.

TURBO BASIC COMPILER - TOOLICIT

This state of the art system will automatically convert ordinary SuperBASIC programs - the sort you buy, write yourself or type-in from magazines - into machine code, the language of the 8808 CPU, the brain of the OL. Such pure machine code programs run "directly", without the need to be interpreted by any intermediary system. This direct execution makes them MUCH faster in execution than BASIC. Turbo also adds a host of useful high-speed commands (called "toolkit extensions" if you are fond of Jargon). Here are some timings: all carried out on a JS Trumpcard OL, to give you a taste of just how much Turbo can improve things:

Iterations SuperBASIC Turbo'd Speedup Empty ROR. END FOR Loop 30000 149 sec 1.3 sec 63% String concatenation 3000 149 sec 1.3 sec 63% String concatenation 30000 149 sec 1.5 sec 90% Turbo's automatic 10 Boot up with the Turbo disk (2 Load in type in your BASIC program (3) Enter the word CHARGE, and watch the friendly front-end menu pop into view (4) CLAGE, and watch the friendly front-end menu pop into view (4) Choose a filename for the machine code task that is to be generated and (5) Press the SPACC bar. Turbo does the rest! Compilation is a one-off process, and is very fast too — it takes little more time than LOADing the original program did Once compilation is a one-off process, and is very fast too — it takes little more time than LOADing the original program did Once compilation is a one-off process, and is very fast too — it takes little more time than hour or more to load). The EXEC mechanism also allows you to multitask programs, something impossible with SuperBASIC, as well as manipulate their time-priorities, link them together, exchange data and even share parts of their code while executing. If you are an advanced user, Turbo's numerous fine-tuning facilities, 200-command tookkit (a terrific complement to the famous Supertoolkit) and 300+ page manual will be irresistable. If you are an advanced user, vowill wonder how you ever did without Turbo is more than a very clever optim

SOLUTION MITH DR-DOS V5.0

This program transforms your QL into a pretty compatible — albeit not fast — PC clone. Solution will run over 95% of the "big name" PC software you have read about, missing out only on programs that make illegal use of the PC's operating system. Solution works solely from software so you don't have to worry about ripping your QL to pieces to fit anything, or have anything hanging out of the back. Just boot up the Solution disk and you will be using a PC, which will then ask for a copy of DOS (any) (just as it would if you were using a "real" PC). End of story you are now using a PC. There are very few restrictions: both mono and colour CGA graphics are supported. 479K is available for PC software on a 640K machine and 667K when using Trumpcard—more than you will get on a PC or XT! Speed can be increased by using Lightning Special Edition but in final analysis just can't compare with Conqueror's speed). Because your newly aquired PC is really a QL you can multitask two or three PC programs (try doing that on a "real" PC!). You can also run QL programs alongside PC programs (DON'T try that on a "real" PC!). Converting files (data in either direction) between QL and DOS is no problem and you can re-configure the QL keyboard if you wish.

PROFESSIONAL ASTROLOGER PROFESSIONAL ASTRONOVER

Dur use of the term "Professional" in the name of an application program does mean that the quality achieved will meet or surpass the highest professional standards for that application. The term does NOT mean that you have to have the knowledge of a professional in order to get the best out of the programs. Astrologer teaches you astrology from scratch, and enables you to produce reams (if you are short of paper, you can choose exactly how much) of narrative printout giving a person's horoscope, personality delineation, year-to-year life overview, detailed day-to-day (in fact, minute-to-minute!) predictions, as well as two-person compatibility interpretations. Also provides all the technical readouts, charts and zodiacal wheels you would expect. It is extraordinarily fast (there is a great deal of very clever maths within it) and it performs the whole computation in under a second. The author of the manual is the author of this advert, so you can expect a lucid and humorous read! Whether or not you believe in astrology - indeed, especially if you do not - this program is one that you cannot afford not to have. Scores of detailed readouts for famous people are supplied, incidentally -very interesting reading they make too... Discover Mrs Thatcher's secret yearnings, explore yourself, play the Stock Exchange... Astronomer is an extremely efficient solar system computer, with planetarium views, planet faces (with shadows/eclipses), five different co-ordinate systems, lsec-lday cinerama, etc.

ACT SPECIAL EDITION

The Adventure Creation Tool is for every programmer or putative programmer. Whether or not you have any interest in adventures, you will find something useful here. Animated graphics, data compression, language design and parsing, maps, object-oriented control and much more, with an excellent educational manual too.

3-D PRECISION CAD SISTEM

2-D and 3-D design and manipulation, at a speed sufficient to permit real-time animation! Whether or not your interest is serious, 3DP will change the way you look at the world around us. The variation of viewpoint, perspective and magnification is very smoothIn addition to dot-matrix output, plotters are catered for.

SUCCESS

Run CP/M programs on your QL! What more is there to say, other than that after the PC family, no more common system exists than CP/M, with thousand of cheap programs... And Success is fast!

THE EDITOR SPECIAL EDITION EDITOR

If your needs are for a technical Editor, or for full access to the entire ASCII character set (to handle machine code or compressed data files), or if your budget cannot stretch to PERPECTION, then this is the program for you. Editor is command-line driven and programmable. The Special Edition version is certainly better than the standard version: that is because the standard one contains only as many features as we could get to fit into an unexpanded QL. Both are fast and flexible, and very powerful indeed in the hands of the intelligent. Not a word processor, Editor's a way of life.

SPECIAL DESICTOP PUBLISHER DESICTOP PUBLISHER

Both these WYSIWYG ("What You See Is What You Get" dtp systems are excellent in their own rights - it is only when you compare them with the stunning Professional Publisher that you become aware of their shortcomings. You won't get fonts as large or smooth as with PP, or wrap-around graphics, or as sophisticated a printer driver or text/graphics file import facility. You will get a very workmanlike tool, capable of producing output that the computer press described as fantastic and superb... The standard edition is the ideal if you do not have a disk drive: if you do have one, go for the Special version, which correspondingly has more features including textures, large windows, better drawing and improved command entry. All upgrades are possible, and there is only a f10 penalty for doing it in two stages. So if you simply cannot afford PP, one of this pair is certainly for you.

SUPERFORTH COMPTLER MITH REVERSI

Why not learn FORTH, the most logical computer language of all? This superb FORTH-83 compiler produces stand-alone multi-tasking code of speed comparable to C. SUPERFORTH source is even portable to other machines! The manual teaches you the language.

TOTS SPECIAL EDITION TI) (S

Machine code (from other people's programs, toolkits and the ROM) is unintelligible until you put it through IDIS, the intelligent disassembler. IDIS Special Edition automates everything it possibly can, and requires no human intervention. It even sorts out subroutines, replaces addresses with names, untangles data from code and so on. Standard IDIS contains as much as we could pack into an unexpanded machine, and is nearly as automatic. If you want to find out how computers work, buy one of these two!

MUCROPRUDGE

Never be short of a four for Bridge again. Superb bidding tutor included, based on random hands dealt with lightning speed. Manual a masterpiece. Understands and obeys ACOL and much more.

<u>supercharge spectal edition</u>

If you have an unexpanded QL, or cannot afford Turbo, but want SuperBASIC programs to go faster, Supercharge is the answer. It has about half the speed of its big brother, is not as tolerant of badly-written programs, and lacks many of Turbo's features (like linking, program sizes >64K etc): nonetheless, it is the compiler about which we recieved over ONE HUNDRED happy letters from satisified users all using the word "Excellent" to describe it - and hundreds more who used other equally compilerentary terms. The only gripe was about the Lenslok copy-protection, long since removed by us. So now Supercharge is wonderful....

SUPER SPRITE GENERATOR

SSG moves things about the screen rapidly, at machine code speed, directly from simple SuperBASIC. Any number of sprites (each with upto 16 frames for smooth realistic motion), 256 speeds, 256 planes, collision detection and dozens of special effects.

Super <u>Astrologer</u>

A cut-down version of the Professional Astrologer - smaller horoscopes and manual, no interpretations for forecasting or compatibility testing. A marvellous buy at the price!

Better Basic expert system

SuperBASIC is a super BASIC. If you want to improve your programs automatically, and learn as you do this, get Better Basic.

TRANSPER UTILITY

Copies files between devices, performing translates as it goes. Needs a ramdisk to run. Can move your microdrive material onto disk, so programs run from disk but you still have access to microdrives.

MONTEROR

Check dynamic operation of programs - IDIS's ideal companion.

TERMS AND CONDITIONS?

TERMS AND CONDITIONS)

** Our non-game programs are very comprehensively documented with A4 manuals averaging about seventy pages in length (the largest is 325+). They are 4-hole punched for easy binding and storage. **

** UK purchasers — the quoted figures are all-inclusive. For the rest of Europe, add 5% (rest of the world, 10%) to the quoted figures to arrive at the VAT-free total (exports are zero-rated figures to arrive at the VAT-free total (exports are zero-rated for UK VAT), inclusive of all freight and documentation charges. **

** Acceptable forms of payment are sterling cheque drawn on a UK branch of a bank or building society, sterling postal order, Eurocheque made out in sterling, international money order in sterling, VISA/ACCESS/EUROCARD/MASTERCARD (specify expiry date), foreign currency cheque (add 10% conversion charge), cash, direct funds transfer (notify us in writing, and ensure that all charges are paid your end, or add 5%) to A/C 50327808 DIGITAL PRECISION LTD at Barclays Bank PLC (Branch code 20-79-44). South Chingford Branch, 260-262 Chingford Mount Rd, London E4 &IN.

** To upgrade from one version of a program to a superior program, send us the cartridge/disk. Except in the case of upgrades between program versions both with the same name, send the manual too. The cost of an upgrade is £10 plus the difference in current advertised price between the two programs. So the upgrade from DIGITAL C to SPECIAL EDITION DIGITAL C costs £30, and you would need to return the old manual as the program names are different. PREFECTION is not an upgrade to EDITOR, but SE EDITOR owners are allowed to claim a £5 reduction when ordering PERFECTION.

**Our programs are all user-transferable between cartridge and disk are all free from ALL copy protection, and all work with all drives, tookits, RAM add-ons and disk interfaces (except for early MCS interfaces, to which the emulators and media managers object). Users of the Microperipherals interface are recommended to buy the QFLP ROM upgrade from Care. ST

HU.	1033303, 16	gistered in England & Wales, VAT R
USER	VERDICT	
	Poor Moderate Good Excellent	
stallation	A	
se of use	A	IO!
S-DOS compatibility	A.	(0)
e of PC's features	A	
nctionality	A	MEVV:
Comentation	A	
torial	Yes	THE REAL PROPERTY OF THE PROPE
ise for money	A	
PC USER VERDICT	This is the first time I've given any	

UPGRADES COUNT AS PROGRAMS FOR COMPUTING SPECIAL DEALS DR-DOS (NOT BEING OUR PROGRAM) MUST NOT BE COUNTED

Digital Research

WE MAKE COMPUTERS WORK

PRICE LIST

THE EDITOR SPECIAL EDITION ACT SPECIAL EDITION
TOOLKIT III WITH ROM
IDIS SPECIAL EDITION

EYE-O THE SOLUTION SPECIAL DESKTOP PUBLISHER SUPERFORTH COMPILER WITH REVERSI

MICROBRIDGE
PROFESSIONAL PUBLISHER TOOLBOX
TOOLKIT III
OFFLICK CARD INDEX SYSTEM
PERFECT POINTER TOOLS
SUPER SPRITE GENERATOR
SUPERCHARGE SPECIAL EDITION
PROFESSIONAL ASTRONOMER
THE EDITOR
DIGITAL C COMPILER
GAMES COMPENDIUM (ALL FIVE GAMES)
OKICK MULTITASKING SYSTEM
IDIS INTELLIGENT DISASSEMBLER
LIGHTNING

LIGHTNING
SUPER ASTROLOGER
DESKTOP PUBLISHER
MEDIA MANAGER
BETTER BASIC EXPERT SYSTEM
EONT ENLADORE

FONT ENLARGER
DISKTOOL WITH QUICKDISK
ULTRAPRINT

TRANSFER UTILITY .

SUPER BACKGAMMON GAME

DROIDZONE GAME

As well as a cartridge or disk, you get a ROM Available either on cartridge or disk Available only on disk Minimum 512K RAM:only available on disk Minimum 256K RAM:either cartridge or disk Minimum 256K RAM:only available on disk Available only on cartridge Compatible with THORs including the THOR XVI Compatible with all THORs except the THOR XVI

LIMITED PERIOD: SPECIAL DEALS ON OUR PROGRAMS

PERFECTION

MICROBRIDGE

LIGHTNING

MONITOR

GRAFIX

PERFECTION
TURBO BASIC COMPILER + TOOLKIT
PROFESSIONAL ASTROLOGER WITH ASTRONOMER
PROFESSIONAL ASTROLOGER
LIGHTNING SPECIAL EDITION
DIGITAL C SPECIAL EDITION
MEDIA MANAGER SPECIAL EDITION
3-D PRECISION CAD SYSTEM
SUCCESS

89.95 79.95

79.95 59.95 49.95 49.95 49.95 49.95 49.95 49.95

49.95

44.95 39.95

39.95 39.95

39.95 39.95

34.95 29.95 29.95 29.95

29.95 29.95

29.95 29.95

29.95 29.95 29.95 24.95

24.95

24.95

24.95 24.95 24.95

24.95

19.95

19.95 19.95

19.95

9.95

9.95

9.95

9.95

9.95 9.95 9.95 KEY at

aT

d

a

aT

aT

b

eT f

f

b cd dT

dT

eT

dT

eT

DR-DOS (NOT BEING OUR PROGRAM) MUST NOT BE COUNTED

*We can now supply the amazing new DR-DOS v5.0, normally sold for fill9.95+VAT+P&P = fil44, for £80 all inclusive (when bought with Conqueror/Solution, or by MSDOS users (who can at the same time send in the old Conq/Sol disk for a free upgrade) - else fil99.1 This best DOS has 600+ page manuals viewMAX, Cache, online Help, screen Editor, command-line flistory, passwords, FileLINK +MemoryMAX, Ramdisk, 71 DOS files(1, 4Mb), tour v5.0 is the 22/1/1991 NEWEST, updated release. The C press have raved about it and PC Plus (see left) gave it seven (7!) excellent grades. So get DR-DOS v5.0 NOW!

To: DIGITAL PRECISION LTD 222 THE AVENUE, LONDON E4 9SE

ORDER COUPON

Or telephone 081-527 5493

Please send me:

Address:

Enclosed: CHEQUE/PO/CASH/VISA/MASTERCARD/ACCESS/EUROCARD for £_

Expiry: luse: (QL/THOR) (MDV/3.5' DISK/5.25' DISK) (360/720/1440 SECTORS)

ADIGITAL PRECISION LTD

Postcode:

Signature:



IF Services



MINERVA

The ULTIMATE operating system upgrade

MKII MINERUA now with battery for 256 bytes ram, CRASHPROOF clock & interface (1°C) for robots etc. Can autoboot from battery ram.

Other features (common to MKI/TMKID):
Autoboot on reset/ Multiple Basic/ Faster
scheduler-graphics (18% of Lightning)-string
handling etc/ UMEN ERROR Second screen/TRRCE
Foreign kybd drivers/ "Warm" fast reset etc

Original MKI..... £40 MKII......£65 MKI GOLD CARD COMPATIBLE (call for MKII update)

QuaLsoftTermina

Viewdata/VT52/VT100 QL TERMINAL EMULATOR

Multitasking for electronic mail, PRESTEL etc, CET dounload, Compatible with Tandata Geornect QL modem/modaptor. Use Qeonnect RS232C to drive unbuffered modems. Comprehensive H5 manual.

Software (3.5" or mdv) & manual [3]

COMPUTER CLEANER

HELP STOP POWER SUPPLY INDUCED LOCKUPS AND PROTECT COMPLITERS

Much improved mains filters, 48-80 db cut. Contain inductance, spike filters (three in 3 & 4 way) and certified 240vac capacitors.

Att prices include VAT and postage in the UK

Faulty QL boards (excl plug in ICs)... £9
Keyboard membrane... £8 Circuit diags... £2
68008 cpu... £8 1377 PAL... £3
JM rom set... £12 Pouer supply... £12 Other components (sockets etc)...p(se PHONE

BULLETIN BOARD

QBBS - UK's first QL scrolling board QL Echomail around Europe, and FIDO netmail Around 10mb of files including the WHOLE King James' bible!

071-706 2379 U21/23/22/22bis 24hrs

QLs tested with Thorn EMI test rig and ROM software (MNU hardware extra if required)

£27 - 6 month guarantee

Programs to transfer text AND programs error free (XMODEM) between computers

Available for IBM PC and compatibles, ATARI ST and Sinclair QL. Connects to Psion organiser via Psion comms link

Qualsoft program (per m/c).....£7.50 Serial lead (name 2 computers)...£10 Complete package for 2 computers. £25



12 Bouverie Place, London W2 1RB (tel: 071-724 9053) SCROLLING BBS FOR ORDERING/QL HELP - 071-706 2379 (All speeds to U22bis)



UBBESoft P/



Public Domain and Sharevare Software

For The

Sinclair Q.L.

S.A.E. (A5) for Software Catalogue



C68 Public Domain 'C' Compiler

Disk 1: (Main System Disk) Contains the various passes of the Compiler,Header files and the Libraries.

Disk 2: (Utils & Doc's) Contains Utility Programs and Documentation for the C68 system. Also includes a 'C' Tutorial.

Disks 3-7: (Source Code 1-5) Contains Source Code for followings-C68 Compiler,CC,CPP,R568,LD, Generic Part of Standard 'C' Library,QDOS Specific Part of 'C' Library,Additional Libraries and Utilities such as MAKE and SLB.

Copying Fee: £2.50p (User Supplies Disks) or £5.00p (Pre-Copied Disks)

38, Brunuin Road, Rayne, Braintree, Essex. CM7 5BU. Tel No. (0376) 47852

Postage & Packing relephone for details

\$sinclair OL \$

EEC LTD MAIN SUPPLIER OF Sinclair QL COMPUTERS & PRINTERS OLS FROM £125 PRINTERS FROM £130 inc VAT

QLs COMPLETE JM ROM FULLY TESTED AND WITH 6 MONTHS WARRANTY

Package includes PSU TV lead, QL Software 2.35, Quill – Word Processor, Abacus – Spread Sheet, Archive – Records, Easel – Business Graphics

Customers buying one of the QL Computers are given one year's free membership to QUANTA (Help, Newsletters, & 4004–Library of Programs – mostly free).

nus, caset — Business Graphics
one of the QL Computers are given one year's free membership to QUANTA
felp, Newsletters, & 400+ Library of Programs — mostly free).
QUANTA MEMBERS can obtain a £5 discount
As above but fitted with JS ROM

\$15

£150

★ £50 PART EXCHANGE ★

OFFER ON OL

Back up QL with JM rom £75. JS rom £99 consisting of keyboard unit, original Psion software wallet, leads and feet IN EXCHANGE FOR YOUR OLD QL (if you want to keep it add £10 to the above prices)

Spectrum Plus or 128K (working or not working as long as repairable), power supply for QL if required £12, instruction book £5.

PC/QL KEYBOARD AND INTERFACES

PC AT 102 KEYBOARD AND CONNECTOR QL TO PC INTERFACE FOR ABOVE CASE AND LEAD FOR EXTERNAL MOUNTING-TO ENABLE BOTH KEYBOARDS TO BE USED £17

OUR PRICES NOW INCLUDE 17.5% VAT AND HAVE NOT BEEN INCREASED

OL Psion Software 2.35	pack £20	Quill, Abacus, Archive, Easel each	£12
OL Power Supply Unit	£12	Joysticks with QL lead	£12
Centronics Printer Interface	£27	Keyboard Membrane	£9.50
Complete User Guide	£8	OL ICs and Spares	ASK
Cartridges, Wallets of 4, new	£12	4 unused prog cartridges	£9

20 new cartridges in plastic storage box £55
SOFTWARE QL Decision Maker £18. Home Finance £18. QL Games £9. Q-Liberator Super Basic Compiler (disc) £60. Q-Liberator Budget Version for (MDV) £30. Q-Load Superbasic Quickloader with Q-ref Programming willty (MdV) £15. File Transfer Programs. QL to other systems including PC: Text Tidy 315. Discover £20 Multi-Discover £30 BUSINESS SOFTWARE (Suitable for standard QLs) Small Traders Pack £24.95. Invoicer £19.95. General Ledger £19.95. Set of three £50. Mail Merger £14.95. Filer Pack £14.95. Also Stock Accounting £39.95. (For expanded QLs). Send SAE for software leaflets, or phone

All prices include VAT. Terms CWO, Access or Visa. Minimum order £10.

Carriage £8.00 for printers, monitors & QL (overseas £20.00) other items £3.00 (overseas £6.00)



EEC LTD

18-21 MISBOURNE HOUSE, CHILTERN HILL, CHALFONT ST PETER, BUCKS. SL9 9UE Tel: 0753 888866 Fax: 0753 887149

Independent QL/Thor Users Group

Worldwide Membership is by subscription only, and offers the following benefits: Monthly Newsletter – up to 40 pages Massive Software Library - mostly FREE! Free Helpline and Workshops Regional Sub-Groups. One near you? Advice on Software & Hardware problems Discounts from most major suppliers Subscription just £14 for UK members Overseas subscription £17

Barclaycard: Visa: Access: Mastercard

* Now in our EIGHTH successful year *

Further details from the Membership Secretary



Bill Newell 213 Manor Road Benfleet Essex. SS7 4JD Tel (0268) 754 407



	7 88
EaZy Money£71.00	Centronics Interface £31.00
Z-Base£71.00	128K Eprom Pak£53.00
Z-Tape£51.50	128K RAM Pak£53.00
Z-Term£51.50	Z88 Computer£236.00
ThinkZ£51.50	512K Ram Pack£202.00
Superchip 4£154.00	256K Eprom Pack £58.50
Golf£25.50	1Mgb Ram Pack£237.50
Spellmaster£60.50	Squeeze 88£48.00
Cambridge Topper£10.50	Superchip 3£133.50

PSION ORGANIS	- R
Model XP2£113.00	Psion Printer£236.00
Model LZ£154.00	Spelling Checker £30.00
Model LZ 64£195.00	32K Datapak£36.00
Centronics Interface	128K Datapak£102.50
£41.00	32K DRam£57.00
Comms Link£61.50	
The latter was the latter of t	



COMPUTERWARE

the QL stockist

Tel: 0303-81-2801

HARDWARE	
768K Trump Card	£230.50
256K Trump Card	£138.50
768K Trump Card and Dual 3.5" Dis	
256K Trump Card and Dual	
3.5" Disk Drives	£292.00
256K Trump Card and Single	
3.5" Disc Drive	£215.50
Centronics Interface	£30.00
Disk Card	£102.50
Keyboard-90 Interface	£77.00
QL Scanner	£143.50
QUIMI Interface with mouse	£101.50
Tandata QCOM set	£94.00

CDADEC	CHARLES AND THE
SPARES	
Keyboard Membrane	£8.50
JS ROM set	£31.00
ZX 8301	£15.50
ULA ZX8302	£10.50
MAB 8049	£7.50
2G 007E	10.50
MC 68008	£26.50
M/drive assembly-(complete)	28.00
Microdrive Assembly (exchange)	£21.50
Voltage regulator (high output)	£5.00
QPower Regulator	£25.50
QL Test kit	£14.50
Repairs	phone

CHAIDDIEC	
VDU cleaning kit	£7.50
Disk Cleaning Kit 3.5"	£15.50
10 Microdrive cartridges	£26.00
Microdrive Cartridges - 4	£13.50
100 Microdrive labels	£4.00
Discs 3.5" 10DSDD (unbranded)	£11.50
Power Clean Mains Filter	£24.50
Joystick + adaptor'	£18.50
Psion 2.35 Set	£23.50
QL Dustcover	£6.00
	VDU cleaning kit

			SOFTWARE
BUSINESS	Forth	£31.00	Prof Astrologer + Astronomer£80.00
Cash Trader£61.50	IDIS		Prof. Astronomer£40.00
Project Planner	IDIS Special Edition		Snooker£13.50
Sales Invoice£20.50	Macro Assembler - GST		Strip Poker£15.50
Small Traders Pack£25.50	Macro Assembler - Talent -		Super Astrologer£25.00
Stock Accounting System £41.00	Pro Fortran - 77	£101.50	Super Backgammon 3 £13.50 Type 22
	Pro Pascal		Type 22£ 16.50
TEXT	QMON 2	£20.50	GAMES
Master Spy£31.00	Lightning Special Edition	£60.00	Aguanaught 471£19.50
Page Designer 2£36.00	Locksmith		Arcanoid£15.50
Perfection£80.00	Mailfile		BJ in 3D land£12.50
Perfection +£125.00	Media Manager		Brain Smasher£18.50
Professional Publisher £90.00	Media Manager Special Ed		Crazy Painter £13.50 Crown of Sorkinen £18.00
QTYP 2£31.00	QFlash Ramdisc + t'kit		Deathstrike£18.00
SPY£15.50	QFlash Ram Eprom	£25.50	Firebirds £15.50
Turbo Quill Plus£14.00	QFlash Ram Utilites		Hopper£13.50
The Editor	QPAC 1		Hoverzone£15.50
The Editor Special Edition £50.00	QPAC 2		Jungle Eddy£15.50
	Q Top		Karate£15.50
FINANCE	RPM		King£13.50
Home Finance [Buzz] £22.50	Sidewinder Deluxe	£20.50	Land of Havoc£19.50
Investment Monitor	Super Toolkit 2 (Eprom)		Lost Pharoah £15.50 Mortville Manor £15.50
	Super Toolkit 2 - Reconfigu		Stone Raider£13.50
CAD			Super Arcadia £10.50
Eye Q£40.00	Success	£40.00	Vroom£13.00
GraphicQL Plus£25.50	Terminal	£31.00	
PCB 1£102.50	Touch Typist		UTILITIES
PCB 2£51.50	Ultraprint		Archivist£31.00
TechniQL £51.50	XRef 2.00		Archivist MP£41.00 ArchRTM+ArchDEV£20.50
Technikit£25.50	4 Matter	£15.50	Cartridge Doctor£20.50
The Painter£51.50			Conquéror £100.00
3-D Designer£39.00			Conqueror MS-DOS 4.01 £125.00
3D Precision£50.00	LEISURE		Conqueror with DR-DOS 5.00
	Bridge Player 2	£15.50	£180.00
PROGRAMMING	Chess		Discover£31.00
Assembly Workbench £25.50	Cosmos+		Lightening £30.00
Basic ally£20.50	Flight Simulator		Super Forth + Reversi £40.00
Better Basic£25.00	Matchpoint		Super Sprite Generator £31.00 Supercharge Special Edition
Digital C£30.00	Micro Bridge		£25.00
Digital C Special Edition £50.00	Patience		Turbo £80.00
	or details of other	nuad.	
 Please telephone f 	or details of other	proat	icis noi nsied nere

ALL PRICES INCLUDE VAT. U.K. POSTAGE £2.50 PER ORDER. - WE EXPORT WORLDWIDE Phone for details of other QL products OR send SAE for our latest catalogue.

Credit card phone orders accepted, or send cheques, postal orders, Eurocheques, to:

QDOS Companion £9.00 Assembly Language Prog £9.00 Z88 Dabhand Guide £16.00

Z88 Ref Manual£16.00

Z88 Magic£16.00

TK COMPUTERWARE, STONE STREET, NORTH STANFORD, ASHFORD, KENT TN25 6DF

TELEX 966676 PMFAB G







BOOKS







Z88 Pipedream
Using Your Z88
Z88 Computing
Z88 Software DLV Guide

Using Psion Organiser Psion Handling Book

> FAX 0303 812892

£10.00 £10.00 £40.00

£10.00

The July 1991 issue of Quanta magazine (Volume 8, issue 6) contains reports on a number of projects, including the Qimi mouse which Quanta expects to be back in production, soon under its aegis; news of the library; a report on the recent London workshop; some elementary programming advice; the Quanta version of Dr Sohail Bhatti's Qlaw questionnaire, and various informed letters and short articles. Quanta membership is by subscription, full information from the Membership Secre-

tary, Bill Newell, 213 Manor

Road, Benfleet, Essex SS7

Qimi from Merz and

main problem has been the lack for £17 vat-inclusive. of a suitable interface. The Qimi Mouse Interface is now being interface is £75 vat-inclusive. The produced in Germany by Jochen mouse, which is very smooth in Merz and distributed in the UK operation, is £25 sold separately, by EEC Ltd.

The mouse interface is assem- and Amiga as well as the QL. bled by opening the QL, removing the QL rom and the ZX8302 of software available for use with ic, inserting the Qimi pbc in the the Qimi mouse from Quanta, vacant sockets and replacing the the public domain and other rom and ic in the sockets on the suppliers. Qimi board.

EEC informs us that QL users using an internal pc keyboard We have a correction to the interface will only be able to in- item on Keyboard 90 in the

QL users have often been un- sert the Qimi interface and use June 1991 issue: the price is £75 happy that they did not have a the mouse if they mount the pc mouse readily available, par-keyboard interface internally. ticularly for graphics work. The The kit for doing this is available


> The price of the mouse and and it works with the Atari ST

There is a considerable amount

for the Interface, and the UK Keyboard is £35, all prices inclusive of VAT. The telephone number was also misprinted please see below for the correct number.

EEC has asked us to pass on their apologies for delays in the supply of Keyboard interfaces and UK keyboards, and they assure us that stocks of all parts, including external mounting boxes, are now freely available.

Further information from EEC Ltd, 18-21 Misbourne House, Chiltern Hill, Chalfont St Peter, Bucks SL9 9UE. Tel: 0753 88866.



Heavy duty printer

Seikosha have issued the loads. The maximum quoted SP2415, a new 9 pin dot maprint speed is 300 cps, with an trix printer described as a du-average of 240/200 cps (12/10 rable, wide-carriage machine cpi) in draft and 50 (10 cpi) in Always check that printers are capable of fast throughput, nlq. Noise level at top speed is compatible with your QL interface and suitable for heavy work- 53 dB (A). The printer has stand- before purchase.

ard parallel and serial interfaces, five fonts in a variety of print styles and type sizes and a variety of paper handling functions. The retail price is £320 plus vat. The printer is available through Seikosha's UK distributors.

Book offer

Publishers Marland Press, are considering the possibility of publishing a book or books useful to QL users, if there is sufficient interest. Asking for people 'who can supply articles and program listings which would be of considerable help to other QL users', they wrote to QL World: 'The main aim would be to produce well-informed, sensibly-priced books, based on users' actual experience.'

They are looking for original material, not previously published, but many also be interested in reprinting agreements for 'any book considered of general interest but not currently in print.' They state that royalties will be paid on all material. The projected volumes would be A5 (Quanta-sized) format and comb-found for easy use.

Interested users should contact Marland Press at Lower Stone, Peters Marland, Torrington, North Devon. Tel: Langtree 258.

OPEN CHANNEL

Open Channel is where you have the opportunity to voice your opinions in *Sinclair QL World*. Whether you want to ask for help with a technical problem, provide

somebody with the answer, or just sound off about something which bothers you, write to: Open Channel, Sinclair QL World, 116/120 Goswell Road, London EC1V 7QD.

Ctrl

Can somebody please tell me where I can get 'Ctrl' plugs from, how much they cost and what the 'pin' (if you can call them that) connections are? I am hoping to use some switches and self-written programs to allow disabled children from our youth club to enjoy playing on the QL.

In return I can supply a telephone number whence I recently purchased thermal printer paper. This is Abacus Business Forms. Tel: 0254 583653 — you had better ask them if they accept mail order.

In response to R Thompson, I am willing to copy a serial 8056 printer manual if he is willing

to pay for the copy and postage charges.

I have written a Mandelbrot program, however, it needs alterations to create a clearer picture. Amendments would be welcomed.

> K Dunbar Accrington Lancs

Groups

Are you able to put me in touch, through the pages of the magazine, with any other users or user groups in this area? I would also like to know how to obtain different print faces on my Brother 1009. I know that it will do it, but the instruc

WINDOW#1, 450, 220, 30, 10 z=10: REMark this number determines how many times the program goes through the calculations before it stops! 10 SCALE#1, 4, -2, -2 20 CoUnT=0 30 CLS 40 FOR y=0 TO 2 STEP (1.5/100) 50 FOR x=-2 TO 2 STEP (1.5/100) 60 e=0: d=0 70 CoUnT=0 a=(e*e)+x-(d*d)80 90 b=2*e*d+y 100 CoUn'T=CoUn'T+1 110 IF CoUnT>z THEN GO TO 150 120 IF (a>=2 OR b>=2) THEN GO TO 150: END IF : REMark try putting and in place of or 130 e=a: d=b 140 GO TO 80 150 IF CoUnT(z THEN colour=CoUnT : END IF IF colour=0 THEN LET colour=1 153 155 IF CoUn'I'>=z THEN colour=0: END IF INK colour 160 170 POINT x, y: POINT x, -y 180 NEXT x 190 NEXT y

tion book might as well be in 'computerspeak' for all that I can extract from it.

David Conway Wokingham Berks

AgendA

The formatting problem Alec Wilson is having is probably twofold in nature. Firstly, the Print Settings file in the Agenda must include the following: BORDER = 0

ROLL

GAP-HEIGHT = 0

Note that any relevant Group Format file or Drawer Format file (if present) must also contain these instructions, otherwise they will be overriden. These instructions prevent the Agenda form inserting extra spaces which may be required when printing to a printer.

Note that the d drawer has a

built-in default Drawer Format file which is accessed by keying START d SHIFT SPACE.

The second problem is that when a group of files (eg diary files) is transferred by the normal printing method they are combined into a single file. It may be possible to overcome this using *Agenda Basic Code* as available from Microwriter Systems, but this is designed to run on a pc – although it will run under *Conqueror*. I have not tried using it for this purpose, however. You could transfer each file separately!

Microwriter Systems also sell a PC/AgendA comms program which is designed to back up the AgendA to a pc disk. This also runs to a degree under Conqueror, but so far I have not achieved a successful backup – I have put very little time into this as yet, though.

Graham Underwood Worksop Notts

MARALLAR CORP.

Editor's Notebook

You will have noticed a subtle change in the way *QL World* is laid out this month. This is because we have moved to a different printer and our colour pages are arranged in a different order. Nothing more spectacular than that. We stopped running a colour centre spread after our last change of printer – some years ago now – and we won't be seeing that again while the *New User Guide* holds pride of place in the middle of the magazine. But we have some beautiful colour for you in Kevin Ball's article on Video Graphics on page 20.

Dr. Bhatti of QLAW has written an interim report on the response to the questionnaire run in QL World last month. So far the expected has happened: the two percent have come forward. This is normal for questionnaires in all fields.

QL Users, however, are not merely normal; they are persistent, independent and intelligent. So, if you are one of the 98%, don't be normal – send us your questionnaire.

Quill

I have stayed with *Quill* for several years. Now I have discovered text87, often mentioned in QL World because of its printer drivers, but not as the remarkable, allround word processing program it is. I have gone over to it for my new Panasonic 24-pin printer.

Text87 is not effortless, and is often maddeningly awkward until suddenly a new aspect of this astonishing program is discovered. It has somewhat of a capacity for desktop publishing, but personally I go for its simple merits compared with Ouil

I have days, once every few weeks, when my QL locks up. I do not worry. I save repeatedly because it is so much easier with text87 than with Quill. It saves with no questions asked and returns your cursor to where you left off. By saving to disk frequently, I cannot lose much on lock-up days.

Quill, an old friend, is awkward on Save, and scrolling is

While I have a version of Quill modified to print all the fonts built into my new printer, the fonts are not WYSIWYG. Page format becomes a guessing game. This is not so with text87.

I have yet to see *Perfection* in action, but one test for me will be whether it saves to disk as effortlessly as text87 for use on those tricky QL lock-up days.

Stanley Horwitz Cirencester

Editor's comment: everyone has his or her'druthers. DP have demonstrated Perfection at a number of user-group meetings and shows round the country — if you want to see Perfection, keep your eye open for one of those.

Q Jump

The QJump Extended Environment is the *only* program for the QL, and it is *not* biased towards hackers. The mouse, which must be an integral part of the computer, in terms of both software and hardware, already exists, and is called QIMI.

The concept of directories on the QL was introduced in

ToolKit (or was it Toolkit 2? I don't remember, but anyone using the QL for any kind of programming should have ToolKit2). The difficulties arise when software-houses fail to their software configurable in a decent way, with regard to where they read their files from, etc. Many programs, including Quill, can only load from MDV1_ or FLP1_or any such device name, limited to five characters in length. The intelligent programs, such as text87, can be configured to load their files from a device-name with any such WIN1_text87files_'. Once such a program has been configured, and its files moved to the relevant directory, with a single command such as:

WCOPY FLP1_, WIN1_TEXT87FILES_

it can easily coexist with other decent programs, without the need of any further commands.

Other programs, although not DATAD\$ (which is set with DATA_USE). The programs can easily be used, but not multitasked with other such programs, since DATAD\$ cannot have two values at the same time.

The command Bryan Davies refers to as a 'change-directory command' could be WIN2, a 'patch' that allows programs such as Quill to run, using subdirectories. After a command such as 'WIN2 references win2_file_doc are (invisibly to Quill) transed into references to win1_Psion_file_doc. Voila, Quill runs from within a subdirectory, called 'Psion_1'. This command cannot handle more than one program at a time, but by now most people use newer, better programs (such as text87), which can be configured easily. Don't they?

Commands to change the current directory are mentioned in the ToolKit2 manual: DDOWN, DUP, DNEXT and DLIST.

If you need to know the current defaults, as when using an IBM-PC which usually integrates it in the prompt, compile this program:

100 REP L:AT 0,0: DLIST

and EXEC it. Please, anyone interested in REAL C (not Small C), please contact me. If you are a legitimate owner MetaComCoC, I will supply you with my own updates, with these features: runs without ROM, uses the DATA_USEdefault, so it can indeed run from a subdirectory, from any media, the memory- and I/Olibrary has been completely rewritten, produces ROMable code, if the code is 64K or less. Please send 1 disk, and IRCs to cover expenses, when I mail the disk back to you.

Erling Jacobsen Lyngby Denmark

ProPub

Irecently received from Digital Precision a copy of their upgrade of *Professional Publisher*. It is much quicker to laod than its predecessor and the program itself works faster. For those who are interested in some facts and figures, the loading time on my JS Trump Card machine without Lightning (including the pause for TK2 Ext) is reduced from 2 minutes 15 seconds to 55 seconds using the full program as supplied by DP.

In addition, I got the impression that the program itself was slicker and running faster. I queried this with Freddy Vaccha of DP, who told me that the gram did indeed run 2.5 to 3 times faster. The increase in prgram and loading speed had been achieved by including Runtime_exts, eye_q_exts and mouse_exts wihtin one file, DTP text.

At times I prefer to have extra money available for other tasks, so I reconfigure PP to reduce the page and font memories and increase the page width pixels to suit myself and my printer. The loading time for my on is now 40 seconds, which is comparable with *Page Designer 2* with a similar configuration.

I am very pleased with the upgrade. Every time I use the program I am impressed with its versatility and continue to find new and useful features. The New User Guide in the March 1991 QL World stated (paraphrase) that the extent of the user's imagination is often exhausted long before the limits of the computer's physical capabilities, and the logical constraints of Qdos are reached.

Professional Publisher is a program which follows this philosophy and allows the user complete freedom of imagination in any page that he constructs. Constraints are most likely to due to the operator's imagination rather than the program.

Peter Hamill Elton Peterborough

PS For those who are interested and have ToolKit 2, I have an alternative to the PP manual advice to move the three auxiliary files to another disk to make room for something like Lightning. If you keep Lightning on a separate disk, and alter its boot program as suggested below, you will find that once Lightning is booted, you can remove the disk, put in PP or whatever you want, and by pressing ALT b automatically boot whatever file is in Flip1_

I find it useful to keep this Lightning boot on a separate disk, especially when I want to try out new programs, or for general use, as it saves repetition of the Lightning BOOT program on each disk.

10 ReMark - CONFIGURED LIGHTNING BOOT FILE
20 REMark Do NOT use with other configured Lightning
systems.
30 source\$\(= \text{FLP1}' \)
40 S=RESPR (33280)
50 LBYTES sources\$\(\text{k'} \) lng_TEXT_ext', s+0: CALL s: PAUSE
60
60 LBYTES sources\$\(\text{k'} \) lng_GRAF_ext', s+21758:CALL
s+21758: PAUSE 60
70 LBYTES sources\$\(\text{k'} \) lng_MATH_ext', s+26016:CALL
s+206016: PAUSE 60
80 TK2_EXT
90 if\$\(\text{FCHR} \) (10)
100 ALTKEY 'b', 'lrun flp1_boot' &lf\$\(\text{110 NFW} \)

More memory, more speed and

GOLD CARD



The GOLD CARD is a replacement for the TRUMP CARD and other. QL expansions. It gives the QL more memory, more speed and more functions.

At the heart of the GOLD CARD is a 16 MegaHertz 16 bit 68000 processor chip which accesses its own 16 bit wide zero wait state RAM. With a typical program this combination leads to a speed increase of between 3 and 4 times when compared with the QL expanded with zero wait state memory. Some of the GOLD CARD RAM is used to shadow the QL's own ROMs and RAM so that not all of the 2 Mbytes is directly available to the user. This shadowing does, however, mean that the operating system routines, the Superbasic interpreter and screen acceses are all sped up besides applications programs like Quill, etc.. Programs that speed up the QL's operation like RAM based Lightning, Speedscreen, Turbo etc. also receive a boost!

New disk capacities can now be accessed. As with the TRUMP CARD and other QL disk interfaces the GOLD CARD can use 720K (the QL standard type) and 360K Double Density (DD) drives. But now both 1.44Mbyte High Density (HD) as used on the PC/AT, and 3.2Mbyte Extra High Density (ED) drives can be connected to the QL system. On its own the GOLD CARD can access up to 3 drives of any combination and with the addition of the DISK ADAPTER (modified for GOLD CARD compatibility) 4 drives may be used. These higher capacity drives are the same as the 720K in their size and appearance but differ in the speed of data transfer: whereas DD disks transfer data at 250Kbits/second, HD goes at 500Kbits/sec and ED at 1Mbit/sec. Please note that to get these higher densities you must use a suitable drive and the appropriate diskette.

TRUMP CARD users will feel very much at home using the GOLD CARD because there are only a few new commands. The main feature added is the ability to have sub-directories on the floppy disks and RAM disks. This works in a similar fashion to those on our QL HARD DISK. Sub-directories are easy to use but should one not wish to make use of this facility it can be ignored.

more functions for your QL

- ▶ 16 Mhz 68000 processor
- 2 Mbytes RAM
- Battery backed clock
- Function compatible with TRUMP CARD
- Drives 3 disks up to3.2 Mbytes
- Hard sub-directories
- Fits within QL
- Two year warranty

One of the underused resources in the QL is the clock/calendar. When a GOLD CARD is plugged into the system there is no longer any need to type SDATE on power up every time. A long life lithium battery keeps a clock chip on the GOLD CARD ticking even when the power to the QL is off. The Superbasic keywords SDATE, DATE, ADATE, DATE\$, DAY\$ and the associated QDOS calls have been modified by the GOLD CARD to access this clock chip.

Another salient feature of the GOLD CARD is its compact size. The 2 megabytes of RAM, the 68000 processor, the clock and its battery, the multidensity disk controller and the ROM holding the software to run the card have all been carefully engineered onto a circuit board that fits inside the QL. The only part of the GOLD CARD that protrudes from the QL is a small heatsink. This stays fairly cool because the GOLD CARD actually consumes less power than the TRUMP CARD due to CMOS chips being used throughout. For increased reliability all processor address, data and control lines taken to the edge connector are buffered.

No special skill is required to use the GOLD CARD. It simply plugs into the expansion port on the left hand end of the QL and installs itself automatically on power up. The reset routine copies the contents of the QL ROMs into its own memory, patches the machine code for GOLD CARD operation and effectively runs the reset routine a second time. The

whole sequence takes less time than the TRUMP CARD reset. From then on the RAM size as seen by QDOS is 1920Kbytes, and processing speed is accelerated.

We have put a lot of effort into making the GOLD CARD compatible with existing hardware and software. It is, of course, compatible with our HARD DISK, floppy disks and CENTRONICS INTERFACE, and all the major QL software. If any incompatibilities come to light then we will endeavour to deal with them swiftly.

When you order the GOLD CARD send in your old expansion for a price reduction. We can accept one expansion only per GOLD CARD with payment as follows:

TRUMP CARD 2* £225 (£200 export)
TRUMP CARD 768K £275 (£241 export)
TRUMP CARD 256K £300 (£263 export)
EXPANDERAM £325 (£284 export)
DISK CARD £325 (£284 export)
RAM +
Disk Interface £325 (£284 export)
Other expansion £350 (£305 export)

*The TRUMP CARD 2 is easily recognised by the words 'TRUMP CARD 2' appearing on the pcb.

The GOLD CARD comes with a 14 day money back guarantee and a full 2 year warranty when purchased directly from us. To order please see our other advert in this magazine.

MIRACLE SYSTEMS Ltd

25 Broughton Way, Osbaldwick, York YO1 3BG United Kingdom

Tel: (0904) 423986

MIRACLE SYSTEMS



VISA

14 day money back guarantee on all products
12 month warranty on all products
UK prices include VAT and P&P
(Export prices in brackets include P&P)

TRUMP CARD 2 - £150 (£130 export)

Disk interface for 4 drives, 768K RAM, Toolkit II, printer buffer, RAM disk, memory cut.

Items in this box offer
exceptional value for money.
exceptional value for money.
They are reconditioned to brand
new spec so contact us for
new spec so contact us for the form of the form

TRUMP CARD 768K - £100 (£89 export)

As TRUMP CARD 2 except disk interface for 2 drives, not quite so fast.

TRUMP CARD 256K - £75 (£67 export)
As TRUMP CARD 768K except 256K.

DISK CARD - £50 (£46 export)

As TRUMP CARD 2 but no RAM circuitry. Suitable for internally expanded QLs.

EXPANDERAM 512K - £50 (£46 export)

512K RAM, through connector, compatible with DISK CARD.

QL 5.25" DISK DRIVE - £95 (£88)

360K, used by Conqueror to access PC disks.

QL DISK ADAPTER - £15 (£15)

Lets TRUMP CARD or GOLD CARD access 4 drives

QL CENTRONICS - £29 (£28)

Connects SER1 or SER2 to parallel printer, 3m cable.

QL HIGH DENSITY DOUBLE DISK DRIVE - £175 (£155)

3.5 ", 2 mechanisms housed with power supply, 720K each on TRUMP CARDs, 1.44M on GOLD CARD. £150 (£135) if purchased with TRUMP CARD or GOLD CARD.

QL HARD DISK £449 (£405)

40 MByte capacity, plugs into ROM port, hard sub-directories, high speed operation.

Tel: (0904) 423986

To place an order by phone please have your credit card ready. For overseas customers we charge the prices shown in brackets.

To order by post, please fill in the form opposite or write to us quoting your credit card number and expiry date, or enclosing a cheque payable to MIRACLE SYSTEMS Ltd.

To: MIRACLE SYSTEMS Ltd, 25 Broughton Way, Osbaldw York, YO1 3BG, U.K. Tel: (0904) 423986	
	Please send me
	I enclose a cheque to the value of: £
	Or debit credit card

dit card

expires ________


Name _____ Signature ____

'Data-proof' glass development

Datastop is the name of a new 'spy-proof' glass developed by glass giants Pilkingtons.

Computer data can be stolen or simply received - through the medium of electromagnetic radiation, carrying signals equivalent to the data being handled by the computer, escaping from the computer room through ordinary glass windows, where they can be picked up by certain types or receiving equipment. Receiving these signals has become something of a growth sector in the industrial espionage business, so it is no wonder that the Ministry of Defence, the Foreign Office and institutions in the City of London are among those who are "already showing interest", according Pilkingtons.

There is also the danger of computer data being corrupted



example – coming from outside the computer room.

Older security systems often called for rooms which were either windowless or had small, wire-mesh-covered windows.

Datastop glass reflected electromagnetic radiation from inside and outside the room by means of a special coating on a double glass sheet.

Tests showed that an office glazed with Datastop was electromagnetically secure "even when a receiving aerial was sited immediately outside the window.'

For maximum shielding, the glass pane is connected by electrically-conducting gaskets to the metal window frame, which is in turn earthed to screening material in the walls.

The great advantage of this by unwanted emr - radar, for glass is that secure computer rooms can have the same advantages of view and daylight (and access to fresh air, presumably, when the systems are not running) as non-secure offices.

Two Italian QL clubs, QLItaly Group and Club-Ware have decided that 'they were doing much the same thing, and so they have joined together' in January 1991 to form Qitaly Club, the Italian club for QL

Qitaly is publishing a public domain disk magazine, Qitaly Magazine — the disk can be freely copies and distributed to non-members. The subscription to Qitaly is 20,000 Lira a year, with an additional 30,000 Lira if you want six issues to Qitaly Magazine. Single copies of the disk magazine are available for £3 (cash or international postal order, to five International Postal Reply Coupons (IRCs) in UK prices, or the local currency equivalent for users ordering from other countries.

The Chairman of Qitaly Club is Roberto Orlandi, Via Brescia 26,25039 Travagliato (BS), Italy. Tel: (local) +39 30 6863311. The editor of Qitaly Magazine is Dr Eros Forenzi, Via Valeriana 44, 23010 Berbenno (SO), Italy. Tel: (local) +39 342 492323.

The Club is making plans to organise a Third Italian QL Users' meeting in September or October in Turin. The dates are not known at the time of going to press.

the Prince of Wales' committee from Star's sales and marketing director Roger Bayley.

The land reclaimed will raise money, serving as a camp site for visiting scout troops during the Garden Festival, starting in May 1992.

Troop Leader Cllr Bill took Pritchard Scout Alice Griffiths, 12, and opportunity to launch an

Warning

Epson UK has issued a warning that Epson-branded consumables manufactured in Canada do not meet the specification standards set by the Seiko-Epson Corporation.

Printer ribbons are specifically named, and Epson (UK) lists shortfalls in pull-out tension and rewind torque on the ribbon mechanisms, weave and join construction of, in particular, 24pin print ribbons, and ink formulation. Erratic print quality, variable print yields, Boysand girls from the 96-strong ribbon jam, printhead failure 1st Ebbw Vale Penuel Scout and even motor drive burnout Group with help from the Prince are listed as possible faults of Wales' Committee, took over arising from the use of nonapproved ribbons. Seiko-Epson's approved ribbons are manufactured in the UK, Japan or Germany.




Star back green award

a derelict site and transformed it, planting flowers and three hundred trees, as part of the preparations for the town's 1992 Garden Festival.

Printer makers Star Micronics who have a manufacturing plant in Tredegar, South Wales, donated their millionth printer to the Prince's cause.

senior patrol leader Jonathon £1100 appeal to raise money Williams, 15, received the to help bring piped water to millionth printer on behalf of the site.



he QL may not seem an obvious first choice when high quality graphic work is required, but with recent hardware developments and good quality software I've found that excellent results can be achieved, albeit with some effort. Over the last six months I've been involved in producing a variety of QL graphic screens which I have then put in sequence and recorded onto video tape for titles or for promotional videos.

As I do not consider myself to be very artistic, I soon realised that better results could be obtained by using a digitiser. Originally I used the Spem digitiser. While this produced good results, I have found that the digitiser which I currently use, manufactured by CL Systems, is ideal for my purposes. That a machine like the QL can have a choice of two digitisers would seem to indicate that there is life in the old QL yet. A digitiser, as you may know, converts a video image into a screen format recognised by the QL, and capable of being imported into desktop publishing applications or saved as a 32K QL screen file.

In addition to digitised images, I needed a good quality graphics program to edit the digitised screens and to add text. As my QL set-up has a Qimi mouse interface fitted, and as I like the pointer environment,



A SPEM digitiser demo screen

VIDEO GRAPHICS ON THE QL

There are now a number of items of software and hardware for the QL which enable the capture and editing of video graphics, Kevin Ball has built up his own system and describes what he has been able to achieve with it.

I chose the *Painter* pogram, the version I'm using is V3.04, although the current version is now V4.01. I believe that a version is also produced for the Atari ST/QL emulator.

The digitiser really is easy to couple to the QL. All that is needed is to connect the fairly large digitiser to the rear rom socket of the QL making sure that the power is off. It helps if the three plastic legs of the QL are removed also as the QL and digitiser can then lie flat on the desk. Having reconnected the power supply, to get things going you have to boot up the software provided. In my case this is on disk as I use a trump card and twin disk drive system, but the digitiser manufacturers state that it works on an unexpanded QL system too, and they can provide the software on microdrive.

A SPEM digitiser demo screen

Connection from a video source to the digitiser requires a lead to be connected from the video out socket of your video machine to the back of the digitiser using a phono plug. If your video machine uses scart connections then you will need to obtain a lead which has a scart connector on one end and phono and DIN fittings on the other. The two phono plugs are likely to be marked video in and video out and the DIN should be marked audio. It is only necessary to connect the video out phono to the digitiser. Suitable leads are available from some high street stores or possibly Care Electronics. Your monitor or television should be connected in the usual way direct to the QL

Using the digitiser couldn't be easier – it is fantastic to watch. The first difference from the Spem digitiser is that I could use my Microvitec Colour Monitor to view the digitised image. This wasn't possible with

A view of The Painter with twelve screen in memory






Three images compiled into one screen with The Painter

Spem and I had to use a monochrome monitor, although I understand that some versions of Microvitec work with it. The CL digitiser also allows a television to be used as a monitor - connected to the UHF socket of the QL. Again, this isn't possible with the Spem digitiser which requires an rgb connection. In addition to the monitor or television on which to view the digitised images you will need a television to view the normal video image - this should usually be connected to the RF out socket of the video recorder. this may not be necessary if you are using a video camera to provide material for digitising, as you will obviously be able to see what you are aiming at!

The CL digitiser operates in real time converting video images into QL screen format. At any point a particular image can be grabbed and then saved onto disk or microdrive as a standard 32K screen file. There is only one hardware control on the digitiser – a black level control situated at

the rear of the unit. This allows a considerable degree of control over the contrast level of the digitised image. The digitiser has three screen modes — full screen, quarter screen, or four quarter-size screens showing simultaneously. It operates in mode 8 and the screen is updated at the rate of five frames per second in quarter screen mode, or just under three frames per second in full screen mode. The fast digitising rate — 0.2 second is a real boon, because it means images can



Five guide screens

be grabbed as the video plays back normally — in contrast the Spem digitiser takes about five seconds to produce a digitised image and so requires the video to be paused. I've found this sometimes produces interference lines on the image, as well as possibly causing damage to the video heads. However, the Spem digitiser has more features in its software which include a program to view the screens, recolour them, edit them or produce printouts of them.

I tend to work through the video material saving suitable images onto one or more disks. Having finished the digitising stage of the process I load the *Painter* program and then compose a new screen using parts of one or more of the digitised images saved earlier. Many people will be familiar with the Painter program which has been reviewed in *QL World* and provides a host of features. Most useful for me in this context is the ability to have up to 12 screens in memory at any one time (upgrade memory permitting)! Images can

VIDEO GRAPHIC

be manipulated between screens, enlarged, reduced, recoloured or turned around. One screen can be used to paint parts of another and text of all sizes can be added. Given these facilities and many more, I wonder why my end result is sometimes so mediocre!

Because of the many features of the Painter program I did find it complex to use initially - but it is worth persevering with, and I will be upgrading to version 4.01. I have found some bugs in the program with my set-up - many of the features would not work with one of my QLs which is fitted with a Minerva rom, and I understand problems had been reported with various QL roms. There is a particularly nasty bug which occurs when I multitask Painter on my JM QL using Qpac2 and attempt to scroll part of the screen my work of art usually disappears in front of my eyes! I hasten to add that the program manufacturers believe that their current version is compatible with everything - now that's a proud boast and one which I hope is correct! I tend to save digitised screens with the _dig suffix, and completed screens with the _scr suffix. this convention can save considerable time when wading through five or six disks looking for a particular sequence of screens.


Having created a number of screens which I want to record onto videotape, I turn to yet another important QL program – Vision Mixer. This was reviewed in QL World in January 1991, and for anyone interested in graphic presentation I believe it is absolutely essential and excellent value at only £10. I understand that an even more comprehensive program has been developed by the suppliers (Vision Mixer Plus) but I haven't seen this demonstrated as yet.

Vision Mixer allows me to load 21 screens into memory (using a 768K trump card) and then display them sequentially or at random using an incredible range of video effects. It is possible to have each screen displayed for a different time period or a random time limit within parameters set by the user. The effects used to change from one screen to another can be chosen by the user from over one hundred. The program requires one blank screen for some of the effects and the colour of this can be chosen by the user. I've found that when I want to record a sequence of text titles only, perhaps to be used at the end of a video, that it is helpful to select the colour of the blank screen to be the same as the background colour of the title screens. I then use only one video effect random lines - and the sequence of


titles appear and disappear smoothly, giving a very professional effect.

For many people the ability to show screens on their QL perhaps as a shop window advertising medium will be all that they require, and the foregoing illustrates how well suited the QL is for this type of work. However, for my uses it was necessary to record my work onto videotape which meant that the finished results could be used by anyone who knew how to work a video recorder, and perhaps more importantly no computer expertise was required on his or her part, (and my QL wasn't at risk of being damaged!) There are other advantages in videoing - it allows any number of screens to be included in the sequence - by recording in stages - and it allows a soundtrack to be added, either at the time, or using the audio dub facilities of the video recorder at a later stage. The disadvantage is that there is some loss of quality - and if the screens are being designed on a monitor. it is important to ensure that designs don't go too near the edge, otherwise when the recorded version is shown on a television some of the message may be lost.

The actual process of recording can, initially at least, be torturous. With the power off you will need to connect a lead from the RGB socket of the QL to the



VIDEO GRAPHIC



Images compiled the The Painter video in socket of the video recorder. It is With all of

likely that you may need to get a lead specially made for your machine. The one I have terminates in four phono plugs thus allowing access to a variety of pin combinations. If you buy a similar lead be careful about experimenting because it is easy to blow the chip in the QL. Some versions of the QL user guide giving details of the pin connections were inaccurate, but I understand that the diagram printed here from QL World Technical Helpline 1987 is accurate.

Once the QL has successfully been coupled to the video recorder, you will need to connect a television once again to the video, probably via the RF out socket. This will act as monitor for the QL. All that remains is to power up the QL, load vision mixer and the screens you wish to record and then begin recording.

the electrical equip-

ment around it is possible that you experience some interference - I've found that fine tuning of the video machine's RF select control can improve picture qual-

I recently needed to obtain a Top of the Pops type of effect to act as an introduction to a video showing staff at my office singing and dancing (for charity). I wanted to retain the original soundtrack and so I used two videos - one provided input to the digitiser while the other recorded output via the rgb socket of the QL. I simply used the digitising software to obtain moving digitised images which were immediately recorded onto the second video. I could even act as producer by switching screen display modes between full and

quarter displays. I attached a lead directly between the audio out socket of one video machine to the audio in socket of the other and so re-recorded the original soundtrack!

There is little doubt that graphic work is a developing area in computer use and it is refreshing to see that the QL can produce results that out perform newer and costlier machines. The choices of software and hardware that are available to assist in the various tasks put the machine into a class of its own. With video cameras being available for hire for around £15 per day it is relatively easy to produce personal digitised images to use in the way described above or for inclusion in desk top applications.



The CL digitiser connected to the QL's rom socket.

INFORMATION

Digitisers:

CL Systems

403 Chapter Rd Dollis Hill London NW2 5NG Tel: 081 459 1351 Price: £123.00

Spem

via Aosta 86 10154 Torino Italy

Tel: +39 11 857924 Fax: +39 11 280009 Price: £120.00 + vat The Painter:

Progs

Haachtstraat 92 B- 3020 Veitem Belaium

Tel: 016 48 89 52 Price: £50 (BEF 3000)

Vision Mixer Vision Mixer Plus:

Dilwyn Jones Computing

41 Emrys Tal-y-Bont Bangor

Gwynedd LL57 3YT Tel: 0248 354023

Price: £10 Plus Version: £22.50



THE NEW USER GUIDE

In the seventh part of our New User Guide, Mike Lloyd examines functions, parameters, the relationship between whole systems and sub systems, and their application in building large and complex programs.



SUBSYSTEMS

t has probably already struck several readers that the sort of programming encountered so far in this series has been suitable for small routines such as printing out multiplication tables, but somewhat impractical for projects the size of, say, Digital Precision's *Professional Publisher* (which was nevertheless written largely in SuperBasic). Life becomes complicated with just a few loops and conditional branches, so how can programmers cope with the complexities of scores of menu options, hundreds of conditional operations and dozens of embedded loops without losing their place, their understanding of the program design, and their sanity?

Computer programmers found the answer by examining the practices of more conventional engineering. Designers of complex products, such as cars or machine tools, do not design a single entity. Instead, the overall structure is sketched out and its major components are fitted into the sketch. This is done without much attention to the workings of sub components. When this stage is completed the design team concentrates upon the fine detail of each subsystem without having to remember much about the other subsystems.

As the subsystems are joined together fine-tuning takes place to ensure that the finished product operates successfully as a whole. This final step should not be underestimated: the Hubble telescope is much less effective than originally planned because two vital components were not tested together prior to the launch of the satellite.

This process of decomposition and recompostion can be emulated in computer programs. The first step is to decide upon the overall aim of the program and to identify the main components. There may be subsystems, for example, to cope with microdrive activity, or to manage menus. Each subsystem is then designed in isolation before being joined with its fellows and fine-tuned into a completed application.

The first considerations when a computer program subsystem is being designed are the conditions existing when it is first called and the conditions which exist when control passes to the next subsystem. These are known as the boundaries of the subsystem. What happens inside the subsystem should have no direct impact on the other parts of the program, therefore it does not matter how it actually works. Programmers sometimes call this the 'black box' principle of programming. Raw material is fed into the black box and a finished product comes out, but exactly how this is achieved is not visible.

Here is a simple example. It is often very useful to be able to centre a piece of text on the screen. The calculation to find out the character position where the text begins is straightforward: find out the difference between the window width and the length of the string and divide it by two. This then represents the gap between the left border of the window and the beginning of the text. It must follow that the gap at the opposite end will be the same length, although there might be an extra character space if an odd number of spaces have to be accommodated.

Before the routine can do its work the text to be printed must exist and that width of the window must be known. Some thought should also be given to exception conditions, or occasions when the routine will not work properly. For this example we will assume that only one possible error needs to be tested for, and that is if the text string is wider than the window.

A simple program extract, expanded for clarity, which centres a line of text might look like this:

100 LET window width = 37
110 LET text\$ = "Centred Text"
120 LET text width = LEN (text\$)
130 LET start_pos = (window_width - text_width)/2
140 IF start_pos >=0
150 PRINT TO start_pos; text\$
160 ENDIF

The calculation of the length of text at Line 120 might need some explanation. LEN() is a useful SuperBasic function which calculates the length of any string contained in its brackets, as follows:

PRINT LEN ("Sinclair QL World")

The output is the number of characters which make up "Sinclair QL World".

The program snippet is fine for a single instance, but it seems rather a lot of code if centring is going to happen frequently. The early Basic language developers recognised that it would be highly desirable to be able to call up a segment of code such as this from anywhere in a program. Getting the Basic interpreter to move to the segment using the GOTO command was relatively simple. What was a little more complicated was the process of returning the interpreter to where it started from once the segment was completed.


In order to simplify these twin jumps to and from a program segment two new keywords were added to Basic which are also available in SuperBasic. The first is GOSUB, which is used exactly like the familiar GOTO. GOSUB stands for 'Go To Sub-Routine' and it is followed by a line number indicating where the subroutine begins in the program. The end of each subroutine is marked by the keyword RETURN, which directs the interpreter back to where it came from. So, in order to centre a lot of text our earlier example needs to be slightly revised:

100 LET text\$ = "Sinclair QL" 110 GOSUB 500 120 LET text\$ = "World" 130 GOSUB 500 140 STOP

500 LET start_pos = (37 - LEN (text\$))/2 510 PRINT TO start_pos; text\$ 520 RETURN

Several things have happened here besides the introductions of the GOSUB and RETURN statements. The subroutine has been simplified by assuming that the screen will always be 37 characters wide and that the programmer will never make the mistake of sending an overlong text string to be centred.

Additionally, the calculation of the length of the string has been embedded into a larger expression. Basic is excellent for compressing complicated series of calculations into quite small pieces of code. Unfortunately, it has the effect of making programs more difficult to read, but the saving on space is usually worthwhile.



LEN

GOSUB and RETURN

Finally, the STOP command at Line 140 ensures that the interpreter does not stumble over the subroutine by mistake after reaching the natural end of the program. When organising programs, it is generally preferable to place all the subroutines together preceded by a STOP command. If subroutines are buried away somewhere in the main program it will be difficult for the programmer to find them and all too easy for the interpreter to find them unexpectedly.

GOSUBs can have an important role to play in ordinary programs, but many SuperBasic programmers are proud of their record of never using GOSUB anywhere in any of their programs. Instead, they use one of the two SuperBasic constructs which truly mark out the Sinclair QL as one of the best programming languages yet produced. The first to be dealt with here is a super version of something which is found in a crude form in many lesser Basics: a user-defined function. The second is very rarely found in Basic dialects: the user-defined procedure.

If we are going to construct our own function it is useful to know a little more about what goes into a Basic function. Functions are identified by a keyword which is always followed by a pair of brackets. Inside the brackets there may be one or more values or variables called parameters. Parameters are like raw materials entering a factory. The function works on the parameters in order to produce a finished product, or output. The output can be assigned to a variable or printed, but something has to be done with it. In technical terms, functions appear on the right-hand side of expressions. In practice this means that they must be treated as if they were a special form of variable. The first line of those following is incorrect, the subsequent ones are quite valid:

100 FILL\$ ("x", 100) 150 PRINT FILL\$ ("x", 100) 200 LET x\$ = FILL\$ ("x", 100) :REMark wrong!

:REMark OK

:REMark OK

Another rule is that the function name must end in a dollar sign if its output is going to be a string. The FILL\$ function used in the above examples returns a string of Xs 100 characters long, and so its name must end in a dollar. This is exactly the same as is found in the naming rules for variables and so it should be easy to learn. However, if you ever forget to follow this rule the QL produces such a vague error message that the mistake can be horrendously difficult to root out.

The FILL\$ function is a SuperBasic keyword, and so how it works is not our concern. We are simply grateful that it does a useful job. When it comes to defining functions of our own we must be able to program its internal workings to produce a final result. There are a number of ways in which the text centring problem might be solved with a user-defined function, only one of which will be examined here. The function is called Centre(). It produces a string with sufficient leading spaces to force a given piece of text into the centre of the window.


The first line of function definitions share the same layout. The initial keywords are 'DEFINE FUNCTION' followed by a name which follows normal variable naming conventions. There must also be a pair of brackets which might be empty or, more likely, will contain references to any parameters passed to the function. In the example there are two parameters, the text string and the number of characters to pad it out to. They are given normal variable names but they have a special characteristic: as soon as the function is completed they will be forgotten. Parameters are simply temporary variables created specially for the function and discarded as soon as the interpreter returns to the program proper. Without the concept of parameters it would be impossible to write

STOP

Functions

\$ again

Parameters



END DEF

generalised functions which could deal with all manner of variables, rather than just the one whose name happened to appear in the function definition.

Within the function definition the code to produce the final output is written. At some point, usually on the penultimate line of the definition, there must be a statement beginning with the keyword RETURN which is followed by a value or expression. This will be the value returned to the calling expression. Do not confuse this use of RETURN with the use made of it in GOSUB subroutines. The final line, END DEFine, confirms to the interpreter that the function definition is complete. A very short example of a full function definition, with some typical function calls, is provided below:

100 PRINT square (25)
120 LET test = square (15)
.....
500 DEFine FuNction square (x)
510 RETurn x * x
520 END DEFine

The text centring function is slightly more involved, although it has been expanded to show each stage of the process as a separate command:

100 example\$ = "Hello World"
110 PRINT Centre (example\$, 37)
.....
500 DEFine FuNction Centre (text\$, wide)
510 LOCal twide, left, result\$
520 twide = LEN (text\$)
530 left = (wide - twide)/2
540 result\$ = FILL\$(" ", left)
550 result\$ = result\$ & text\$
560 RETURN result\$
570 END DEFine

Again this brief listing contains new material. Note first how the parameter variable 'text\$' is used to refer to a variable that the main program knows as 'example\$'. The second line of the definition lists a number of variables that are only needed for the duration of the function. They are therefore declared as being LOCal, which means that just like the parameter variables they will be forgotten as soon as the interpreter returns to the main program.

To save space and time all of the LET keywords have been omitted. This is a convenience to programmers and produces snappier-looking code. The SuperBasic FILL\$ function performs a valuable role in padding out the string. Notice that strings are added together using the ampersand symbol rather than the addition sign, which is reserved for numeric addition only. For those readers who like a challenge, this definition can be reduced to only a DEFine, an END DEFine and a RETURN statement.

There is a much simpler way of approaching the problem. Instead of writing a function we can define our own command. The processor is very similar to that of defining a function, including the use of parameters, but there is no RETURN statement and the first line begins 'DEFine PROCedure' rather than 'DEFine FuNction'. To continue using the text centring problem as an example, what we will be asking the computer to do is not to PRINT CENTRE ("Hello", 37) but simply to MidiPrint "Hello", 37. Here is the code:

100 example\$ = "Hello World" 110 MidPrint example\$, 37

500 DEFine PROCedure MidPrint (text\$, wide)

510 LOCal twide, left, pad\$ 520 twide = LEN (text\$)

530 left = (wide - twide)/2

540 pad\$ = FILL\$ (" ", left),

550 PRINT pad\$; text\$

560 END DEFine

Although there are brackets enclosing the parameters on the first line of the procedure definition there are no brackets in Line 110 when the procedure is actually called. After all, we do not write PRINT ("Hello"), so there is no need to use brackets in procedures we have written ourselves.

It should be absolutely obvious by now that SuperBasic commands such as PRINT, CLS, LINE and OPEN are procedures. The language developers have allowed us to expand two classes of keyword, procedures and functions, to include our own facilities that SuperBasic's creators never dreamed of.

Within each procedure or function definition we are writing what is to all intents and purposes a mini-program. This is exactly how Professional Publisher and other large programs were produced, by splitting the problem down into little chunks and assembling them into the complete solution. User-defined procedures and functions are very easy to understand, but they offer a quantum leap in the power they hold for the programmer prepared to use them properly.

LOCal

Mid Print



OFTWAREFILE

INFORMATION

Program: QTop (for QL and Thor

computers). V1.00


Supplier: Cowo Electronic,

Munsterstrasse 4, CH-6210, Sursee,

Switzerland.

Price: £35 disk, £39 mdv.

owo Electronic has sent *QL World* a copy of its Qdos user interface *Qtop* for review on an Atari/QL with hard disk. The package is sold through TK Computerware in this country, and QLympic Computer Systems in Germany and costs £35 on disk or £39 on microdrive. The centrepiece of Qtop is a utility called Tdesk, and I shall use Qtop



and Tdesk more or less interchangeably in what follows.

The system used for the review consisted of an Atari Mega2 with Extended4 QL Emulator by Jochen Merz, a 40 MB slimline scsi hard disk from Power Computing, a Philips PRO 8CM852 colour monitor and a Canon Bubblejet BJ-300 printer

The first thing that struck me was the contrast between the claims in the advertising blurb that the system was written in optimised machine code and the front screen of Tdesk, which announces that it is in Turbo-compiled SuperBasic. Perhaps we are supposed to assume that Turbo-compiled SuperBasic is optimised machine code, but it sounded slightly strange.

I started by copying the contents of the master disk into a new directory on my winchester – win1_cowo_, I decided to call it. The master disk contains two sets of programs, the spare set all prefixed with the word SPARE_. So barring the



atop

most drastic of accidents, you should always be able to resurrect a copy of a deleted file. The disk arrived write-protected anyway, so the chances of making a mistake seem remote.

I then had a careful read of the manual, and wrote a little boot file, as follows (the win1_cowo_ in line 100 was crucial for making Tdesk look for its ancillary files in the win1_cowo_ directory. It will not function at all without the files Tdesk_Opt, Tdesk_Txt, and Tdesk_Fnt):

10 LRESPR win1_cowo_thorst_bin : REMark required by Tdesk 20 LRESPR win1_atari_bin

30 LRESPR win1_tools_winch_rext 40 LRESPR win1_qram_ptr_gen 50 LRESPR win1_qram_wman

60 LRESPR win1_atari_ataridos_rext

70 LRESPR win1_qtyp_spell 80 LRESPR win1_tools_qload_bin 90 HOT GO

100 EX win1 cowo tdesk; 'win1 cowo '

Actually, I tell a lie. This is what I should have done. But being impatient, I skimmed very imperfectly through the manual, and wasted a lot of time trying fruitlessly to get the program to work by trial and error. So do read the manual carefully, it will save you time in the long run. It is well-enough written, and reached me as a loose-leaf A4 file, probably printed on a laser, although a couple of the illustrations appear to come from a dot-matrix screen dump.

Once loaded up, there is a delay of what seems like several seconds before the Tdesk screen appears, and it occurred to me that it would have been nice if there had been a Loading: please wait . . . message on the screen meanwhile, since I was left wondering for a moment whether something had gone wrong.

Qtop claims to have twice the power of *Qpac2*, so it is against this package that I shall judge it. I use Qpac2 as a matter of course, together with elements of its older sibling *Qpac1*, and although it took a bit of experimentation to set it up and get the

SOFTWARE FILE/QTOP

most out of it, I find it a really excellent system to use – as indeed one might expect of a second-generation product from Tony Tebby.

A major item in Qpac2 is its housekeeping – my shorthand for the facilitating of filing activities on magnetic media. For example, it will display the file information for a particular disk or sub-directory in a window which adjusts itself in size depending on the number of files in the directory, and allows you complete freedom to resize it if you wish. You can then motor around the window at will with the mouse or the cursor-keys.

One file

By contrast, Qtop only allows you a view of file-info one file at a time; in its own order of choosing if you select ALL, with no going back if you go past the file you want; through a window of its own sizing; and once only before flipping back automatically to the previous menu. On the other hand, for a single individual file, it was quick and easy.

The thing I really missed here was the option to order the files as I wanted them, particularly by reverse date and time, so that I could back up only the most recently altered or created. Backup is a major factor for hard-disk owners, and to do it sensibly you must be able to order the files in the manner mentioned and put that info on the screen for all files at once. Of course, a dedicated backup program might obviate the need for this.

Tdesk scores well, however, on its display of sub-directories. You click on win1_, getting a display of everything in the top directory, and then simply click on a directory name to get a display of the files in that directory. This is simpler than Qpac2's

arrangement, and worked very smoothly and swiftly.

Although the manual implies that Qtop works happily without the Qjump window-manager (ptr_gen and wman), I found that it then caused weird things to happen with a couple of the most commonly-used SuperBasic functions.

Both dir and wcopy seemed odd: I kept finding that I was being switched to the Tdesk job, even though I thought I was working perfectly normally in SuperBasic. It seemed to be connected with using wcopy and being queried about copying and overwriting files: pressing Y caused a switch of jobs! A similar job-switching side-effect occurred with dir.

A second annoying thing a that the normal SuperBasic screen at channel 0, where you type SuperBasic commands,

I would say that
the ptr_gen and
wman files from
Qjump are
essential to
operation . . . they
are supplied.

was partly overlaid by the clock display of Tdesk, and since this is updated every second it is no good trying to solve the problem with cls – you just get a refreshed clock display!

I would say, therefore, that the ptr_gen and wman files from Qjump are absolutely essential to the satisfactory operation of Qtop. Fortunately, they are supplied on the Qtop master disk, together with Hot_Rext which enables you to program the keyboard and set up hot-keys.

spect, except that it wasn't obvious how to decree the amount of memory to be used by the Psion quartet under Qtop (although a similar facility for Xchange is built in, reflecting the THOR bias of Qtop), whereas that is clearly explained under Qpac2.


Access

Qpac2 gives you, in addition, full access to every channel opened by the operating system. I find this facility particularly useful when something I have sent to the printer refuses to be printed. It is usually a result of leaving the channel open from some other task, and access to the channel table shows me immediately where I stand. However, as far as I could see, this important function is not available under Qtop, and must count against its claim to be twice as powerful as Qpac2.

Qtop allows you to write eleven program names into a menu called My Progs, and save this menu as part of your own private configuration of the Qtop package. You can then click on any of these programs with your mouse button, and it will load. However, unless you are prepared to change the default directory before loading each one, they all have to live in the same directory on your hard disk (designated the TD-Device and set via the Devices sub-menu - see below), which I found frustrating. I keep all files associated with The Editor in a sub-directory called edt_, all files associated with Text87 in a sub-directory called text, and so on. In this respect, therefore, Tdesk seemed a bit restrictive.

One file

It is possible to set the TD-Device to win1_, and then include the sub-directory names as part of the program name, but you are restricted to nine characters for the total entry length, which in practice is very tight, and forces you to abandon sensible-meaning words for the briefest of mnemonics.



SOFTWARE FILE/QTOP

Options.

Desk offers you a Help facility; information on memory use, system setup, colours available, Prog Info (which turns out to be the Tdesk front screen – rather a waste of space!); control of the network file-server and access to a number of clocks in fancy formats, and several demo programs, which will no doubt be of interest to some.

Defaults

Devices enables you to set defaults for programs, data, spooler, flp_use, win_use, ram_use, and for Tdesk itself. This is convenient and functional.

Files and Jobs speak for themselves and have been covered already. Keyboard enables you to set the language for your keyboard, which is a big selling point of the Thor, but no use for the Atari as far as I am aware. Programs is a fixed menu enabling you to start up some of the QL's favourite programs such as *Quill, Archive, Xchange*, etc.

However, if you don't happen to use these programs, or if you use them with different names as I do (in order to remind me how much memory I have assigned to the Psion programs with the Grabber facility, I tack a number on to the program name — Quill50, Arch100), then they are not very useful. As with My Progs, they all have to reside in the TD default directory.

My Progs I have talked about. Tools enables you to do all sorts of conversions – but not, as I fondly hoped, file format conversion, so that I could read MS-DOS disks; instead, all sorts of numeric conversations (Hex-Decimal, Decimal-Hex). It also gives control over loading and saving sections of memory. This Tools facility did seem to be unique to Qtop, and provides useful utilities for those engaged in the relevant activities.

Options

Options enables you to set various parameters and defaults in a well-planned and functional way. It is here, for example, that you designate the programs to go into the My Progs menu; here you can reset the Qdos clock, the network station number; and so on. You also save all your configuration information from here. Interestingly, you can also load different configuration files from here, so long as you first change the TD-Device: each configuration file must be called Tdesk Opt, and therefore you cannot have more than one in a single directory. You can load a translation table at this point, which will be of considerable use to those using foreign alphabets.

Next I added to my boot file

9 LRESPR win1_edt_xtras

and reset the system to see if there was any problem with running The Editor. There wasn't: it seemed to slot in effortlessly, and executing win1_edt_bin brought up the familiar screen instantly.

Although Qtop has some nice features, and appears well able to accommodate the familiar QL programs multi-tasking together, to claim that it has twice the power of Qpac2 seems to me excessive. In some areas—channel control, the viewing of file info—it is actually not as powerful. I felt that some of the facilities provided were either rather specialised—the numerical conversion, for instance, or memory saving and loading—although they are certainly powerful; or they are rather peripheral (the demos, perhaps).

One of the things I particularly missed was the ability to set up buttons. Qtop does have a sort of button facility, but the buttons seem but a shadow of those offered by Qpac2. In principle, you can hit F8 and be given a button for the current top window. This is very quick and simple, and works well with Tdesk itself and its associated files, but is problematical for many other programs such as *Quill* or *The Editor*, since the F8 key is often already

I was able to go ahead and make buttons which would appear in a net row across the top of the screen

assigned in such programs. Trying to change the system parameters for Button startup unfortunately only produced the message Fatal Error -23906. In addition, making a Tdesk button appears to be but a temporary measure, lasting only until the next use of the full window, and then requiring you to remake the button with another stab at F8.

So my next move was to try Qtop together with Qpac2, which allows a different, more permanent type of button with far fewer problematical clashes. I therefore added a line to my boot file

75 LRESPR win1_qpac_qpac2

and reset the system again. That all seemed to work beautifully, and I was able to go ahead and make buttons which would appear in a nice neat row across the top of the screen whenever I pressed both mouse keys simultaneously. I could, for example, attach the Qpac Files module to a button, and bring up the full power of that facility at the touch of a mouse key. Calling up the button a second time would then allow me to generate another Files

window – an extremely useful capability if you need to compare, say, a winchester directory with its floppy backup. I could not know that this multiple use of a button was possible via Tdesk, but Qtop did not seem to clash with Qpac2 in this respect.

Trusty old QL

While I was doing the review, I tried Qtop on my trusty old QL as well. I had recently upgraded this machine with Miracle System's splendid Gold Card, giving it a severe breath of new life. I had also bought Miracle System's 40 MB hard disk about a couple of years ago. In the event, there was no trouble getting Qtop to work with the following (partial) boot file:

100 TK2 EXT 110 LRESPR win1_edt_xtras 120 LRESPR win1 cowo thorql_bin: REMark Required by Tdesk 130 LRESPR win1_gram_ptr_gen 140 LRESPR win1_qram_wman 150 LRESPR win1_cowo_hot_rext 160 LRESPR win1_atari_ataridos_rext 170 LRESPR win1_qtyp_spell 180 LRESPR win1_qpac_qpac2
190 LRESPR win1_tools_qload_bin 200 HOT GO 210 setpicks: REMark Procedure- sets 220 mkbutton:REMark Procedure- sets up buttons 230 EX win1 cowo Tdesk; 'win1 cowo ' 240 WIN2 psion : A_BLANK

Unfortunately I don't have a mouse for my QL, and it is more fiddly driving Qtop with the cursor keys. Qpac2, on the other hand, has been designed very carefully with non-mouse users in mind, so that there is far less discrepancy between mouse-driven and cursor-driven operation. Still, Qtop did seem to work without trouble in this environment.

Duplicated

With Qpac2 in operation, much of the functionality of Qtop is duplicated, and I found myself asking whether I really needed it at all. It seemed to work swiftly, to be intuitively designed, particularly for mouse operation, and did not feel labyrinthine or over-complicated. But it is obviously aimed first and foremost at the THOR, so that for an Atari-user there are parts of the package which are redundant.

What authors put into an application no doubt reflects their overall preoccupations, so perhaps for Urs Konig Qtop provides twice the power of Qpac2, but my overall judgement – admittedly after less than a week – is that it adds little of significance to what I personally get out of Qpac2, and in some respects, it lags behind.

Gamain Games

Rich Mellor spies on the games you can have for a song.

or any user new to a computer, the public domain scene can provide a source of cheap games programs which, although varying in quality, can be a quick way of providing entertainment for young and old alike, and form a useful introduction to the workings of a computer and allow you to get used to the keyboard.

The QL is no exception in that there are quite a lot of public domain games available which range from pretty awful to

very good in quality. Although CGH Services has provided a wide selection of games software for quite some time, there is now a newcomer to the public domain scene, Qubbesoft, which lists a few games in its catalogue (some of which are the same as those in the CGH library).

Qubbesoft's library is split into several disks (or microdrives) that each contain a small boot program to access the supplied programs. Although this would not be much

use for programming utilities, in the games area of the public domain market, this is a very good idea. It certainly makes the ordered disk/microdrive a lot easier to understand (and use) than the way in which CGH public domain programs are sorted (in batches). I must admit to liking the way in which the Qubbesoft library is set out and would suggest that CGH could learn from this where games and adventures are concerned.

DOGFL

SELPL

There are several versions of *Breakout* available from both libraries. For those of you who were not au fait with the computer scene in the early 1980s, this was originally a very simple game where a wall of bricks appears at the top of the screen. You are given a bat which can only be moved left or right, and then it is your task to keep the ball provided in play and knock all of the bricks out of the wall.

Although a relatively simple game, all of the different versions supplied in the library are pretty good and should keep younger games players quiet for a while. However, I have yet to find a version to beat the Psion game which was given free with some QLs. The Psion program has the advantage that it was written mainly in pure machine code and is therefore compact, fast and varied (what a pity Psion have not consented to making its program public domain).

Some veteran ZX81 users may remember an old maze program called *3D Monster Maze* – an excellent program that pushed the ZX81's block graphics to their limit. On the QL there is even a version of this program genre in the public domain,

still prove a challenge to those new to the computer. However in these more hi-tech days, these sorts of programs only tend to appeal to the very young for a very short period. Programs available for the QL include *Blackjack, Space Invaders* (I still prefer the QL World version, *Paladin*), *Tron, Bomber, Othello* and *Star Trek*.

More exciting programs available from the Qubbesoft library include those games which were originally given away free by Medic in the early days of the QL. Unfortunately these programs begin to show the possible hazards in maintaining a public domain library. Although they were given away free, the ex-owner of Medic having been given a prison sentence and the author uncontactable, they

are probably not in the public domain as such since the author 'Janko Mrsic Flogel' (who actually wrote several good arcade games for the QL in the early days) most probably still possesses the intellectual property rights to the programs.


Anyway, on to the different games.

Treasure is a game made up of lots of different screens containing platforms. The idea is to collect all of the bags of gold from each screen. In your way are various moving

objects which will kill you if you touch them; lifts between platforms (together with trampolines), umbrellas and stairs. This game is not easy and is actually very good. Although it is a cheap way of introducing someone to this type of game, do not be too disappointed if you cannot finish this, because in common with the better known *QL-Cavern* this program cannot be finished either.

Medic's 'Pacman' clone is also available from Qubbesoft. This is a very fast version with lots of different mazes for you to clear the food pills from. There are four ghosts to avoid. This takes a lot of skill and speed to complete, but is highly recommended. The graphics are excellent and should keep many a player occupied for a long time.

Returning to those games which are definitely in the public domain:



Starburst - pirates and guns in caverns.

01725

Cyclops Maze. In this program, you are given a random maze which is shown in three dimensions on screen. Unfortunately, there is no monster chasing you around the maze, but it still proves quite a challenge as you search for the Cyclops' eye. The maze is not too testing and users may wish to try to alter the Basic program to create a larger maze. This program is available from both public domain libraries. However, for a more challenging 3-D maze puzzle, games players may prefer to get the version by Alan Pemberton (well-known for good adventures) which is in the CGH library (Angstrom). I have not actually seen this program, but knowing Alan as I do, I can only assume that it will be well worth the copying fee!

Indeed public domain libraries are full of renditions of these old favourites which

PUBLIC DOMAIN GAMES



CGH Services lists in its library Starburst which was originally sold for £12.95. This is a very welcome addition to the public domain scene. It is in 100 per cent machine code, and consists of 256 caverns, around which you must fly your plane in search of pirate space ships. You have seemingly plenty of time to fly around and located the pirates, however, as time progresses, you soon find that you are flying around in circles as the maze of caverns becomes more intricate. This is a highly addictive game and recommended for those on a tight budget. I have managed to locate all of the pirates and even the final mother ship, but unfortunately not all in the same game (luckily the maze does not change and so I should be in with a better chance next time).

CGH also boast an early version of *Tetris* (originally written in French) in its library. This is quite a good version of this program, but I must admit, has a long way to go having played CGH Services commercial version of this game (*Double Block*). Nevertheless, the game on which this is based is compulsive and very good for your mind, therefore at least one version should be in everyone's library.

On the shareware side CGH have three excellent programs, which should cater for most of the QL community.

Cavern Frenzy is a 'Boulderdash' clone. This game made up of 15 different screens which are filled with boulders and jewels. The idea is to collect all the jewels on one screen to open the door to the next level. Unfortunately, the boulders are supported only by little blocks of earth. When you move this earth, it causes a minor landslide of the boulders which can all too easily kill you. After a bit of use, you begin to learn where the boulders will fall, and can therefore use this to your advantage. Luckily there is a training mode in which you can go through the door to the next

level without having collected all of the jewels on that screen. Even in the training mode, I have been unable to complete half of the 15 levels and so can only suggest that you try this one for yourself. A great game for kids.

Worm Germ is written by one of CGH's less mainstream programmers. This is a clone of the old centipede game where you control a centipede which must be guided around the screen to eat the food littered about. As you eat, your body grows in length. The idea is therefore not to get trapped and thereby bite yourself. This game is pretty fast and has many different features which should recommend it to both young and old.

War-games

Last but not least, provided that you have Toolkit II, there is one war-game in CGH's shareware library. Unlike the public domain Supremacy which is similar to the 'Risk' boardgame, this program is more of a challenge. QL War consists of a Turbo-charged Basic program which is menu driven to allow you to send troops by ship or plane to far and distant lands hopefully to conquer new continents and keep the enemy hordes at bay. You can choose whether to play against the QL or even another player on another QL, and after choosing the size of the map on which you are to play, you are put in control of quite a sizeable army.

This program takes some getting used

games), although these programs are quite simple to fix. I have supplied details of the fixes to these programs to CGH Services for publications in *QL Leisure Review*.

There are still lots of other programs out there which could be made into public domain programs and enhance this scene even further. I have seen other public domain software which is not present in either of these libraries, but cannot think where I obtained it – perhaps the saddest loss here was a fully fledged Defender clone (a little too hard for me to play but very good nevertheless). If you are the author of any commercial programs which have not sold many copies for a while, or indeed are thinking of writing a piece of leisure software which you do not think will sell, but could interest someone else (especially in the field of education) then why not get in touch with a public domain library?

INFORMATION QUBBESOFT PD LIBRARY

K Dunnett, 38 Brunwin Road, Rayne, Braintree, Essex CM7 5BU. Tel: 0376 47852.

Price: 30p per mdv/50p per disk (you supply media).

CGH Library

CGH Services, Cwm Gwen Hall, Pencader, Dyfed, Cymru SA399HA. Tel: 0559 384574.

Price: £1 per microdrive-sized batch.

DIY OOLKIT



Simon Goodwin unravels his MORE extension and explores the QL's '32 bit' credentials.

he command MORE is a quick and easy way to look through any Qdos file, designed as a replacement for VIEW and COPY TO SCR. MORE displays pages or lines, showing the position of the data in the file and allowing fast navigation.

The machine code for MORE was presented in last month's *QL World*, along with the first part of the assembly code, concerned with initialisation and parameter checking. The accompanying listing un-

veils the display and input routines that show any page of a file under keyboard

MORE uses SuperBasic's buffer area to store details of the file and windows in use. The diagram reveals the way the space is allocated, using some parts to hold several

items in succession.

The space used to assemble the file name and DATA_USE default holds the file header once the file is open; as soon as the prompt line has been written, text from the file re-uses the same space, leaving only the file length for later checks.

MORE includes concise display and input routines for 32 bit integer values. These are faster and more predictable than their floating-point equivalents, but they push the '32 bit' attribute of the QL instruction

set to its limit, as we shall see.

MORE STUFF displays pages of text from STUFF, accepts key presses and writes prompts in the command window, #0. There are five control keys: DOWN ARROW, PAGE DOWN, PAGE UP, ENTER and ESC; these can easily be reconfigured by modifying the program. The code that handles each key is discussed later.

The speed with which MORE displays each page is impressive even on the most humble 128 K microdrive system. This is because of the way that MORE uses Qdos, reading and writing groups of lines with a single system-call. Other programs are slower because they perform several calls for each line.

The code to draw each page is short but

```
QL WORLD DIY TOOLKIT SEPTEMBER 1991 - Listing, page 1 of 4
  * QL WORLD DIY TOOLKIT - MORE keyword, by Simon N Goodwin
* Continued from LISTING ONE of AUGUST 1991's DIY TOOLKIT
    Redraw the screen forwards from the file to the main window
                                              Select the main output channel
SD.CLEAR - clear output window
                            output_id, a@
               exg
               moveq
                            #32,dØ
               trap
              exg
move.w
                            a@,output_id Re-select the input file ID
                            depth (buf, a6.1), d4
  next_line move.w
                            width (buf, a6.1), d6
  * See what is already in the buffer (D1 bytes at TEXTPTR)
               move.w
                            textleft(buf, a6.1), d1
               beq.s
                            get_some
  got more
               move.1
                            textptr(buf, a6.1), a1
                            #1Ø,dØ
                                              Preload code of a line end marker
               moveq
  scan line
               subq.w
                            #1,d1
                            run_out
               bmi.s
                                              Get some more text
              cmp.b
addq.l
                            Ø(a1,a6.1),dØ
                                              Check one character
                            #1,a1
                                              Advance to next character
                            got_line
               beq.s
                                              Line end found
               subq. w
                            #1,d6
                                              Reduce remaining width
              bhi.s
                            scan_line
  * The line is 'full', but we may be able to squeeze in a line end yet
                                              Is the next byte in the buffer?
Trust to luck (and fail safe!)
  line full
              tst.w
               beq.s
                            got line
              cmp.b
                            got_line If not, leave it for later
#1,a1 We can accommodate that too
               addg. 1
               subq. w
                            #1,d4 Count one less display line
scan_line Continue if there's anything left
  got line
               MOVE-W
               subq.w
               bhi.s
               move.1
                            a1,d2
                                              Work out number of bytes scanned
                            textptr(buf,a6.1),d2
d2,textleft(buf,a6.1)
send_bytes Display scanned buffer bytes
               sub.1
               sub.w
               move.1
                            al, textptr (buf, a6.1)
              bra.s
                            find_ptr
                            textleft(buf, a6.1), d2
  run_out
                                                         Display all we have
               move.w
                                             Write buffer contents to display
              bsr
                            send_bytes
               move.w
                            maxtext(buf, a6.1),d2
               lea.1
                            textbuf(buf),al Reload the text buffer al,textptr(buf,a6.1)
               move.1
               moveq
                            #3, dØ
                                              IO.FSTRG - read D2 bytes to A1
              bsr
                            do_trap4
              beq.s
                            fetched
                                              No error, OK!
End of file?
               cmpi.b
                            #-10,d0
file error
                                              Anything else should be reported!
              bne.s
  fetched
               move.w
                            d1, textleft(buf, a6.1)
                                              Nothing left to read?
              bea.s
                            find otr
                                              Carry on with what's left
Note the error code
Try to close the file (preserving D2)
              bra.s
  file error
              move. 1
                            dØ. d2
              bsr
              move.1
                            d2.dØ
                                              Return the file error to SuperBASIC
 * Find file pointer and adapt to suit TEXTLEFT
              moveq
                            #Ø,d1
              moveq
                            #67,dØ
                                              FS. POSRE
              trap
                                              Set D1.L to file pointer
                             textleft(buf, a6.1), d2
              move.w
              ext.1
              sub.1
                                              Don't count bytes not yet shown
* Seek start of line in report window and show file pointer value
```

tightly wound. At the start of the listing the main variables in BUFFER are set, but the output window is untouched and no data has been read from the file. REDRAW starts by clearing the window and noting its width and height in registers D4 and D6. These are used to work out the amount of text that will fill the window.

The value at TEXTLEFT is zero, so the buffer is filled by the code labelled GET_SOME. This simply sets the registers expected by the Qdos input routine IO.FSTRG, and tries to read MAXTEXT bytes to the buffer at offset TEXTPTR

inside SuperBasic.

If the call to DO_TRAP\$ goes smoothly TEXTLEFT can be updated with D1, the number of bytes read, and processing continues at GOT_MORE or FIND_PTR as appropriate; otherwise MORE tidies its channels and reports the file error.

The heart of MORE is a nested loop that scans the input, counting characters for each line and starting a new line as appropriate. The code takes pains to record 'what's left', whether that be space on the line, lines on the page, bytes scanned or unchecked in the buffer or in the file.

If the whole buffer is scanned and will not fill the window, the code at RUN_OUT displays the text left, before reloading the buffer with the familiar GET_SOME routine. Often the data is ready and waiting in QL slave blocks, thanks to 'pre-fetch' routines in directory device drivers.

Normally the Enter character marks the end of each line, but MORE works with _DOC, _DBF and code files that may lack such signposts. Qdos also moves to the next line when a line is filled with characters, but avoids making a blank line if the

next character is Enter.

The code at LINE_FULL looks onward in the buffer to see if it can squeeze an Enter onto the end of a line. This check is problematic if the buffer empties just as the line becomes full, so MORE 'fails safe' in this rare case; it may generate a blank line, but it will not scroll the windows unexpectedly.

When the page is complete the code labelled FIND_PTR works out the position in the file from the file pointer and the number of bytes waiting in the buffer. MORE writes the current position at the

start of the prompt line.

Successive digits blur together if overprinting is selected in that window, so you should favour the default, OVER #0,0 rather than OVER #0,1 or OVER #0,-1. This is little hardship; the alternatives are rarely used as they make it tricky to edit commands.

The lines labelled KEYPOLL read and act upon the control keys. Errors or the code for ESC divert execution to STOP_NOW, closing the input file and moving to a new line in window #0.

The other control keys let you move through the file. They use the current file position, in register D4, comparing it with LENGTH, the file size in bytes from the file header. If you try to move past the end of the file execution is diverted to SEEK_START, winding back to the beginning of the file; otherwise the down arrow

```
update
                                                Save file pointer for display later
Retrieve prompt ID, save file ID
SD.POS works like AT line,column
              move. 1
                             d1,d4
              exg
                             prompt_id,aØ
                            line_start
d4,d1
              bsr
              move. 1
                            print_long
                                                 Print file pointer value
* Wait for ESC. Arrows. ENTER or ERR.NC and react accordingly
keypol1
              moveq
                             #1,dØ
                                                 IO.FBYTE - get 1 key!
              trap
                            **
              tst.1
                            dø
                                                 BREAK? EDF?? #Ø gone?!
              bmi.s
                             stop_now
                                                 Errors here signal the end
              cmp.b
                             #27,d1
                                                ESC?
              bne.s
                            dont_stop
                                                Escape also stops the action
* Close input file and move #0 to a new line, ready for the next command
stop_now
              exg.1
                             aØ, prompt_id
                                                Save prompt ID, select file ID
closer
              moveq
                            #2,dØ
                                                 IO. CLOSE
              trap
                            #2
                                                No error expected
                                                Now tidy up the prompt line
SD.CURS - suppress cursor
              move. 1
                            prompt_id, a@
              moveq
                             #15,dØ
              trap
                            #3
                            #1Ø, d1
                                                Send Newline to #Ø
              moved
                            print_byte
                                                Exit via Qdos TRAP #3
                                                Save prompt ID, restore file ID
Line Down (down arrow) ?
dont_stop
              exq
                            a@,prompt_id
              cmp.b
                             #216,d1
                             try_paging
                            length(buf, a6.1), d4
              cmp.1
                            seek_start #1,d4
              hea.s
                                                Depth is one line
              moved
                                                Scroll one extra line
              bra
                             next_line
try_paging cmp.b
                             #217,d1
                                                Page Down (ALT down arrow) ?
              bne.s
                            not_down
                             top_left(buf,a6.1),old_top(buf,a6.1)
              move.1
              move. 1
                             d4, top_left(buf, a6.1)
                            length (buf, a6.1), d4
              cmp.1
                            redraw
              hne
                                                Page forward
                                                Seek start of file
seek start moved
                            #Ø.d1
seek_d1
                            d1, top_left(buf, a6.1)
              move.1
                                                FS. POSAB
              moveq
                            #66, dØ
              trap
                            #3
blank out
                                                Retrieve prompt ID, save file ID
                            prompt id, a@
              exq
blank_outp bsr
                            tidy_wind
                                                Blank the previous pointer value
                            none_left
  Page back; check TOP_LEFT; if at start of file, wind to near the end Move file pointer back to previous page (if known) or by set distance
not_down
              cmp.b
                            #209,d1
                                                Page Up (ALT up arrow) ?
              bne.s
                            not up
                            top_left(buf,a6.1)
              tst.1
              bne.s
                             wind_back
                                                Move back unless previously at top
              move.1
                            length (buf, a6.1), d1
                            #512, d1
                                                D1 is Ø.5K before the end of the file
              sub.1
                                                Wind the file pointer there
              bpl.s
                            seek_d1
              exg
                            prompt_id,aØ
keypoll
try_again
                                                Restore prompt ID
                                                Eeek! Await further instructions
              bra.s
                          wind back
              move.1
              bpl.s
sub.1
              bmi.s
                           seek_start
d4,d1
                           seek_d1
                                           Move backwards
  not_up
              cmp.b
                           #1Ø,d1
                                            ENTER key code?
              bne.s
                           try_again
    ENTER = Get new position
                           prompt_id,a0
                                            Retrieve prompt ID, save file ID
              exg
                          tidy_wind
line_start
#10,d2
                                            Scrub the existing value
Get ready to read a new value
Buffer size
              bsr.s
              har
              moveq
                                           Point at the buffer IO.FLINE, read up to D2 bytes
              lea.1
                          digits(buf), al
                           #2,dØ
                           do trap4
                          bad_entry
#1,d1
                                           Error, redraw!
Several bytes, please
Ignore a null entry
Point at the buffer
              hne.s
              subq.w
              ble.s
                          bad entry
              lea.l
bsr
                           digits(buf),al
                          long_value Evalua
move_there If that
top_left(buf,a6.1),d1
#-1,d3 Restore
                                           Evaluate digit string into D1.L
If that worked D1 is the new position
5.1),d1 Redraw last full page
              beq.s
move.1
  bad_entry
                                           6.1),d1 Redraw last full
Restore corrupted timeout
  move there
              moved
                          d1,d4
#2Ø,dØ
              move. 1
              moveq
                                           SD.NCOL, cancel pending new line
              trap
                           #3
              moveq
                           #14, dØ
              exg
move.1
                          aØ,prompt_id
d4,d1
                                           Retrieve file ID and required position
                          seek di
              bra.s
                                           Move there
```

```
* D1.L to ASCII TEXT OUTPUT SUBROUTINE; A@ is Channel; Uses A1, A3, D@-D2
                          digits(buf),a3
                                           Zero is a simple case
             tst.1
                          not_zero
#'0',d1
#5,d0
             bne.s
print byte
             moved
                                            IO. SBYTE
                          call_Qdos
#9,d2
                                           DBRA counter for up to 10 digits
Now buffer D1 as a 32
bit unsigned integer,
             moveq
             moveq
                          #Ø, dØ
op_digits
             swap
                          enough
             beq.s
                          d1,dØ
#1Ø,dØ
             move.w
                                           last digit 'first',
from 9(A3,A6) backwards
             divu
             SWAD
                          dø
                          dø, d1
                                           Divide the other 16 bits
Long integer division
needs two steps pre-68020!
             swap
                          d1
                          #10.d1
             divu
             move.w
                          d1,d0
             SWAD
                          d1
             exg
addi.b
                          d1,dØ
                         #'0',d0
d0,9(a3,a6.1)
#1,a3
                                           Convert digit number to ASCII
             move.b
                                           Store at end of digit buffer
Move backwards through buffer
             subq. 1
                          d2, op_digits
                          d2,op_digits Count 9 to -1 for digits 10 to 1 digits+1(buf,d2.w),a1 A1 -> first significant digit
             dbra
enough
             neg.w
                         #9,d2
#4
                                           Number length is 9 - D2 from DBRA
Buffer is relative to A6
             add.w
             trap
print_rel
                         print str
tidy_wind bsr.s
                              line start
               lea.1
                              blanks, al
print_abs
               move.w
                              (a1)+,d2
                                                  Pick up string length
print_str
               moveq
                              #7,dØ
                                                  IO. SSTRG
               trap
                              #3
                                                  Display the text; no errors expected
               rts
                                                  SD.CHENQ trap key, window enquiry
Addresses are A6 offsets
windowspec moveq
                              #11,dØ
do_trap4
call_QDOS
               trap
                              #4
                                                  General-purpose ROM caller
Set Z to signal ERR.OK
                              #3
               trap
               tst.1
line start move.w
                              line(buf. a6.1).d2
                              column (buf, a6.1), d1
               move.w
                                                  SD.POS
               moveq
               bra.s
                              call_Qdos
                                                  Move to character position
                                                 Select screen output channel
send_bytes exg
                              output id, ag
                              textptr(buf, a6.1), a1
               move.1
                              print_rel
               bsr.s
               exg
                              a@, output id
                                                 Restore file ID
               rts
* ASCII TEXT to LONG WORD COERCION SUBROUTINE
  Text @ (A1,A6), D1.W = length, 1-9; uses D2 & D3; A1 points beyond last character on return, D1 is a LONG result and DØ is error code, Ø or -17.
long_value move.w
                              d1,d2
                                                  D2 is length un-scanned
                                                  The result accumulates here LONG store for each digit
               moved
                              #Ø, d1
                              #Ø, d3
               moveq
next_digit move.b
                              Ø(a1,a6.1),d3
                             #1,a1
#'9',d3
bad_value
#'0',d3
               addq.1
               cmp.b
                                                  Not more than '9'
               bhi.s
               sub.b
                                                  Convert ASCII to value
                             bad_value
               bcs.s
                                                  D1:=D1 * 2
               add.1
                             d1,d1
                                                  Save D1 * 2
D1:= (D1 * 2) * 4
                             d1,dØ
#2,d1
               move. 1
               asl.1
                              dØ, d1
                                                  D1:= initial D1 * 10
               add.1
               add.1
                              d3, d1
                                                  Add digit to running total
               suba. w
                              #1,d2
                                                  One less character to read
               bne.s
                              next digit
got_along
                              #Ø, dØ
              moveq
                                                  No error, result in D1
               rts
bad value
                             #-17, dØ
                                                  Error in expression
              moveq
              rts
blanks
               dc - W
                              10
               dc.b
                                                  One space for each digit
spacer
              dc.w
                                of '
               dc.b
                                                  Spaces either side
1bracket
               dc.w
                                { ?
              dc.b
                                                  One leading space
rbracket
              dc.w
              dc.b
                              ,3,
spacer2
              dc.w
                                in '
              dc.b
                                                  One space each side
define
               dc.w
                                                  Just one Procedure
              dc.w
                             more-*
4.'MORE'
              dc.b
                             0,0,0
                                                  End of Procedure list, no FNs
              dc.w
              end
```

controls move you on to the next line or page, using residual data from the buffer and reading more as required.

When you page forwards MORE keeps track of the previous page offset, so that you can page back if you forget what you have just read. The top of each new page is recorded in TOP_LEFT, while OLD_TOP holds the previous value.

Backward moves are handled at NOT_DOWN. This starts by checking the current TOP_LEFT. If we are on the first page, TOP_LEFT holds zero and the 'previous' page is considered to be the end of the file. MORE winds to 512 bytes before the end – or any other offset you specify by patching the code—and redraws from there.

If OLD_TOP is set, WIND_BACK uses the value to find the new page; otherwise it subtracts an arbitrary step – 2048, by default – from the file position, and redisplays from that point. Notice that SEEK_D1 blanks the start of the prompt line with a call to TIDY_WIND. This ensures that backward moves do not mess up the display when the new position has fewer digits than its predecessor.

The last control key is ENTER, recognised at NOT_UP. This reads a line of up to ten characters into the DIGITS area of the SuperBasic buffer, and attempts to convert them into a position by calling LONG_VALUE. If any error occurs the screen is redrawn from TOP_LEFT; otherwise the number entered becomes the new file pointer.

Two TRAP #3 calls are used to tidy up after IO.FLINE; the first, SD.NCOL, moves the cursor but it is called to clear the window's 'pending newline' flag. Normal output after IO.FLINE takes a new line, but that would not be desirable in this case. SD.NCOL clears the flag, like all cursor positioning calls. SD.CURE turns the cursor back on, ready for the next command.

I often caution programmers about the need to check the error codes returned by Qdos. Programs may get stuck or corrupt memory if they continue without corrective action after an error. Yet careful study of the listing reveals several points where there is no check on the value of D0 after a TRAP instruction. This deserves explanation.

In general, MORE does not check for errors after operations that use the display channels. This saves a fair amount of code and should not be problematic as the first operations performed on each window *are* checked; thereafter the type and state of the channels are known, so further checks are superfluous.

If anything important goes wrong it is vital that the user should be warned by a message, and recover control. The keyword must not get stuck in a loop! For this reason MORE stops, with an appropriate report, if any error occurs when it tries to read a byte from the keyboard with IO.FBYTE.

The SuperBasic task generates a 'not complete' error if you press Break or Ctrl-Space while any of its channels are busy. Other reports are unlikely – but the unlikely is not the impossible.

File errors are trapped after the call to IO.FSTRG – any report except 'end of file' or successful completion terminates the

command. This check, between GET SOME and FETCHED, detects unpredictable faults like memory exhaustion, disk 'read/write errors' or the dreaded 'Bad or changed medium'.

The last two subroutines in the listing are a matched pair. PRINT_LONG converts a 32 bit unsigned value into an Ascii decimal number between 0 and 4, 294, 967, 295 (2^32-1), while LONG_VALUE packs a string of digits into the

32 bit data register D1.

These routines are interesting as they fill gaps in Qdos. Standard rom routines can evaluate long integer parameters, as well as the usual data types of string, floatingpoint and two-byte integers, but they cannot display or accept 32 bit values directly.

The QL floating-point format includes a 32 bit mantissa which will fit a long integer, but it is a waste to use clumsy floating-point subroutines when in essence we want to manipulate a single-processor register. The resultant code is needlessly slow and may

give inappropriate results.

The interpreted SuperBasic command PRINT 12345678 uses a complicated floating point calculation loop to normalise the value, eventually returning 1.234568E7 rather than the text you might expect. Megabyte files are rare, and the time spent displaying numbers is a small part of the effort expended by MORE, but these long integer routines are good examples,

potentially useful in other programs. Like the popular 68000, the QL 68008 processor has a 16/32 bit arithmetic and logic unit. It can perform some 32 bit instructions, but the most intricate ones work on a mixture of 16

and 32 bit values. On this basis the Z80 and 8080 were 8/16 bit chips, and the 6502 may be the only true 8 bit processor.

It takes a 68020 or later model to perform 32 bit arithmetic in one step. QL code tricks are needed to multiply and divide 32 bits while processing each digit of a long integer value.

PRINT LONG works by repeatedly dividing its parameter by ten, generating a new digit from the remainder after each division. Digits are stored in reverse order in the buffer, so that the least significant digit is the first to be generated, and stored at the end. The value zero is treated as a special case, output directly with IO.SBYTE; otherwise the code at OP_DIGITS loops till there is nothing left to be divided.

This long division is complicated by the need to handle values greater than 655,350. Motorola's 68008 divu instruction takes a 32 bit value and divides it by a 16 bit quantity: ten, in this case. The result is two 16 bit values: the quotient or whole part of the result ends up in the low word, with the remainder in the most significant 16 bits of

the register.

This works fine unless the initial value exceeds 655,350. Then the result is too big to fit in the low word, and an overflow error occurs. The conventional solution is to perform the division in two steps, manipulating half of the 32 bit value each time. You could trade space for speed by checking the value and using a single divu in a loop for small numbers.

A similar problem is avoided by LONG_VALUE, which packs text into 32 bits. The result accumulates in register D3; each digit adds to the running total, which is multiplied by ten to make room for the next.

The 68008 mulu instruction takes two 16 bit values and generates a 32 bit result. Rather than use mulu #10 twice, and shuffle register halves as in PRINT LONG, I use a technique learnt at the keys of early microprocessors that lacked multiplication hardware.

The 68008 can shift, add and subtract 32 bit values, although it cannot multiply them in one step. My code multiplies D1 by ten by adding it to itself and storing the temporary result, then shifting that twice to the left, in binary. This leaves two values (D1*2 and D1*8) which equal D1*10 when added together.

This is shorter and faster than a pair of mulu instructions and associated SWAPs; I also believe that it is easier to read and verify. MORE limits numeric input to ten characters, including the ENTER, so there is no need to check for numeric overflow in this application. Add BVS.S BAD VALUE instructions after each ADD or ASL if you re-use my code and need to detect overflows.

If you like the sound of MORE but do not fancy typing the listings into your QL, ST, Amiga or Thor you may be interested in DIY Toolkit Volume V for file Viewing. This software set includes the code, documentation and complete source for MORE, plus Luca Pivato's MEM device.

Volume V costs £7 on floppy disk (please state size) or your cartridge, from DIY Toolkit, Cwm Gwen Hall, Pencader, Dyfed, Cymru SA39 9HA, tel: 0559 384574.

32 Hunts Pond Road - Park Gate - Southampton - SO3 6QA - 0489 581056 All Programs for 768K Expanded QL with Trumpcard

SPEEDSORT

The ultimate sorter! Sorts arrays of any size by given element number. The speed is devastating – up to 80,000 sorts per second! Machine Code £20.00

QLDL

QL Disk Library allows the user to catalogue up to 3000 program titles (around 75 disks at a time) in alphabetical order and cross-referenced by numbers given to the disks. No more searching for endless hours for that lost program. Machine Code £15.00

SCREENMASTER

Screenmaster will record anything currently on screen in a 'squeezed' form, and reproduce the picture in a variety of cinematographic-style wipes and speeds. Machine Code £20.00

PLANNER

One of the most useful programs you could wish for. It will provide a printout of dates, with day and week numbers, in a month-per-page format from a given starting date and number of forward days. It also includes routines for finding day and week numbers you can use in your own programs. Machine Code £10.00

TRANQUIL

Tranquil converts Quill documents into BASIC PRINT statement form in order that they can be more easily manipulated for printing and adding printer instructions etc. Machine Code £10.00

ALL PROGRAMS SUPPLIED ON TOP-QUALITY 31/2 INCH DISKS - POSTAGE & PACKING FREE

QUESTIONNAIRE THE STORY SO FAR

s the questionnaires roll in I thought that it might be useful to review some of the impressions gained so far as well as provide some background. Out of perhaps some 10,000 readers I must first say that the response, until now, has been poor. This has important repercussions when it comes to analysing and generalising from the questionnaire, for if only 200 reply, then it is possible that the sample may be highly unrepresentative. If, for example, only people with two QLs and a disk drive reply, then the erroneous impression is given that this is a very common configuration when in fact there might only be 400 disk-drive owning QL users altogether. If the same personality factor that persuaded them to buy a disk drive and a second QL also persuades them to send in a completed questionnaire then they become over-represented. This sampling bias is something that is inherent to this type of questionnaire and hangs over any interpretation made. The only way to tackle this would be if a significant proportion of QL owners/QL World readers actually sent in their questionnaires. By significant I mean 60%. It is up to you - and it is still not

Turning first to the impressions gained of the respondents - for the reasons outlined above, not QL owners in general - from a quick and non-scientific examination, I must say that I have been pleasantly surprised to discover that there appear to be a large number of professional users still active with the QL. Taking into consideration their incomes, it would appear that many individuals have stuck by the QL despite the presence of the PC-compatibles. For example, there are General Practitioners (family doctors) who continue to use the QL to run their surgeries using an Archive-based database. This is despite the fact that there are a number of companies who will provide pc-based systems at thousands of pounds cost, and despite the fact that many GPs have been persuaded to part with this kind of money for the promise of sometimes very inadequate 'support'. However, it was pointed out that the speed of the QL was becoming more and more of a problem and that if the Miracle Gold card had not

Dr. Sohail Bhatti reports on the replies and says: good for the two percent. Where are the rest of you

appeared they would have been forced to move over to the PC.

Other professionals that are prominent are teachers ranging from primary school to university professors, managers who judging by their incomes must be at least middle-ranking in large companies and also those who regard themselves as listed under 'computing'. Unfortunately, a large proportion of respondents omitted to write down their actual occupation description in addition to their job category. It must also be said that there is a significant proportion of respondents who are retired, so that many users are over 65. My impression is that most users are over 25 with the youngest not really being interested in a 'SuperQL' - being more attracted by the delights of the Archimedes or Amiga 3000. However, the youngest also seem to have the most hardware and/pr machine-code skills.

I have also been pleasantly surprised to discover that most users have incomes above the national average and this is borne out by the fact that there are very few unemployed individuals who responded. Again, this might be because these people felt so ashamed at admitting this that they have not sent in their questionnaires, but I think that the sample is sufficiently large so that this would be inherently unlikely. Many people did point out that the boxes in the last column of 'Occupation' were missing. This was an oversight when typesetting. It is also worthwhile noting that there was no category specifically for the unemployed.

Most respondents had been with the QL for over two years and the greater portion of these fell into four years plus. This was reflected in their commitment to the QL as a substantial minority had more than one QL, dressed in different versions of the rom. One enthusiast even has seven of the machines! What he chose to do with them all will have to await further analysis.

Another surprising aspect of the respondents is that a large percentage appear to have 3.5in disk drives. I suspect that this reflects more on selection bias than an actual fact. Overall, there appear to be an impressive number of different peripherals plugged into the QL, with the Tandata modem and Miracle Trump Card being prominent among them.

As the questionnaire was pre-circulated to most Quanta sub-groups I was not surprised to find that they used the QL World version to reply. This meant that about a third of respondents appear to know other local users. In view of the geographical spread of users most seemed to know a small number, rather than large groups. Indeed, in general, it seemed that if you knew more local users you had a greater commitment to your machine in the way of peripherals and programs. In a way, this is rather unsurprising but does highlight the attraction of creating local QL groups. An obvious way to identify a local group is to join Quanta or failing that ask them where your local sub-group is held and who organises it. According to my information you will not be excluded if you are not a Quanta member, but having been a member for a number of years I find its members have been very supportive especially in the context of local sub-groups.

Moving on, there were a few people who were using Ataris or Amigas but almost all the respondents did not have a machine other than the QL, running QL-specific programs. In contrast, a significant proportion did admit to using pcs. These came in various hues ranging from the humble Amstrad PC1512 to 386-based goliaths. Judging by the hours spent on these machines, most seemed to use them at work, preferring to use the QL at home. While detailed cross-correlation will have to await full analysis, I did feel that most users of pc emulators seemed to fall into this category. Surprisingly there were a few individuals who claimed to be proficient in MS-DOS but who appeared never to use any pc-compatible machine!

Since this is nominally the summer, the number of hours spent hunched up to the QL did appear to be around two to four hours on average. A number of respond-

QUESTIONNAIRE FOLLOW-UP

ents did point out that this would be more in winter, presumably when the rain is colder. The range, though, was massive with some individuals spending more than five hours a day on the QL. In view of the fact that only active users would be motivated to fill in the questionnaire I was not surprised to discover that hardly anyone claimed to use the QL for less than an hour a week. When it comes to using the QL, games appeared to be low on the list. The largest group of respondents gave wordprocessing the highest marks and most of these continue to use Quill. Again, it was frustrating not to know whether they meant ordinary Quill, TurboQuill or TurboQuill Plus. Surprisingly, a large group of respondents appear to be engaged in program development - and this seems to be in SuperBasic, judging by how they had graded their expertise in various fields. Many, though, appeared not to have learnt the benefits of the SuperBasic compilers or perhaps used Supercharge which was not listed as an option. This concentration on SuperBasic was emphasised by the number of people wishing more on the subject in QL World. However, there were also significant numbers wanting more on the principles of machine-code and Qdos.

I had thought that there were more people who had significant software portfolios but it seems that most people have only spent between £1 to £500 on software. This works out at less than £100 per year per user. Most appeared to have *Toolkit 2* but there was otherwise a wide spread of

program ownership. Unfortunately, since there were so many different titles it was only possible to select a few and this might itself reflect personal preferences on my own part – though I did attempt to cover a range of companies and products. Detailed analysis of this will have to wait until a future article.

Question 13 was an attempt to ascertain what the majority of people wished for most and it seemed that the Gold Card was high on almost everyone's priority as was the need for better screen resolution (which I believe Miracle are currently working on) and a hard disk. A few did point out that the cost of the hard disk and Gold Card would mean that they had forked out as much as an Apple Mac would cost.

Of course this would not come with a hard disk but the point was well made. In defence of Miracle, I must say that the extra-high density drives (now available as a bare mechanism for around £100) are as fast as the Miracle hard disk and have the added advantage that you can have three on one Gold Card and that the media, now £8 per disk is also removable. This comes out to £180 for 32 Mbytes – comparing favourably with standard pc prices.

The rest of the questionnaire was much more unstructured and so only anecdotal findings can easily be discovered. For example, quite a few respondents claimed to have difficulty obtaining a copy of QL World from newsagent shelves. It was

thus not unexpected that most respondents obtained their copy through subscription. Most also thought that QL World was well balanced though there were people with their own specific axes to grind. Quite a few did point out in their responses that they had little else to compare QL World to and that they had awarded high points by default. Hardly anyone had heard of *QL Technical Review*, but Quanta appeared to have a higher profile.

I hope that this article has whetted your appetite. When the analysis and tabulation of the QL World questionnaire is complete I certainly intend to share with you other interesting findings. It might be worth pointing out that the questionnaire has now been published in various forms in the UK and also abroad and there will be interesting comparisons to be made both within and between these various groups. Since there does not appear to be an appropriate forum to air these findings the overall analysis from all questionnaires that were circulated will be made available on a named basis, particularly to those who are members of Qlaw.

In any case, I can only urge you to help make the questionnaire as successful and as generalisable as possible by completing and sending it in. It is still not too late to pull it out of the July issue. I can also strongly reassure you that your name and address will never be shared with any extraneous company without your permission.

NEWSAGENT ORDER FORM

By placing a regular order with your newsagent you can be sure of receiving Sinclair QL World every month. Complete this coupon and pass it on to your newsagent.

Dear NEWSAGENT,
Please reserve/home deliver _____ copies of Sinclair QL World every month for:

Mr/Mrs/Miss ______

Address ______

Telephone No _____

Sinclair QL World is published on the 3rd Thursday of every month.

Any distribution queries to: IPC Marketforce, Kings Reach Tower,

Stamford Street, London. SE1 9LS. Tel: 071 261 5000.

ARCH EDPARTONE

Stephen Mitchell presents an all-purpose editor that runs within Archive

If you have created any Archive database files, either using your own procedures or by running on application, you may have found it difficult to make changes subsequently to data in those files. This may be because the processes haven't catered for certain eventualities, or that some permissable changes are awkward to effect. In either case, an all-purpose editor that could run within Archive would make these changes less troublesome. This is the first of two articles that will provide you with such an Editor.

Thing of the past

Resorting to manual Archive Commands like 'alter' or 'update' to make ad hoc changes will also be a thing of the past. Indeed, the 'alter' command is not designed for use on records that have made use of 'long' fields. Data overwrite occurs on such fields on the screen and you are in

danger of corrupting your data. This Editor also overcomes this problem.

Greater use of 'long' fields became possible with the issue of Archive Version 2.00, which cured some of the problems that had existed in Archive Mk1 versions.

Text fields (string variables) within dbf files containing up to 255 characters each can now be created and handled without too many problems and without much fear of subsequent loss of any carefully scripted text. Long field creation and manipulation can only be reasonably managed from within Archive procedures, since no textual editing facilities are available directly in Archive's particular brand of Basic. Indeed, within sedit screen layouts in Version 2.00, there was still an imposed restriction on the direct use of string variables.

The useful 255 characters length of such variables was chopped only to screen width (80 or 64 characters depending on mode). In this case sedit variables had to be concatenated if long fields within dbf

files were to be used. This has now been overcome with the issue of Archive 2.36 and sedit fields of the full 255 characters can now be handled.

However, it is still true to say that Archive lacks a generalised text handling facility. If a dbf record is designed to take advantage of this greater available space it is still necessary to design a number of complementary sedit screens in your application so as to display and manipulate textual fields whose joint size exceeds one screen (80x25 characters: approximately 7 fields, each of 255 characters).

All as long fields

The set of Archive procedures presented in these two articles are known as 'Archive Editor', or 'ArchEd' for short. They enable all text fields of a file to be treated as long fields and to be manipulated with comparative ease. I wouldn't claim that the standard of the facilities offered by the

FROHIUE EDITOR
field18: This test file

Memory 22758 Bytes This test file can help you practise using ARCHIVE EDITOR

i P.S. You might like to practise deleting / replacing / inserting some of the 'words' in the next field.

■

field2%:

0 1 22 333 4444 55555 666666 7777777 88888888 999999999 88888888 7777777 666666 55555 4444 333 22 1 0 a bb ccc dddd eeeee ffffff ggggggg hhhhhhhhh iiiiiiiii hhhhhhhhh ggggggg ffffff eeeee dddd ccc bb a

ENTER to edit text(i/d/r/di=insert/delete/replace/del&ins);
SPACE ENTER at next reference point to re-edit current field;
SPACE SPACE ENTER " " to accept field edit;
1,2,..,9,(1)0 to accept field edit & skip 'n' fields (cyclic);
F4/F5 to abandon/commit all current field edits & Exit.

procedures come anywhere near those expected of a word-processor, but some word-handling characteristics are present. Using these procedures, you no longer need to design and set-up specific Archive screen layouts, nor write the handling procedures to edit a file. Such screens and procedures would, no doubt, be peculiar to the structure of your file and need redesigning/re-writing to handle different files. In contrast, the procedures supplied only require minor alteration so as to reflect the names of the fields within your file and can be adapted for any file that contains textual fields that you may wish to edit.

The procedures contain no facilities for editing numeric fields.

Numeric fields contained within your files are ignored by the procedures and remain unaltered. To recap, ArchEd is a universal editor of text based Archive files.

In making these procedures available I make no apology for their lack of speed nor for any other detrimental feature attributable to the Archive environment. I would say however that, during development, I have endeavoured to strike a balance between speed, features and retention of memory available to Archive. The procedures have been developed within the confines of an unexpanded QL so you should have no problem running them under Archive. Having said that, I have found the restrictions somewhat severe. If you have an expanded QL then you might like to try merging all the procedures and running them as a single loadable program. ArchEd runs more efficiently in this form and it is how I use ArchEd to edit dbf files on my own QL.

Mainframe-type editor

The procedures together form an unsophisticated Archive 'editor' for textual fields. There is nothing new in the form of this editor. Readers who have some experience of mainframe and mini computers will recognise the approach taken in the type and use of commands in this editor. The editor is basically a 'line' editor with editing facilities available in forward movement through the fields within a record. In either case it is possible to cycle back to re-edit fields (or to edit fields that were previously unaltered) at either the beginning or the end of the record. The editor lacks many of the sophistications associated with both 'line' and 'screen' editors. There are no repetitive 'find and replace' type functions.

As a cautionary note, don't expect anything in the same league as the Metacomco Editor, Quill or The Editor. However, if desired, ArchEd can be incorporated within your existing Archive procedures to give greater flexibility to your database application.

```
REM Save this listing as 'Arched_prg'.
REM "ARCHIVE EDITOR - 'ARCHED' Version 2.02 3/5/91"
  REM Copyright S.G. Mitchell 1990
  REM Set your default filename here: -
  let file$="TESTFILE"
 REM Set the mode (mod=6 or 8) in which you wish to work here:-
  let mod=8
 mode Ø. mod
  ink 4
  let c$="": let col=14
  if mod=6
    let wth=64: let f1=48
    let wth=80: let f1=64
    endif
 w1z2head
 print at 3,8; "Version 2.02 (3/5/91)"
 print at 5,8; "Loading ... '
 print
  run "ArchEd1"
 endproc
proc w1z2head
 print at 0.0; paper 2;" A R C H I V E E D I T O R ";
print rept(" ".mod*3);"Memory ";memory();" Bytes"
  if memory()<1200
    print at 1, mod*3; "**WARNING** Memory low - Close & backup file!"
    endif
  endproc
 REM Save this listing as 'ArchEd1_prg'.
cls
 w1z2head
 wibles.f
 run "ArchEd2"
 endproc
 proc wiblesf
 print
 wiziyn; "Do you want to start a new database file?"
 print :w1b2fnm: print
 if y:w1b3crf
 wlzlyn; "Do you want to edit the file?"
 else : let y=1: endif
 11 y
 wizlyn; "Have you backed-up the file?"
 1f y
 print : print paper 2;" WRITE privilege to file.
 w1b4opens
 return
 else : print "Back-up '";file$;"_dbf' before continuing."
 endif
 end1f
 print "Press any key to return to ARCHIVE ... "
 let a$=getkey(): mode 1, mod: stop
 endproc
 proc w1b2fnm
 print "Enter the name of the file required as:-"
 print " filename[ENTER] logical_filename[ENTER] (No quotes)"
 print " [ The default (ENTER ENTER) is : fn = ";file$;" lfn
print " resulting in :- Open '";file*;"' logical 'w' ]."
input " filename = ";fn*;" lfn = ";lfn*
 if fn$<>"": let file$=fn$: endif
```

if lfn\$="": let lfn\$="W": endif

create file\$ logical lfn\$

endproc

field1\$

field2\$

field3\$

field4\$ endcreate

let refno=0

let field1\$="FIELD1"

let field2\$="FIELD2"

let field3 = "FIELD3" let field4\$ = "FIELD4"

proc w1b3crf

ARCH ED

The main features of Archive Editor in-

- 1. The full text of both the field being edited and the next text field in the current record is displayed. Some confirmation of the content and the style of the script being edited is therefore possible. In this respect the editor retains the main characteristic of a screen editor.
- 2. The current field may be re-displayed in its edited form before the edit to the field is accepted.
- 3. A record can be updated (committed) at any time between field edits. It is also possible to abandon all current field edits to the current record at any time. In practice it has not proved necessary to retain a feature included in an earlier version of ArchEd, namely to abandon individual field edits. This feature has now been removed.
- 4. Fields not requiring amendment may be skipped so as to position at either a later or earlier field in the current record. This feature is also used in order to cycle back round to re-edit earlier fields in the record.

Make a backup

When you have typed in the procedures given in the listenings using the Archive 'edit' command, save them with the names given in the initial REMarks. You are advised most strongly to make a backup of these procedures before proceeding. Simply re-save them (or copy them, using the standard QDOS copy command) to a backup microdrive cartridge or floppy disk. It is always good practice with data and program files to make regular backup copies especially where a file is undergoing a large number of changes. This is no less true of data files that are being edited using ArchEd. So backup your dbf files between ArchEd sessions and if possible keep the sessions short. If you have backed up the procedures you are now in a position to continue with ArchEd.

The procedures are arranged in two groups. The first, prefixed by the letters w1, are given in this article. These simply provide you with the mechanism to link your dbf file to the editing procedures. The editing procedures themselves are prefixed by w2 and will appear in the next article.

The main task of the w1 group is to enable individual records selected from your file to be presented to the w2 editing procedures. Most Archive delvers will be acquainted with the techniques employed in the w2 procedures. You may be faced with one of three situations as follows:

1. Firstly, you may wish to use ArchEd to create a new file from scratch. For instance, you may wish to create a diary file where each record represents a 'week' and contains fields 'Mondays\$' Tuesday\$', etc. to contain events relating to that week. In this case it is necessary to amend the two procedures prefixed w1b3 in the normal way using the Archive 'edit' command.

```
append
 order refno: a
 wlzlyn; "Do you want to start entering data? "
 while v
 w1b3inrec
 ink 4
 w1z1yn; "Another record? "
 endwhile
 cls : print "RECORDS CREATED: ";file$;"_dbf = ";count()-1
 close
 endproc
 proc w1b31nrec
 cls : use lfn$: last
 let refno=refno+1
 let field1 = ""
 let field2 = ""
 let field3*-""
 let field45=""
append : alter : cls
proc wib4opens
print "Opening file ... "
open file$ logical lfn$
endproc
proc wizlyn:p$
local q$
while 1
print p$:: let q$=lower(getkey())
let y=(q*="y")
if instr("ny",q$): print " "+q$: return : endif
print : endwhile
endproc
proc w1z2head
print at 0.0: paper 2:" A R C H I V E E D I T O R ":
print rept(" ",mod*3);"Memory ":memory():" Bytes"
1f memory()<1200
print at 1, mod*3; "**WARNING** Memory low - Close & backup file!"
endif
endproc
 proc start
REM Save this listing as 'ArchEd2_prg'.
wla1control
endproc
proc wlalcontrol
local god
1nk 4
let go0=1
while god
cls
w1z2head
print at 1.0; "CURRENT RECORD"
w1c2pt
print
wizlyn; "Do you want to select another record?"
it y
print "Use "; ink 2; "f/n/b/1/q";
print " (first/next/back/last/quit) to select a record."
w1c1vu
print : print : print
end1f
print
w1z1yn; "Do you want to EDIT this record?"
run "ArchEd3": cls : ink 4
endif
wlzlyn: "Repeat choices?"
if not y: let go0=0: endif
endwhile
print
print "Closing file ... "
close
mode 1, mod
endproc
proc wicivu
local key$
```

First decide on the content of your file and give suitable names to its field. Write these names down in the order in which they appear in your dbf file record. These names, in this order, then replace the names

in the two w1b3 procedures.

Your new file can contain numeric fields but, as mentioned earlier, ArchEd will just ignore these. By running ArchEd's 'w1' procedures you will then be able to create as many initial records as you require by answering ArchEd's questions accordingly. The w2g1 procedure must also be amended before you will be able to insert and edit data in those records (to the full 255 characters available per field) using ArchEd - but more about this in the next instalment.

Acts as a guide

2. If you have an existing file which you wish to edit but it has no supporting application procedures, then the w1 procedures simply act to guide you through to the correct record. This may also be the case if your file has procedures but these are either inappropriate or difficult to amend in order to facilitate ArchEd. In this case it should be quite easy to identify a suitable place in those procedures at which to include a 'run ArchEd'. All that is required then, once file editing is complete, is to return from the ArchEd 'start' procedure, again by the use of a 'run', to the calling procedures. The two w1b3 procedures are unnecessary in these situations and so can be deleted to save space. However, the w2g1 procedure still needs to be amended before proceeding – see next instalment.

3. If you have already developed a set of application procedures to manipulate the records of your file then it should be quite easy for you to dispense with the w1 procedures altogether and link the w2 procedures directly into your existing scheme. If this is the case then tailor your procedures to call the w2a1ed procedure (see next issue) when the record to be edited is current. As in the above cases the w2g1 proce-

dure must be amended.

The following descriptions can be skipped if you're not interested in the inner workings of the file handling procedures.

The individual procedures have the following structure and function:

1. 'a 1 control', as the name suggests, controls the other procedures. It firstly enables the mode to be set (6 or 8, ie tv or monitor). Some parameters used by the w2 editing procedures (col, wth and f1) are then set according to the mode selected. The file to be used is then established by a call to 'blesf'. A 'while' loop then controls the presentation of each selected record to the w2 editing procedures. Records are selected by procedure c1vu. Finally, upon exit from the loop, the file is closed and the standard Archive mode is re-established.

2. 'b1esf' controls the establishment of your file. It first calls b2fnm to establish the

```
let key$="z"
while key$<>"q"
let key = lower (getkey())
if key = "f": first : endif
if key$="1": last : endif
if key =""n": next : endif
if key$="b": back : endif
if key$<>"g":w1c2pt: endif
endwhile
endproc
proc w1c2pt
local i, l, m, n, fnm*, s$
print at 1.0
let n=0
ink 4
while n<3
let fnm = fieldn(n)
let m=col-len(fnm*)
if fieldt(n)
let st=fieldv(n)
let 1=len(s$)
if 1>f1-2: let 1=f1-2: endif
let i=f1-1-1
1 1 1 <> 0
print fnm$; rept(" ",m); ": "; ink 6; s$(1 to 1); rept(" ",1)
print fnm*; rept(" ".m);": ";
                                 ink 6; rept(" ",1)
endif
else
let 1=2
print fnm$; rept(" ",m);": "; ink 6; fieldv(n); rept(" ",i)
let n=n+1
endwhile
endproc
proc wiziyn; p$
local q$
while 1
print p$;: let q$=lower(getkey())
let y=(q$="y")
if instr("ny",q$): print " "+q$: return : endif
print : endwhile
endproc
proc w1z2head
print at 0.0: paper 2;" A R C H I V E E D I T O R ";
print rept(" ".mod*3);"Memory ":memory();" Bytes"
if memory()<1200
print at 1, mod*3; "**WARNING** Memory low - Close & backup file!"
endie
endproc
```

filename and 1fn (file\$ & Ifn\$). If the file this isn't enough to uniquely identify your does not exist then b3crf and b3inrec) is called to create it. The file is then opened by a call to b4opens.

3. 'b2fnm' is self-explanatory but note that, for ease, it can be altered to reference your favourite file by default.

4. 'b3crf' and 'b3inrec' have been mentioned previously and simply create the file and allow initial records to be inserted using standard Archive commands, eg

append, order and alter.

5. 'c1vu' is well-known to most Archivers and allows single key selection of records from the file. 'c2pt' is called to print initial field details on the screen to aid the selection process.

6. 'c2pt' is a universal procedures in that it doesn't rely on the display command or direct use of the file's field names to print the initial contents of the first few fields to the screen. It can be easily altered to display more than just the first three fields if records.

Next month

The file handling procedures themselves allow you to examine your dbf file(s) and/ or to create and prepare initial dbf files in readiness for the editor procedures proper which will appear next month. You run the procedures in the normal way by typing 'run Arched ENTER'. The questions asked by the file handling procedures are quite straight-forward and need no explanation. Currently, if you answer yes to the question 'Do you want to EDIT this record?' an error will occur when an attempt to 'run ArchEd3' is attempted – so be warned! If this happens, simply issue a 'close' command so as to finish tidily.

Next month we will cover the ArchEditor procedure.

15

OFTWAREFILE

INFORMATION

Program: WinBack V1.06 Price: £25 (plus post & packing overseas). Supplier: Dilwyn Jones Computing, 41, Bro Emrys, Tal-y-Bont, Bangor, Gwynedd LL57 3YT. Tel. (0248) 354023.

device such as hard disk normally spawns a variety of software. Unfortunately, that hasn't happened with hard disk for the QL. Experience with this device within the QL community is relatively limited, and the anticipated market is small, so programmers left the device alone. There used to be one exception - Hardback and Finder - but this pair of programs was available only from PDQL, which was well on the road from the QL scene at the time hard disk drives started to be introduced. Not long afterwards, all but one of the would-be suppliers of hard disk also departed the scene (leastways, they weren't supplying hard disk any more). That left us with Miracle Systems as the sole supplier of a hard disk sub-system, and the only software available was that which was supplied with the drive.

This software was (and is) far from comprehensive. One obvious missing item was a backup routine, to allow the user to make copies of the many hard disk files onto floppies. It is normal with other computers, as well, for such software to be developed by the aftermarket suppliers, rather than the hardware producers. DJC has now filled the gap by offering WinBack. It is planned that an additional program WinFind - will offer the desirable feature, of being able to search for a particular file, or one containing a particular text string.

Backup programs vary in their sophistication, and

MBACK

Bryan Davies finds a degree of assistance with his hard disk backups.

WinBack is in its early stages yet. One scheduled development is to permit files to be split, so that floppies can be filled and not left with unused space because the next file to be backed up is too big to fit the current floppy. The lack of this feature won't bother users too much, unless they have many – and large – files.

The program requires Toolkit 2 and the WIN_REXT hard disk extensions file to be installed in the QL. The latter is provided with the Miracle hard disk and will normally be loaded by its boot routine. Toolkit 2 is present on hardware such as the Trump Card, or it can be purchased separately, on disk or eprom. (A proposed development of the program is the removal of the need for TK2.) The commands used from these two sets of extensions are listed in the instructions (see below). A further set of extensions is provided with the program; the contents of this file will be familiar to many users. Acknowledgements are made to Digital Precision, for the Turbo compiler and its toolkit, and to Simon Goodwin's DIY Toolkit, as published in QL World.

In theory, it should be possible to use the program with hard disk sub-systems other than the Miracle one, provided the appropriate extensions are available, but the writer says

that he has not been able to test the program with any other brand of drive sub-system. The required commands that are listed are:

CDEC\$, DATA_USE, FLEN, FOPEN, FOP_DIR, FOP_IN, FTEST, PRINT_USING, PROG_USE, COPY_O, FBKDT, FUPDT, FVERS, SET_FBKDT, SET_FVERS and WIN2.

Note that it might be necessary to use the WIN2 command after running the program, to get back to where you were before starting, as the program uses this command.

A well-printed instruction booklet is supplied with the program disk. A clone routine is on the disk; the WCOPY command can be used as an alternative.

When using the latter, make sure to enter the device names, rather than press ENTER in the hope the ones displayed as examples will be the accepted defaults; simply pressing ENTER may not achieve the desired results. If the program is run from a floppy disk, the WIN_REXT file needs to be copied to that disk from the hard disk.

The short boot file could be integrated into your normal hard disk boot, and the usual DEVICE\$ statement altered, if WinBack is to be run from hard disk. A routine is provided for the user to set suitable defaults,

if necessary, and defaults can be changed at run time also. You are advised to run the program from floppy, although it is not made clear why ("To avoid any memory constraints' is mentioned).

The F1 selection from the 'Sinclair' screen should be made when starting the boot; the program windows are suitable for both monitor and tv. The main menu is simple there is a choice of the credits for the contributors to the writing of the program, setting the QL clock, starting the backup, or quitting the program. Rather unusually, the writer of the program supplies his name and address and invites letters containing suggestions or complaints; it is more usual for programmers to remain relatively anonymous, shielded by the supplier. Presumably, there won't be a shoal of letters, as there are not all that many hard disks running on QL systems. It is pointed out in the instructions that the setting of the clock is very important in the context of backing-up files; the obvious point is that you back up files by their date stamps, and it's not much use trying to do that if all the files are stamped '1-1-61', or something similar.

The backup sub-menu has six options, selected by the function keys and the ESC key. They are:

F1 SET OUTPUT DEVICE
F2 SET PRINT DEVICE
F3 SET TOP DIRECTORY
F4 PROCEED WITH
BACKUP

F5 VIEW SYSTEM DE-FAULTS

"ESC RETURN TO MAIN

SOFTWARE FILE

MENU"

The F1 option allows the user to specify where backup files are to be placed. You are not constrained to put them on floppy disk, and alternatives are hard disk, ram disk, microdrive or some as-yet-unknown device. Only five characters are permitted for the name of the output device, and they must include the underscore, so you can't use a subdirectory name. With F2, you can choose to print to a printer or to a file, but a file specified should not be in a hard disk directory which is going to be backed up.

The option is offered to have all the backed-up files listed, together with the device to which they are sent; if this is not chosen, nothing is printed. The baud rate setting for transfer of data to the printer can be any of the usual values, up to 19,200. The F3 option gets into the important area for the hard disk files—sub-directories. The 'top' level has to be specified, the default being the Root Directory, WIN1_.

If a particular sub-directory, and any other directory levels below it, are to be backed-up, the name of that sub-directory is entered, eg WIN1_QUILL_. The underscores matter; there must be one in the fifth charac-

ter position, and at the end of the string. In addition, the fourth character must be in the range 1-8. The next option allows you to restrict the subdirectory range to just the top level already specified, or to include all sub-directory levels below that as well. F5 will display a list of the set defaults.

This brings you to the actual work. F4 starts the backup process. Elementary perhaps, but it's nice to have both a visual and an audible reminder that the first disk of your backup set should be put into the appropriate drive, to enable the backup to start.

You are instructed to number the disks in sequence 1,2,3, etc. As each file is backed-up, the details are displayed on the screen, and on the printout (if that has been requested). File name, size, date of last modification, and date when last archived are displayed, followed by the number of files so far processed, their corresponding byte-total, and the space still available on the current backup disk. The directory name, and level, and the number of directories processed so far, are listed. The screen display is well laid-out, and clear. The printout starts with the date and lists each backed-up file, together with the name of the directory it came from and the device it has been backedup to.

When the current backup disk has been filled, a warning message (see illustration) is displayed, and an audible warning is given too. The next disk is inserted and ENTER pressed, and the process continues. It took about six minutes to fill one disk completely - 0 bytes free - so you can't go far away if you want the backup to be finished as soon as possible; however, your presence is not required other than to feed in disks and you carry on reading the paper, writing your latest masterpiece on the 'other' QL, or making a quick cup of coffee. Very roughly, you need to allow yourself about 5-6 hours to back up a full 40 MB hard disk, the first time. As subsequent backups will only process those files which have been updated since the original backup, the time taken wil normally be very much less. That is, one good long initial session sets the basis for future, regular, short sessions.

The time taken to fill a backup disk is very dependent on the size of files being backed up. For example, if the files the program encounters happen to be a bunch of small ones followed by one very big one, it may be that the program will

tell you another disk is required within a minute or so, because there isn't enough room on the disk for the big one. The program, in its current form, cannot split files between backup disks. This may not matter to most users, but these who habitually create big files will find they need (relatively) many more disks. The program writer has indicated that he intends to add the facility to split files at a later stage in the development. My experience with backing-up files on a PC suggests that file-splitting is very important to 'heavy' computer users.

Another, related function that is not currently incorporated is file compression. As it stands, the program makes a size-forsize copy of files, so that 40 MB of hard disk files require at least that amount of floppy disk space for backup. That is, a full Miracle hard disk needs more than 50 (720 KB) floppies for a complete backup. At current prices, the cost of this many disks is not too bad, and they will fit into one disk box, but some users will no doubt feel that compression is desirable. Typically, a decent compression routine - in conjunction with the ability to split files can reduce the space required by 30-50%, with a corresponding reduction in the time spent. The snag with it is that all the normally files are concatenated; that is, as many files as possible are combined and put into one big file per disk. This means you cannot locate the backup of one particular file in a hurry if you need to to replace the current one on the hard disk.

At the current stage of development of QL add-ons, it seems quite acceptable not to have the more advanced features found in some other computer software, and lack of file-splitting and compression in WinBack should not worry QL hard disks users unduly.

It is desirable to plan your backup in advance. You can't step out of WinBack (it is started by EXEC_W) and format a few more disks if you find yourself short of enough empty ones to complete a backup. A restriction that appeared before I had considered the possibility of it was that created by partitioning the hard disk. In my case, 15 MB of the disk were allo-

WINCHESTER BACKUP - (C) Norman Dunbar	
HRD DISC Directory Level < 1> Directories Processed < 1> Current Directory (win1_	>
Current File Name Kwini MSDOS Not enough room on current disc to copy wini_MSDOS Insert archive disc 3 and press ENTER	
49> Files out of < 69> have been archived < 802,376> bytes out of <16,390,195> have been archived	
FLOPPY DISC Disc Number < 2> has <612,864> bytes free	

MS-DOS.

As far as the backup program could see, this whole area of storage was just one file, and it asked for another disk to put it on. Not surprisingly, I didn't have a 15 MB floppy to hand (disks of around this size are said to be available for about £30, but not from my local shop!), which meant that the backup had to be aborted by resetting the QL, but that didn't affect the files already backed up.

This problem can't be sidestepped by specifying the MS-DOS partition as a sub-directory that should not be backed up, since the whole partition is treated as just one file, not a sub-directory. If all "normal" files come before it on the disk, there will not be a problem backing them up, but any that come after it can't be processed. The effect is basically the same if a normal QDOS file is larger than 717 KB, which is possible when you use hard disk as the 'save' medium for a word-processing program, for example.

Many users will not have

cated to PC Conqueror, to run had occasion to read-up on the set the QL clock – every time! details of archiving and dateinstructions deal with some of the important points. The screen which shows the progress of a backup displays FILE LAST UPDATED and FILE LAST AR-CHIVED. The former is followed by the date on which the current file was last modified, and the date is taken from the system clock at the time of modification of the file; if you failed to set the bother to set the clock each time you start the QL. It has to assume the date it finds is correct.

The ARCHIVED date is the date on which a file was last backed by the WinBack. This date also will be wrong if you failed to set the clock before may appreciate having made a doing the backup. It is quite possible that the update date will show as later than the archive date when the reverse is true, if you have failed to set the clock disk an odd file is on. As the files have a spare, up-to-date, set of at the appropriate times. You are not compressed, or othercould find all files being backed wise tampered with, the COPY the hard disk. up every time, even though none or WCOPY commands will reactually need it. Make sure you trieve the required file(s) with-

In general, users are likely to stamping files. Fortunately, the be satisfied with the program's decision to back up only those files which have been updated since the last backup. Hopefully, future developments of the program will give the user more freedom to choose, such as allowing any files to be specified for backup, regardless of when file, they were last backed up. It is also desirable to be able to specify groups of files; as it system clock correctly, the date stands, program files are backed will be incorrect. WinBack is not up as well as data ones and the to know whether or not you user may wish to keep these two categories separate from each user, but the program in its other. (You may keep them in separate sub-directories, however, in which case there should be no problem.)

When the time comes to copy a file back to the hard disk, you printout during the backup, because it can be rather a pain to have to insert disk after disk and do DIRs simply to find out which

out bother.

If I seem not to have said much about this program, that should be taken as a compliment to it. If does what it sets out to do, and the user does not have to be particularly smart to use it. The price is reasonable. The instructions are clearly-printed (no bother with printing-out a DOC other than UPDATES_DOC) and userfriendly. The type and manner of the backup will be quite satisfactory for most users. Future developments should cater better for the more-demanding present form should, at the least, ensure that the big disasters (often) associated with hard disk usage are avoided. As mentioned in the instructions, it is not a question of whether you will have file problems – just when. Most times, you will have created the problem yourself (which is no consolation). It is most reassuring to know you files ready for copying back onto

C.G.H. SERVICES

Cwm Gwen Hall, Pencader, Dyfed, Cymru, SA39 9HA (Tel. 0559 384574) (1pm - 9pm)

COMMERCIAL SOFTWARE

ANELPUM QUAT (NICK WARD) (text adventure) (128k) (flp/mdv) £10.00
ASSAULT AND BATTERY (DAMON CHAPLIN) (shoot 'em up) (128k) (flp/mdv) £12.50
ASTRO (NICK WARD) (astrology prog) (128k) (flp/mdv) £12.50
THE BLAG2 (TONY WOOLCOCK) (text adventure) (256k) (flp/mdv) £10.00
D-DAY MKII (DDC & RICH MELLOR) wargame) (256k) (flp/flow) £10.00
DOUBLE BLOCK (FRANCOIS LANCIAULT) (arcade game) (128k) (flp/mdv) £10.00
DREAMLANDS (JEAN-YVES ROUPFIAC) (text adventure) (266k) (flp) £10.00
FIVE GAMES PACK 1 (WREFORD DAVIES) (mind games) (128k) (flp) £12.50
FROMTHE TOWER OF VALAGON (ALAN PEMBERTON) (text adventure) (128k) (flp/mdv) £10.00

GEE-GEE SYSTEM (PHIL JONES AND ANDY CSERBAKOI) (race predictor) (128k) (flp/

mdv) £10.00 GREY WOLF (OLIVER NEEF) (u-boat simulator) (256k) (flp) £10.00 HERE WE GO (PHIL JONES AND ANDY CSERBAKOI) (text adventure) (128k) (flp/mdv)

£10.00

MACSPORRAN'S LAMENT (DAVE WATSON) (illustrated text adventure) (128K) (flp/mdv) £10.00

OPEN GOLF (OLIVER NEEF) (golf simulator) (384k) (flp) £12.50

ORBITING STARS (JOHN TOPHAM) (astronomical simulator) (128/256k) (flp/mdv) £10.00

PERSONAL FINANCE MANAGER (JASON VICINANZA) (budget system) (128k) (flp/mdv)

PERSONAL FINANCE MANAGER (MASCH VIOLANCE) (1008 3) 50.7, (1008 2) 51.0,00
POLYTEXT (NICK WARD) (multi-column quill) (128/256k) (flp/mdv) £17.50
PUDGE (DAMON CHAPLIN) (arcade game) (128k) (flp/mdv) £12.50
QUICK MANDELBROT (KENNETH MURRAY) (fractals) (128k) (flp/mdv) £12.50
QUIZMASTER (PHIL JONES AND ANDY CSERBAKOI) (quiz game) (128k) (flp/mdv)

QUIZMASTER II (AS ABOVE & RICH MELLOR) (quiz game + module option) (128k) (flp/

QUIZMASTER II (AS ABOVE & HICH MELLON) (quiz gaine + initiatic option), franch (12.50)
RETURN TO EDEN (OLIVER NEEF) (role-playing illustrated adventure) (256k) (fllp) £17.50
SECTOR X (HORST SPIERLING) (shoot 'em up) (256k) (fllp) £12.50 (mdv) £15.00
SPEEDFREAKS (DAMON CHAPLIN) (car race game) (128k) (fllp/mdv) £12.50
SQUIDGY ROUND THE WORLD (MICHAEL CHOWE) (arcade game) (flp) £12.50 (mdv) £15.00
STARPLOD (ALAN PEMBERTON) (icon-driven adventure) (128k) (fllp/mdv) £10.00
UNCLE LOONIE'S LEGACY (DAVE WATSON) (puzzle adventure) (128k) (fllp/mdv) £10.00
VOYAGE OF THE BEANO (ALAN PEMBERTON) (illustrated text adventure) (256k) (flp)

WRECK DIVE (NICK WARD) (arcade adventure) (128k) (flp/mdv) £10.00

CLIP ART 1 - SPORTS (FLP) £6.00 CLIP ART 2 - WHIMSIES (FLP) £6.00 CLIP ART 3 - OFFICE (FLP) £6.00 CLIP ART 4 - VIZ (FLP) £6.00 CLIP ART 5 - GENERAL (FLP) £6.00

SPEEDSCREEN - ROM VERSION £20.00 SPEEDSCREEN - FLP/MDV £10.00

PUBLICATIONS

QL TECHNICAL REVIEW ISSUES 1 - 2 £1.50 EACH QL TECHNICAL REVIEW ISSUES 3 - 6 £1.75 EACH QL ADVENTURERS FORUM ISSUES 1 - 3 £1.25 EACH QL ADVENTURERS FORUM ISSUES 4 - 9 £1.50 EACH QL LEISURE REVIEW ISSUE 1 £1.75 EACH INTERNATIONAL QL REPORT ISSUES 1 - 2 £1.50 EACH QL SURVIVOR'S SOURCE BOOK £2.50 EACH

ALL PRICES INCLUDE MEDIA AND POST AND PACKING FOR THE UK. PLEASE ADD 10% FOR ORDERS IN EUROPE; 20% OUTSIDE OF EUROPE. PLEASE INDICATE 3.5"/5.25"/MDV VERSIONS WHEN ORDERING.

PUBLIC DOMAIN AND SHAREWARE LIBRARY ALL DISKS £2.00 EACH INCLUSIVE OF MEDIA AND P&P

PUBLIC DOMAIN AND SHAREWARE LIBRARY
ALL DISKS 22.00 EACH INCLUSIVE OF MEDIA AND P&P
ADVENTURE GAMES DISK 1 (includes Intaisia and ye classical type adventure)
ADVENTURE SOLUTION DISKS 1-3 (includes The Pawn and Mortville Manor, mainly ST thoughl)
ADVENTURE SOLUTION DISKS 1-3 (includes The Pawn and Mortville Manor, mainly ST thoughl)
ADVENTURE SOLUTION DISKS 1-3 (includes The Pawn and Mortville Manor, mainly ST thoughl)
ADVENTURE GAMES SOURCE CODE DISK! (includes Louill to Superfasic converter and demo adventure)
ADVENTURE GAMES SOURCE CODE DISK! (includes AUGH 15 (includes AUGH 15

CARE ELECTRONICS

QL SUPERTOOL KIT II by Tony Tebby

Over 118 Commands:- Full Screen Editor, Key Define Print Using, Last Line Recall, Altkey, Job Control, File Handling, Default Directories, Extended Network, 16k Eprom Cartridge Version

Configurable Version on Microdrive @£23.50d

MIRACLE SYSTEMS PRODUCTS

OK Disc Interface (Inc Tool Kit II)	@£99.64b
QL Centronics Printer Interface	@£29.61c
QL Expanderam 512K Thrucard	@£99.64b

QL HARDWARE

Single 3.5" Disc Drive & (Own PSU)	@£105.75a
Dual 3.5" Disc Drive & (Own PSU)	
3.5" DS/DD Discs - 10 off	
QL Keyboard Membrane	
Care Eprom Cartridges each	
ULA CHip ZX8301	

SOFTWARE 87 (State MDV or Disc)

TEXT87 (Budget Version)	@£45.98d
FOUNTED 89	
FOUNTEXT 88	
TEXT 87/FOUNTED 89/FOUNTEXT 88	
248B PRINTER DRIVER	@£15.00c
Upgrade to Text 87 V.3.00. Return old copy	together with
	@£25 00d

MONITORS (Price including lead)

£99.64a Philips BM7502 Green Hi-Res

QPAC II by Tony Tebby

MAKES YOUR QL TRULY MULTI - TASKING

QPAC II Main menu windows adjust automatically to size. Files, directory, view, print, delete, backup, jobs, pick, Rjob, sort, channels, things exec, wake, buttons, Hotkey, Hotjobs. Fully multitasking, allows many programs to run at once. Requires min of 256k expanded memory@£49.35b

Upgrade QRAM to QPAC II return master .

PLEASE SEND SAE FOR A COPY OF THE QPAC II **REVIEW**

TONY TEBBY SOFTWARE (QJUMP)

QLFP (Micro/P disk interface upgrade)	@£15.51d
QTYP Type/Spell Checker	@£30.55d
QPAC 1-Desk top accessories, calander,	alarm, calcula-
tor, typewriter, digital clock sysmon	@£22.56d

ZITASOFT SOFTWARE by Steve Jones

LOCKSMITHE copies M/DRIVE - M/DRIVE @£14.10c 4MATTER + LOCKSMITHE copies M/DRIVE - DISC ... @£23.50c

SIDEWINDER - High resolution printer driver prints full screens or parts of screens from postage stamp size to large banners. Prints sideways, invert, scale, mirror, text .@£20.21c insertion SIDEWINDER PLUS - (for expanded QL's) includes all the features of above. PLUS multiple label printing, desktop publishing files and printer driver for 24" pin plusprinters LC10 and Jx80 colour printers. (Please state 3.5" disc or

M/D)@£23.50c Upgrade to Sidewinder Plus

@£8.46c

QPOWER REGULATOR

Switch mode power supply, QL runs cool, stops, lock ups (due to voltage drop). Helps filter noise out. Simple to fit (no soldering) £25.850

MULTI COLOURED PRINTER RIBBONS

Gold, Silver, Magenta, Orange, Purple	e, Brown, Green,
Blue and Red.	
Citizen 120D/Swift	£7.99c
Cannon 1080A/1156A	£9.87c
Epson FX80/LQ400/LQ800	£5.17c
Epson FX100/LQ1000	£7.99c
Panasonic KXP 1080	£8.46c
Star I C10	£7.52c

READY MADE LEADS

RGB QL TO PHONO	£6.11c
RGB 8-6 PIN	£7.52c
RGB 8-7 PIN HITACHI	£7.52c
RGB 8-7 PIN FERGUSON	£7.52c
RGB 8 PIN TO SCART	£11.75c
6WAY PCC TO 25WAY 'D'	£9.87c

24 Hour Order Line 0923 894064 OPEN 9am-5pm Mon-Thu 9am-4pm Fri

CARE ELECTRONICS

DEPT QL, 15 HOLLAND GDNS GARSTON, WATFORD, HERTS, WD2 6JN. Tel: 0923-894064 Fax: 0923-672102

Please add carriage b=£3.76 a=£11.75 d=£2.35 c=No charge

HOW TO ORDER:

By Post. Enclose your Cheque/PO made payable to CARE Electronics or use ACCESS/VISA. Allow 7 days for delivery

CLUB ACCESS

BELGIUM

Club Sinclair BruQsL (Belgium) Contact: Jaques Tasset, Aarlenstraat 104, 1040 Brussels, Belgium

International QL Conference bulletin board system (Swedish and English). Contact: Michael Cronsten, System Operator, Jamten-TCL, S Soere 1073, 83030 Lit, Sweden.

New England Sinclair QL User Group (USA) Member-Secretary: Sherm ship Waterman, PO Box 8763, Boston, MA 02114 8763, USA. Magazine: NESQLUG News. Editor: Peter Hale, 195 Central Ave., Chelsea, MA 02150, USA.

Norweigan All Sinclair Association (NASA) Contact: P Monstad, NASA, N-5580 Oelen, Norway. Magazine: Sinclair Magazine.

Qitaly Club Chairman: Roberto Orlandi, Via Brescia 26,25039 Travagliato (BS), Italy. Tel. (local) +39 30 6863311. Magazine: Oitaly Magazine. Editor: Dr Eros Forenzi, Via Valeriana 44, 23010 Berbenno (SO), Italy. Tel. (local) +39 342 492323.

QL Qlub (Turkey). Contact: Bulent Artuz, Prof. Sitesi B/1 D/5, Etiler 80600, Istanbul, Turkey.

Quanta (UK) Membership Secretary, Bill Newell, 213 Manor Road, Benfleet, Essex SS7 4JD. Magazine: Quanta. Editor: Bill Fuggle, 20 Widnes Avenue, Selly Oak, Birmingham B29 6QE.

Bristol sub-group: Roy Brereton, 94 Teignmouth Rd, Clevedon, Avon BS21 6DR.

Essex sub-group: Bob Fingell, 22 Paley Gardens, Loughton, Essex IG10 2AN.

London sub-group: Jeremy Davis, 6 Elmcroft Crescent, Harrow, Middlesex HA26HN.

Northern Ireland: Billy Fairyhill, Turkington, Rostrevor, Newry, Co., Down BT34 3BB.

Qubbesoft PD library. Contact: Ron Dunnett, 38 Brunwin Rd, Rayne, Braintree, Essex CM7 5BU.

SCOTLAND

Scottish QL Users Group Contact: Alan Pemberton, 65 Lingerwood Rd., Newtongrange, Midlothian EH22 4QQ. Newsletter.

HOLLAND

Sin_QL_Air (Netherlands) Membership Secretary: Bob Visser, Snelrewaard 6, 2904 SN Capelle, a/d Ijssel, Netherlands. Magazine: Quasar. Editor: CHM Biemans, Elzenstraat 5, 5461 CL Veghel, Netherlands.

GERMAN

Sinclair QL User Club eV (Germany) Foreign Contact: Franz Herrmann, Talstrasse 21, d-W5460 Ochenfels, West Germany. Magazine: Quasar.

EXUDRIVE EXCHANGE

B = SuperBasic; A+O = assembler and object code; M+B = machine code and Basic loader; A+B+O = assembler and Basic loader and object code; S = supercharged; L = QLiberated; f1 = monitor mode; f2 = TV mode.

Established QL suppliers Sector Software are duplicating and distributing Microdrive Exchange programs, and supplying 3.5 inch disks. Please read the small print carefully, as different action is needed depending on whether you want mdv or disk copies.

I understand that Sector Software undertake only to supply these programs, and accept no liability for operation as defined by the authors. QL World cannot supply information about the programs other than that originally printed or supplied.

Any article reprints must be ordered and paid for separately at £2 each (£3 overseas) from Sinclair QL World at the Editorial address.

HOW TO ORDER

The Microdrive Exchange will copy the programs of your choice onto Sinclair microdrive cassette or 3.5 inch disk. Please note we can only supply ONE PROGRAM PER MDV OR DISK.

Orders for programs on DISK can only be supplied on the MDX's own disks, priced at £1, one disk per program ordered. Please do NOT send disks. Please state any specific density requirement for your set-up. Microcassettes cost £2.60 each.

Please send your orders to Sector Software, 39, Wray Crescent, Ulnes Walton, Leyland, Lancs. PR5 3NA. Tel. 0772 454328. Access/Visa accepted.

ORDER FORM £..... Value of programs ordered I require one microcassette/one disk for each program ordered (delete as applicable) No. of 3.5in. disks required @ £1 each £.....3 No. of mdvs required @ £2.60 each £..... £1.00 Post and packing 171/2% VAT £..... TOTAL £.....3 PROGRAM IDENTITY NUMBERS: NAME ADDRESS (BLOCK CAPITALS PLEASE)Postcode..... ACCESS/VISA NUMBER IF APPLICABLE: Please copy on to mdv or disk the programs which I have indicated. I enclose a cheque/PO/Access or Visa number to the total of £.....

THE PROGRAMS

1. LEAGUE SECRETARY by C.B. Storey (B)

You enter the match results and this program updates the league tables. Suitable for any sporting league organised on the lines of the Barclays Football League. Mdv only at present.

2. THE DOUBLE by P.G. Ives (Bf2)

£4

A large football strategy game. You manage a team through four divisions, buying and selling, boosting morale through the league and F.A. Cup season.

3. SUPERBREAKOUT by R. Davison (M+B)

Fast m/c version of the classic bat, ball and wall game. Optional double bats and/or balls.

4. SPACE PODS by Simon Quinn (M+B)

£3

Your lone ship must protect six energy pods against the aliens. Machine code. QL World, December 1987.

5. GRAPHIC WRITER by S.M. Walker (B)

£2

A graphic design program which can save your pictures as SuperBasic commands for use in other programs. QL World, December 1987.

6. ZAPMAN by L. Miles (M+B)

Fast-action m/c version of the Pacman genre. Variable skill levels and maze formats.

7. SPACE INVADERS by Paul McKinnon (M)

£3

Very fast, challenging version of the classic, with ugly aliens and protective shields.

8. SPELLED by Timo Salmi (T)

£3

A complete spelling checker for Quill_list files, 7,500 words automatically expandable. Requires two cartridges and 512K expansion.

9. ADVENTURE PLAYTIME by A. Pemberton (B) MDV only

An extensive adventure where you must complete tasks for the inhabitants of a strange land. Coded messages and hints included.

10. YAHTZEE/GIRO by Jason Price/Henry Wrighton (B)

The popular dice game with instructions and graphics, for one or more players. QL World November 1987. Also space-disaster rescue game, in zero-gravity. QL World December 1989.

11. LOCK AND KEY by Henry Wrightson (B)

Unlock the secrets of eight screens of platforms, ladders, keys, poison weeds and mixed fruit - against the clock. QL World February, 1990.

12. RADAR by Nigel Ford (B)

£3

You are control, monitoring the skies, checking aircraft, scrambling jets to intercept UFO's and shooting down enemy aircraft.

13. TAKTIX by Nigel Ford (B)

Six or more can play the computer in a fierce game of European conquest. Put aside at least an hour. QL World July, 1988.

14. BRIDGE by Peter Etheridge (B)

€4

Excellent version, including accurate bidding, automatic or manual card play, replay hands, save and loads more.

15. CONQUEST by Andrew Pritchard (T)

"Superb graphics, with lots of original ideas. The best strategy game I've reviewed for QL World."

16. SPEEDMIND by William Henderson (B)

£3

A mastermind-style game played with coloured pages. You have 12 attempts at breaking the code against the clock. QL World, January

17. STELLARIS by David Carmona (Bf1)

Real-time space adventure against the computer, including economic simulations, lunar landing and superb graphics. QL World, June

18. BUSINESS GAME by David Smith (B)

A business simulator for any number of players, human or computer. The winner is the one who makes the most money! Networking advice from author. See QL World, April 1989.

payable to Sector Software.

NOTICE BOARD

You will have noticed a subtle change in the way *QL World* is laid out this month. This is because we have moved to a different printer and our colour pages are arranged in a different order. Nothing more spectacular than that. We stopped running a colour centre spread after our last change of printer - some years ago now - and we won't be seening that again while the New User Guide holds pride of place in the middle of the magazine. But we have some beautiful colour for you in Kevin Ball's article on Video Graphics on page 20. Dr Bhatti of QLAW has written an interim report on the response to the questionnaire run in QL World last month. So far the expected has happened: the two per cent have come forward. This is the normal for questionnaires in all fields. QL users, however, are not merely normal: they are persistent, independent and intelligent. So, if you are one of the 98%, don't be normal – send us your questionnaire.

Please could reader David Tubbs, who phoned us last month, please get in touch? It looks as though his material did not reach us here.

BOOK REVIEWS

More volunteers wanted. Are you the owner of a QL volume without which you couldn't have got where you are today? Or a book on any individual language which you used to develop your programming skills on the QL? Or any books which you have found to be of enduring interest? Can you review it for us? If so — do the usual thing, contact the Editor for further details. QL books can be of any vintage — all other books must be either currently in print, widely available in libraries or of exceptional worth. The only computer-related subject we won't be covering is general computer science.

We have had a number of requests to add clubs and new business names to *Instant Access* recently, so we have started a separate clubs section under its own heading.

If you have a business or club name you want to include in Instant Access, just drop us a line with your proposed entry laid out according to our usual format: Name, telephone number and a couple of lines on the relevant product or service for UK businesses; overseas businesses outside the UK can include an address as well; clubs just include the address (no phone number).

12 Se Je A2 12 T

) | a Ne Se Te A2 N2]

HARDWARE

Care Electronics

0923 672102

Peripherals and accessories.

Thor International

010 4533 930305

010 4533 937544

Digital Precision

081-527 5493

Discs, interfaces, drives, keyboards,

RAM expansions.

EEC Ltd

0753 888866

QLs, peripherals, accessories

Miracle Systems

0904 423986

Trump Card interface, modems,

hard disc drive.

Strong Computer Systems

0267 231246

Sector Software

0772 454328

Peripherals.

S.P.E.M

Via Aosta 16, 10154 Torino, Italy. +39 11 857924 Fax +39 11280009

QL disk interfaces, ram, eprom holders.

TF Services

071 724 9053

Repairs, spares, peripherals.

TK Computerware

0303 812801

Peripherals.

) | a Ne Se Te A2 N2]

SERVICES

Adman Services

0952 255895

Joe Atkinson

36 Ranelagh Road, London W5 5RJ Roms, mdvs and all spares.

Suredata

081-902 5218

Repairs.

QL World

(reader services)

Subscriptions

091 510 8787 (Lazerhold)

Microdrive Exchange

0772 454328 (Sector)

Recent back issues: write to editor

Quanta

User Group, support.

Hon. secretary, Phil Borman.


0933 460690

Xchange User Group

Freepost

Beckenham

Kent BR3 2BR



SOFTWARE

Athene Consultants

0705 511439

ARK Distribution

0983 79496

Archivist, Master Spy and other business and utility software.

Call Us What You Like

55 Greenan, Shaws Road, Belfast BT11 8LX. No telephone. Superspy.

Care Electronics

0923 672102

Tony Tebby software. Miracle hardware, peripherals, utilities.

CGH Services

0559384 574

Adventures. QLAF, DIY Toolkit.

Compware

0270 582301

Task Swopper, Mega Toolbox, Expert, System Shell, Speedscreen and others.

Digital Precision

081-527 5493

Turbo Basic compiler, Desktop

Publisher, Editor, Eye-Q Graphics. Sprite generator, Super Forth, Better Basic,

Professional and Super Astrologer,

Media Manager, Supercharge,

Blocklands, Driodzone, Aracadia,

Reversi, Backgammon, Master Bridge

Tutor, C-M Emulator, C compiler,

Lightning speed enhancer.

DJW Software

0256 881701

Homebanker

Dilwyn Jones Computing

0248 354023

Home Budget, Vision Mixer, QL

Genealogist, Textidy, Spellbound and others.

Eidersoft

089283 2552

Games utilities, Ice. Pyramide.

ImaQLate Software

42 Albion Street, Broadstairs, Kent CT10 1NE.

Biograph.

Jochen Merz Software

010 49 203501274

QL/Atari Emulators, utility and games software.

Lear Data Systems

6 Southview Green, Bentley lpswich, Suffolk IP9 2DR

Otris

Liberation Software

081 546 7795

Basic compiler (QLib) and utilities.

OFIL F

Apartado 2110 p-1103 Lisboa Codex, MS-Link and Discopy. Portugal.

QL Supersoft

0256 475992

Spell, Numbers, Superdraw.

Qubbesoft PD

38 Brunwin Road, Rayne, Braintree,

Essex CM7 5BU

Public domain software.

Rob Roy Software

94 Teignmouth Road, Clevedon, Avon

BS21 6DR.

Rob Roy and Palantir.

Sector Software

0772 454328

Flashback and other utilities.

SD Microsystems

0462 422897

Business software including General Ledger. Small Traders' Pack/Invoicer and Stock Accounting.

Software 87

33 Savernake Road, London NW3 2JU Text 87 and updates.

Talent Software

0303 813883

Utilities, games.

TK Computerware

0303 812801

Add-ons, spares, software.

WD Software

0534 81392

MICRO ADS MICRO ADS MICRO ADS

LEISURE GAMES (5), ICE, Cartridge Doctor, Cash Trader, box of microdrive cartridges plus QL books for sale, £75 ono. Ring 0895 33094 after 7pm.

MICROVITEC, Cub QL dedicated colour moniter, excellent condition original packaging £120 ono, Sinclair QLJM Version 128K, good condition, lots of S/W, all leads, £100 ono. TEI 0532 785213

QL ROMS AND SPARES ROMS, MGE (Spanish, MGF (French), MGG (German), JS (English), £20 each. JM (English),

MDVS. Complete QL MDV Subunit £20, head and chassis £10, Microswitch £2, Motor £6. Rubber & Plastic Roller £2. MDV2 Stand-off spacer + srew £2. ULA £5. Tr 4,5,6,7 set £2. MDV pob inc, ULA £11. Prices include UK postage. Send SAE for price list of all QL spares. Joe Atkinson, 36 Ranelagh Road, Ealing, London W5 5RJ (Mail Order Only).

NEW FROM THE UTILITY ROOM SUPER BASIC 2C CONVERTER - £15

QL Disassembler £10.00 available on disk or Microdrive format (send one formatted cartridge with order)

Kevin Robinson

Trading as the Utility Room 5 Upton Way, Walshaw, Bury, Lancs, BL8 3BT.

QL REAL TIME DIGITIZER

video printer or 3-D image digitizer via a video camera/recorder

video printer of 3-D image digitizer via a video camera/recorder

*Digitizes in .02 secs.

*256x256 resolution in 8 levels

*Euil, '\(\), or 4x '\(\), screen modes

*Screen update - 5 or 2.7 frame/sec

*1:1 grey level 9-pin printer dump.

*Inlerfaces to 0.1 R OM PORT

*Runs on unexpanded 0.1 and multitasks.

*Cost: £99.00 incl. State mdv or flp.

*Cust: £99.00 incl

Digitize moving pictures in real time. Transforms QL into a

* * * FLIGHTDECK * * *

Q. MERSEY MOUSE Kit of parts complete £25 Plug-in model ready to use £37.50 Both OK for Qram, Prof Pub-Painter,

etc.
Q.L. Joystick Adaptor £4.00
Post free to Quanta Members
Tel: 0516527366
Q.L.M.U.G.
3 BARNARD RD

BIRKENHEAD L43 1TT

MICRO ADS . . . MICRO ADS

.. MICRO ADS...

MICRO ADS

MICRO ADS ...

. MICRO ADS . . .

MICRO ADS . . . MICRO ADS

. MICRO AD

- ★ THE QL Jet Airliner Simulator!★ Machine Code Filled Graphics.
- Includes Database of 25 Major UK Airports + over 200 Nav. Beacons.
- ★ See "Sinclair QL World", December 1989.
- ★ £15.00 inc P&P n 3.5" Disk or Mdv. Cheque/PO to: DELTASOFT
- 11 Dumaine Avenue, Stoke Gifford Bristol, BS12 6XH

QTop is the definitive User-Front-End package for all QDOS compatible computers, the SINCLAIR QL, the powerful Thor XVI, the ST with QL-Emulator and the Amiga with QL-Emulator. Based on the QRAM design with twice the power of QPAC II! The powerful QJUMP extended Pointer Environment is included. The main menus are DESK, DEVICES, FILES, JOBS, KEYBOARD, PROGRAMS, MY PROGS, TOOLS and OPTIONS. Five desktop accessories are included: CLOCKS, DEMOS, ANIMATOR, INDEX and SNAP. Software and 41 page manual is available in English or German. Free updates. Ask for free six page information sheet. The distributors and prices including P&P are: in the UK TK Computerware for £35 (disc) or £39 (mdv) in Germany QLympic Computer Systems for DM99 (disc) or DM109 (mdv) Rest of the World for SFr90 (disc) or SFr98 (mdv) from the publisher:

COWO Electronic

Urs König, Münsterstrasse 4, CH-6210 Sursee, Tel 045-211478

Please send coupon to: Advertising Department Sinclair/QL World, Panini House, 116/120 Goswell Road, London EC1. Pleae place this Classified Advertisement in the next issue of Sinclair/QL World.

NAMEADDRESS		········ VAT) for	I enclose a cheque/P.O. to the value of £17.65 (inc. VAT) for a lineage advertisement of no more than 30 words. Please make cheques payable to MCPC Ltd		
DAYTIME TELEPHONE N	10				
		g.			





Fill in the coupon below and send it with your remittance to: TASM Subscriptions Department, Lazahold Ltd, P.O. Box 10, Roper Street, Pallion Industrial Estate, Sunderland SR4 6SN. Telephone 091 510 2290.

(The first issue of a new subscription to be delivered will be one or two issues after the one you placed your order in.)

	חטוו וט אויסווע	AIR QL WORLD and send my free binder.	
I enclose my cheque/money order for £	otion to SINCLAIR QL WORLD and send my free binder. made payable to MCPC Ltd or debit my Access/Visa card.		
No	Expiry date	te	20 6 8 FEET
Name	Address		
		(Please enter postcode to ensure prompt de	ivery)
0.	-	COL	0001
Signed	Date	SQL (0991
 	Date	(Please enter postcode to ensure prompt d	1